

Прайс компании ООО "СТРМаш" на продукцию ZPS Fn (Чехия)*

по состоянию на 01.03.2019

контактный телефон: 8-916-515-08-50

Оплата в рублях по курсу ЦБ РФ на дату выставления счета

Фрезы		
	Мини фрезы концевые	
	Фрезы концевые МИНИ	
	ZPS-FN Norm	
№ П.П.	Номер по каталогу производителя: 1604	цена евро
Ф1	ZPS Mini end mill, Ø1, 8x3x34, Z3, HSSCo8, N 160418.018	5,93
Ф2	ZPS Mini end mill, Ø1, 8x3x34, Z3, HSSCo8, TiALN, N 160418.018 TiALN	6,86
Ф3	ZPS Mini end mill, Ø1,5x3x34, Z3, HSSCo8, N 160418.015	5,93
Ф4	ZPS Mini end mill, Ø1,5x3x34, Z3, HSSCo8, TiALN, N 160418.015 TiALN	7,05
Ф5	ZPS Mini end mill, Ø10x13x50, Z3, HSSCo8, N 160418.100	10,11
Ф6	ZPS Mini end mill, Ø10x13x50, Z3, HSSCo8, TiALN, N 160418.100 TiALN	16,10
Ф7	ZPS Mini end mill, Ø1x2x33, Z3, HSSCo8, N 160418.010	5,93
Ф8	ZPS Mini end mill, Ø1x2x33, Z3, HSSCo8, TiALN, N 160418.010 TiALN	6,86
Ф9	ZPS Mini end mill, Ø2, 3x4x35, Z3, HSSCo8, N 160418.023	5,93
Ф10	ZPS Mini end mill, Ø2, 3x4x35, Z3, HSSCo8, TiALN, N 160418.023 TiALN	7,24
Ф11	ZPS Mini end mill, Ø2, 8x5x36, Z3, HSSCo8, N 160418.028	5,93
Ф12	ZPS Mini end mill, Ø2, 8x5x36, Z3, HSSCo8, TiALN, N 160418.028 TiALN	7,68
Ф13	ZPS Mini end mill, Ø2,5x5x36, Z3, HSSCo8, N 160418.025	5,93
Ф14	ZPS Mini end mill, Ø2,5x5x36, Z3, HSSCo8, TiALN, N 160418.025 TiALN	7,43
Ф15	ZPS Mini end mill, Ø2x4x35, Z3, HSSCo8, N 160418.020	5,93
Ф16	ZPS Mini end mill, Ø2x4x35, Z3, HSSCo8, TiALN, N 160418.020 TiALN	7,05
Ф17	ZPS Mini end mill, Ø3, 3x6x37, Z3, HSSCo8, N 160418.033	5,93
Ф18	ZPS Mini end mill, Ø3, 3x6x37, Z3, HSSCo8, TiALN, N 160418.033 TiALN	7,86
Ф19	ZPS Mini end mill, Ø3, 8x7x38, Z3, HSSCo8, N 160418.038	5,93
Ф20	ZPS Mini end mill, Ø3, 8x7x38, Z3, HSSCo8, TiALN, N 160418.038 TiALN	8,17
Ф21	ZPS Mini end mill, Ø3,5x6x37, Z3, HSSCo8, N 160418.035	5,93
Ф22	ZPS Mini end mill, Ø3,5x6x37, Z3, HSSCo8, TiALN, N 160418.035 TiALN	7,99
Ф23	ZPS Mini end mill, Ø3x5x36, Z3, HSSCo8, N 160418.030	5,93
Ф24	ZPS Mini end mill, Ø3x5x36, Z3, HSSCo8, TiALN, N 160418.030 TiALN	7,68
Ф25	ZPS Mini end mill, Ø4, 3x7x38, Z3, HSSCo8, N 160418.043	5,93
Ф26	ZPS Mini end mill, Ø4, 3x7x38, Z3, HSSCo8, TiALN, N 160418.043 TiALN	8,42
Ф27	ZPS Mini end mill, Ø4, 8x8x39, Z3, HSSCo8, N 160418.048	5,93
Ф28	ZPS Mini end mill, Ø4, 8x8x39, Z3, HSSCo8, TiALN, N 160418.048 TiALN	8,80
Ф29	ZPS Mini end mill, Ø4,5x7x38, Z3, HSSCo8, N 160418.045	5,93
Ф30	ZPS Mini end mill, Ø4,5x7x38, Z3, HSSCo8, TiALN, N 160418.045 TiALN	8,61
Ф31	ZPS Mini end mill, Ø4x7x38, Z3, HSSCo8, N 160418.040	5,93
Ф32	ZPS Mini end mill, Ø4x7x38, Z3, HSSCo8, TiALN, N 160418.040 TiALN	8,24
Ф33	ZPS Mini end mill, Ø5, 3x8x39, Z3, HSSCo8, N 160418.053	5,93
Ф34	ZPS Mini end mill, Ø5, 3x8x39, Z3, HSSCo8, TiALN, N 160418.053 TiALN	9,42
Ф35	ZPS Mini end mill, Ø5, 75x8x39, Z3, HSSCo8, N 160418.0575	5,93
Ф36	ZPS Mini end mill, Ø5, 75x8x39, Z3, HSSCo8, TiALN, N 160418.0575 TiALN	9,36
Ф37	ZPS Mini end mill, Ø5,5x8x39, Z3, HSSCo8, N 160418.055	5,93
Ф38	ZPS Mini end mill, Ø5,5x8x39, Z3, HSSCo8, TiALN, N 160418.055 TiALN	9,17
Ф39	ZPS Mini end mill, Ø5x8x39, Z3, HSSCo8, N 160418.050	5,93
Ф40	ZPS Mini end mill, Ø5x8x39, Z3, HSSCo8, TiALN, N 160418.050 TiALN	8,86
Ф41	ZPS Mini end mill, Ø6,5x10x42, Z3, HSSCo8, N 160418.065	7,74

Ф42	ZPS Mini end mill, Ø6,5x10x42, Z3, HSSCo8, TiALN, N 160418.065 TiAlN	11,98
Ф43	ZPS Mini end mill, Ø6x8x39, Z3, HSSCo8, N 160418.060	5,93
Ф44	ZPS Mini end mill, Ø6x8x39, Z3, HSSCo8, TiALN, N 160418.060 TiAlN	9,42
Ф45	ZPS Mini end mill, Ø7,5x10x42, Z3, HSSCo8, N 160418.075	7,92
Ф46	ZPS Mini end mill, Ø7,5x10x42, Z3, HSSCo8, TiALN, N 160418.075 TiAlN	12,67
Ф47	ZPS Mini end mill, Ø7x10x42, Z3, HSSCo8, N 160418.070	7,92
Ф48	ZPS Mini end mill, Ø7x10x42, Z3, HSSCo8, TiALN, N 160418.070 TiAlN	12,29
Ф49	ZPS Mini end mill, Ø8,5x11x48, Z3, HSSCo8, N 160418.085	9,92
Ф50	ZPS Mini end mill, Ø8,5x11x48, Z3, HSSCo8, TiALN, N 160418.085 TiAlN	15,29
Ф51	ZPS Mini end mill, Ø8x11x43, Z3, HSSCo8, N 160418.080	8,67
Ф52	ZPS Mini end mill, Ø8x11x43, Z3, HSSCo8, TiALN, N 160418.080 TiAlN	13,67
Ф53	ZPS Mini end mill, Ø9,5x11x48, Z3, HSSCo8, N 160418.095	9,92
Ф54	ZPS Mini end mill, Ø9,5x11x48, Z3, HSSCo8, TiALN, N 160418.095 TiAlN	15,91
Ф55	ZPS Mini end mill, Ø9x11x48, Z3, HSSCo8, N 160418.090	9,92
Ф56	ZPS Mini end mill, Ø9x11x48, Z3, HSSCo8, TiALN, N 160418.090 TiAlN	15,60
Ф57	Номер по каталогу производителя: 1614	
Ф58	ZPS Mini end mill, Ø1,5x5x36, Z3, HSSCo8, N 161418.015	5,93
Ф59	ZPS Mini end mill, Ø1,5x5x36, Z3, HSSCo8, TiALN, N 161418.015 TiAlN	6,74
Ф60	ZPS Mini end mill, Ø10x22x59, Z3, HSSCo8, N 161418.100	10,30
Ф61	ZPS Mini end mill, Ø10x22x59, Z3, HSSCo8, TiALN, N 161418.100 TiAlN	16,47
Ф62	ZPS Mini end mill, Ø2,5x8x39, Z3, HSSCo8, N 161418.025	5,93
Ф63	ZPS Mini end mill, Ø2,5x8x39, Z3, HSSCo8, TiALN, N 161418.025 TiAlN	7,43
Ф64	ZPS Mini end mill, Ø2x7x38, Z3, HSSCo8, N 161418.020	5,93
Ф65	ZPS Mini end mill, Ø2x7x38, Z3, HSSCo8, TiALN, N 161418.020 TiAlN	7,05
Ф66	ZPS Mini end mill, Ø3,5x10x41, Z3, HSSCo8, N 161418.035	6,05
Ф67	ZPS Mini end mill, Ø3,5x10x41, Z3, HSSCo8, TiALN, N 161418.035 TiAlN	8,11
Ф68	ZPS Mini end mill, Ø3x8x39, Z3, HSSCo8, N 161418.030	5,93
Ф69	ZPS Mini end mill, Ø3x8x39, Z3, HSSCo8, TiALN, N 161418.030 TiAlN	7,68
Ф70	ZPS Mini end mill, Ø4,5x11x42, Z3, HSSCo8, N 161418.045	6,05
Ф71	ZPS Mini end mill, Ø4,5x11x42, Z3, HSSCo8, TiALN, N 161418.045 TiAlN	8,74
Ф72	ZPS Mini end mill, Ø4x10x42, Z3, HSSCo8, N 161418.040	6,05
Ф73	ZPS Mini end mill, Ø4x10x42, Z3, HSSCo8, TiALN, N 161418.040 TiAlN	8,36
Ф74	ZPS Mini end mill, Ø5,5x13x44, Z3, HSSCo8, N 161418.055	6,18
Ф75	ZPS Mini end mill, Ø5,5x13x44, Z3, HSSCo8, TiALN, N 161418.055 TiAlN	9,30
Ф76	ZPS Mini end mill, Ø5x11x44, Z3, HSSCo8, N 161418.050	6,18
Ф77	ZPS Mini end mill, Ø5x11x44, Z3, HSSCo8, TiALN, N 161418.050 TiAlN	9,05
Ф78	ZPS Mini end mill, Ø6,5x13x48, Z3, HSSCo8, N 161418.065	8,05
Ф79	ZPS Mini end mill, Ø6,5x13x48, Z3, HSSCo8, TiALN, N 161418.065 TiAlN	12,23
Ф80	ZPS Mini end mill, Ø6x13x44, Z3, HSSCo8, N 161418.060	6,18
Ф81	ZPS Mini end mill, Ø6x13x44, Z3, HSSCo8, TiALN, N 161418.060 TiAlN	9,61
Ф82	ZPS Mini end mill, Ø7,5x16x48, Z3, HSSCo8, N 161418.075	8,05
Ф83	ZPS Mini end mill, Ø7,5x16x48, Z3, HSSCo8, TiALN, N 161418.075 TiAlN	12,92
Ф84	ZPS Mini end mill, Ø7x16x48, Z3, HSSCo8, N 161418.070	8,05
Ф85	ZPS Mini end mill, Ø7x16x48, Z3, HSSCo8, TiALN, N 161418.070 TiAlN	12,60
Ф86	ZPS Mini end mill, Ø8,5x19x56, Z3, HSSCo8, N 161418.085	10,11
Ф87	ZPS Mini end mill, Ø8,5x19x56, Z3, HSSCo8, TiALN, N 161418.085 TiAlN	15,54
Ф88	ZPS Mini end mill, Ø8x19x51, Z3, HSSCo8, N 161418.080	8,80
Ф89	ZPS Mini end mill, Ø8x19x51, Z3, HSSCo8, TiALN, N 161418.080 TiAlN	13,98
Ф90	ZPS Mini end mill, Ø9,5x19x56, Z3, HSSCo8, N 161418.095	10,11
Ф91	ZPS Mini end mill, Ø9,5x19x56, Z3, HSSCo8, TiALN, N 161418.095 TiAlN	16,22
Ф92	ZPS Mini end mill, Ø9x19x56, Z3, HSSCo8, N 161418.090	10,11
Ф93	ZPS Mini end mill, Ø9x19x56, Z3, HSSCo8, TiALN, N 161418.090 TiAlN	15,91
Ф94	Номер по каталогу производителя: C1604	

Ф95	ZPS Mini end mill, Ø0, 6x1,5x40, Z3, λ 30°, SC, N C160402.006	12,69
Ф96	ZPS Mini end mill, Ø0, 6x1,5x40, Z3, λ 30°, SC, TiCN, N C160402.006 TiCN	14,49
Ф97	ZPS Mini end mill, Ø0, 8x2x40, Z3, λ 30°, SC, N C160402.008	12,69
Ф98	ZPS Mini end mill, Ø0, 8x2x40, Z3, λ 30°, SC, TiCN, N C160402.008 TiCN	14,49
Ф99	ZPS Mini end mill, Ø0,5x1,5x40, Z3, λ 30°, SC, N C160402.005	12,69
Ф100	ZPS Mini end mill, Ø0,5x1,5x40, Z3, λ 30°, SC, TiCN, N C160402.005 TiCN	14,49
Ф101	ZPS Mini end mill, Ø1, 2x2x40, Z3, λ 30°, SC, N C160402.012	12,69
Ф102	ZPS Mini end mill, Ø1, 2x2x40, Z3, λ 30°, SC, TiCN, N C160402.012 TiCN	14,49
Ф103	ZPS Mini end mill, Ø1, 8x2x40, Z3, λ 30°, SC, N C160402.018	12,69
Ф104	ZPS Mini end mill, Ø1, 8x2x40, Z3, λ 30°, SC, TiCN, N C160402.018 TiCN	14,49
Ф105	ZPS Mini end mill, Ø1,5x2x40, Z3, λ 30°, SC, N C160402.015	12,69
Ф106	ZPS Mini end mill, Ø1,5x2x40, Z3, λ 30°, SC, TiCN, N C160402.015 TiCN	14,49
Ф107	ZPS Mini end mill, Ø10x13x50, Z3, λ 30°, SC, N C160402.100	29,32
Ф108	ZPS Mini end mill, Ø10x13x50, Z3, λ 30°, SC, TiCN, N C160402.100 TiCN	35,21
Ф109	ZPS Mini end mill, Ø12x15x55, Z3, λ 30°, SC, N C160402.120	38,98
Ф110	ZPS Mini end mill, Ø12x15x55, Z3, λ 30°, SC, TiCN, N C160402.120 TiCN	45,60
Ф111	ZPS Mini end mill, Ø1x2x40, Z3, λ 30°, SC, N C160402.010	12,69
Ф112	ZPS Mini end mill, Ø1x2x40, Z3, λ 30°, SC, TiCN, N C160402.010 TiCN	14,49
Ф113	ZPS Mini end mill, Ø2,5x5x40, Z3, λ 30°, SC, N C160402.025	15,11
Ф114	ZPS Mini end mill, Ø2,5x5x40, Z3, λ 30°, SC, TiCN, N C160402.025 TiCN	18,14
Ф115	ZPS Mini end mill, Ø2x4x40, Z3, λ 30°, SC, N C160402.020	15,11
Ф116	ZPS Mini end mill, Ø2x4x40, Z3, λ 30°, SC, TiCN, N C160402.020 TiCN	18,14
Ф117	ZPS Mini end mill, Ø3,5x6x40, Z3, λ 30°, SC, N C160402.035	15,11
Ф118	ZPS Mini end mill, Ø3,5x6x40, Z3, λ 30°, SC, TiCN, N C160402.035 TiCN	18,14
Ф119	ZPS Mini end mill, Ø3x5x40, Z3, λ 30°, SC, N C160402.030	15,11
Ф120	ZPS Mini end mill, Ø3x5x40, Z3, λ 30°, SC, TiCN, N C160402.030 TiCN	18,14
Ф121	ZPS Mini end mill, Ø4,5x8x40, Z3, λ 30°, SC, N C160402.045	15,11
Ф122	ZPS Mini end mill, Ø4,5x8x40, Z3, λ 30°, SC, TiCN, N C160402.045 TiCN	18,14
Ф123	ZPS Mini end mill, Ø4x7x40, Z3, λ 30°, SC, N C160402.040	15,11
Ф124	ZPS Mini end mill, Ø4x7x40, Z3, λ 30°, SC, TiCN, N C160402.040 TiCN	18,14
Ф125	ZPS Mini end mill, Ø5, 8x8x40, Z3, λ 30°, SC, N C160402.058	15,11
Ф126	ZPS Mini end mill, Ø5, 8x8x40, Z3, λ 30°, SC, TiCN, N C160402.058 TiCN	18,14
Ф127	ZPS Mini end mill, Ø5,5x8x40, Z3, λ 30°, SC, N C160402.055	15,11
Ф128	ZPS Mini end mill, Ø5,5x8x40, Z3, λ 30°, SC, TiCN, N C160402.055 TiCN	18,14
Ф129	ZPS Mini end mill, Ø5x8x40, Z3, λ 30°, SC, N C160402.050	15,11
Ф130	ZPS Mini end mill, Ø5x8x40, Z3, λ 30°, SC, TiCN, N C160402.050 TiCN	18,14
Ф131	ZPS Mini end mill, Ø6, 8x10x45, Z3, λ 30°, SC, N C160402.068	21,51
Ф132	ZPS Mini end mill, Ø6, 8x10x45, Z3, λ 30°, SC, TiCN, N C160402.068 TiCN	25,83
Ф133	ZPS Mini end mill, Ø6x8x40, Z3, λ 30°, SC, N C160402.060	15,11
Ф134	ZPS Mini end mill, Ø6x8x40, Z3, λ 30°, SC, TiCN, N C160402.060 TiCN	18,14
Ф135	ZPS Mini end mill, Ø7, 8x10x45, Z3, λ 30°, SC, N C160402.078	21,90
Ф136	ZPS Mini end mill, Ø7, 8x10x45, Z3, λ 30°, SC, TiCN, N C160402.078 TiCN	26,17
Ф137	ZPS Mini end mill, Ø7x10x45, Z3, λ 30°, SC, N C160402.070	21,51
Ф138	ZPS Mini end mill, Ø7x10x45, Z3, λ 30°, SC, TiCN, N C160402.070 TiCN	25,83
Ф139	ZPS Mini end mill, Ø8, 7x11x50, Z3, λ 30°, SC, N C160402.087	29,32
Ф140	ZPS Mini end mill, Ø8, 7x11x50, Z3, λ 30°, SC, TiCN, N C160402.087 TiCN	35,21
Ф141	ZPS Mini end mill, Ø8x11x45, Z3, λ 30°, SC, N C160402.080	21,90
Ф142	ZPS Mini end mill, Ø8x11x45, Z3, λ 30°, SC, TiCN, N C160402.080 TiCN	26,17
Ф143	ZPS Mini end mill, Ø9, 7x11x50, Z3, λ 30°, SC, N C160402.097	29,32
Ф144	ZPS Mini end mill, Ø9, 7x11x50, Z3, λ 30°, SC, TiCN, N C160402.097 TiCN	35,21
Ф145	ZPS Mini end mill, Ø9x11x50, Z3, λ 30°, SC, N C160402.090	29,32
Ф146	ZPS Mini end mill, Ø9x11x50, Z3, λ 30°, SC, TiCN, N C160402.090 TiCN	35,21
Ф147	Номер по каталогу производителя: S2604	

Ф148	ZPS Mini end mill, Ø0, 4x0, 6x50, Z2, λ 30°, SC, AlTiN, H S260402.004	40,21
Ф149	ZPS Mini end mill, Ø0, 6x0,9x50, Z2, λ 30°, SC, AlTiN, H S260402.006	35,72
Ф150	ZPS Mini end mill, Ø0, 7x0, 8x50, Z2, λ 30°, SC, AlTiN, H S260402.007	35,72
Ф151	ZPS Mini end mill, Ø0, 8x1, 2x50, Z2, λ 30°, SC, AlTiN, H S260402.008	32,74
Ф152	ZPS Mini end mill, Ø0,5x0, 7x50, Z2, λ 30°, SC, AlTiN, H S260402.005	40,21
Ф153	ZPS Mini end mill, Ø0,9x1,3x50, Z2, λ 30°, SC, AlTiN, H S260402.009	32,74
Ф154	ZPS Mini end mill, Ø1, 2x1, 8x50, Z2, λ 30°, SC, AlTiN, H S260402.012	30,27
Ф155	ZPS Mini end mill, Ø1, 4x2, 1x50, Z2, λ 30°, SC, AlTiN, H S260402.014	30,27
Ф156	ZPS Mini end mill, Ø1, 8x2, 7x50, Z2, λ 30°, SC, AlTiN, H S260402.018	30,27
Ф157	ZPS Mini end mill, Ø1,5x2, 3x50, Z2, λ 30°, SC, AlTiN, H S260402.015	30,27
Ф158	ZPS Mini end mill, Ø1,6x2, 4x50, Z2, λ 30°, SC, AlTiN, H S260402.016	30,27
Ф159	ZPS Mini end mill, Ø1x1,5x50, Z2, λ 30°, SC, AlTiN, H S260402.010	30,27
Ф160	ZPS Mini end mill, Ø2,5x3, 7x50, Z2, λ 30°, SC, AlTiN, H S260402.025	30,27
Ф161	ZPS Mini end mill, Ø2x3x50, Z2, λ 30°, SC, AlTiN, H S260402.020	30,27
Ф162	ZPS Mini end mill, Ø3x4x50, Z2, λ 30°, SC, AlTiN, H S260402.030	30,27
Ф163	Фрезы грибовые	
Ф164	Фрезы для Т-образных пазов	
Ф165	DIN 851	
Ф166	Номер по каталогу производителя: 3102	
Ф167	ZPS "T" slot cutter Ø11x4x53,5, Z6, HSSCo5, N 310205.110	39,81
Ф168	ZPS "T" slot cutter Ø11x4x53,5, Z6, HSSCo5, N 310215.110	40,00
Ф169	ZPS "T" slot cutter Ø11x4x53,5, Z6, HSSCo5, TiALN, N 310205.110 TiALN	47,24
Ф170	ZPS "T" slot cutter Ø11x4x53,5, Z6, HSSCo5, TiALN, N 310215.110 TiALN	47,24
Ф171	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, N 310205.125	40,00
Ф172	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, N 310215.125	40,19
Ф173	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, TiALN, N 310205.125 TiALN	48,24
Ф174	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, TiALN, N 310215.125 TiALN	48,24
Ф175	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, N 310205.160	41,81
Ф176	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, N 310215.160	42,00
Ф177	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, TiALN, N 310205.160 TiALN	52,10
Ф178	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, TiALN, N 310215.160 TiALN	52,10
Ф179	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, N 310205.180	43,49
Ф180	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, N 310215.180	43,68
Ф181	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, TiALN, N 310205.180 TiALN	55,04
Ф182	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, TiALN, N 310215.180 TiALN	55,04
Ф183	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, N 310205.190	45,24
Ф184	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, N 310215.190	45,43
Ф185	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, TiALN, N 310205.190 TiALN	57,41
Ф186	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, TiALN, N 310215.190 TiALN	57,41
Ф187	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, N 310205.210	46,74
Ф188	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, N 310215.210	46,99
Ф189	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, TiALN, N 310205.210 TiALN	60,22
Ф190	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, TiALN, N 310215.210 TiALN	60,22
Ф191	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, N 310205.220	48,80
Ф192	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, N 310215.220	49,11
Ф193	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, TiALN, N 310205.220 TiALN	62,90
Ф194	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, TiALN, N 310215.220 TiALN	62,90
Ф195	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, N 310205.250	51,54
Ф196	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, N 310215.250	51,79
Ф197	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, TiALN, N 310205.250 TiALN	67,45
Ф198	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, TiALN, N 310215.250 TiALN	67,45
Ф199	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, N 310205.280	61,65
Ф200	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, N 310215.280	62,03

Φ201	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, TiALN, N 310205.280 TiAIN	79,56
Φ202	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, TiALN, N 310215.280 TiAIN	79,56
Φ203	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, N 310205.320	65,21
Φ204	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, N 310215.320	65,58
Φ205	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, TiALN, N 310205.320 TiAIN	85,55
Φ206	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, TiALN, N 310215.320 TiAIN	85,55
Φ207	ZPS "T" slot cutter Ø36x16x103, Z8, HSSCo5, N 310205.360	88,11
Φ208	ZPS "T" slot cutter Ø36x16x103, Z8, HSSCo5, N 310215.360	88,48
Φ209	ZPS "T" slot cutter Ø36x16x103, Z8, HSSCo5, TiALN, N 310205.360 TiAIN	111,26
Φ210	ZPS "T" slot cutter Ø36x16x103, Z8, HSSCo5, TiALN, N 310215.360 TiAIN	111,26
Φ211	ZPS "T" slot cutter Ø40x18x108, Z10, HSSCo5, N 310205.400	113,32
Φ212	ZPS "T" slot cutter Ø40x18x108, Z10, HSSCo5, N 310215.400	113,88
Φ213	ZPS "T" slot cutter Ø40x18x108, Z10, HSSCo5, TiALN, N 310205.400 TiAIN	139,53
Φ214	ZPS "T" slot cutter Ø40x18x108, Z10, HSSCo5, TiALN, N 310215.400 TiAIN	139,53
Φ215	ZPS "T" slot cutter Ø45x20x113, Z10, HSSCo5, N 310205.450	137,78
Φ216	ZPS "T" slot cutter Ø45x20x113, Z10, HSSCo5, N 310215.450	138,40
Φ217	ZPS "T" slot cutter Ø45x20x113, Z10, HSSCo5, TiALN, N 310205.450 TiAIN	167,48
Φ218	ZPS "T" slot cutter Ø45x20x113, Z10, HSSCo5, TiALN, N 310215.450 TiAIN	167,48
Φ219	ZPS "T" slot cutter Ø50x22x124, Z10, HSSCo5, N 310205.500	163,43
Φ220	ZPS "T" slot cutter Ø50x22x124, Z10, HSSCo5, N 310215.500	164,17
Φ221	ZPS "T" slot cutter Ø50x22x124, Z10, HSSCo5, TiALN, N 310205.500 TiAIN	196,68
Φ222	ZPS "T" slot cutter Ø50x22x124, Z10, HSSCo5, TiALN, N 310215.500 TiAIN	196,68
Φ223	ZPS "T" slot cutter Ø60x28x139, Z10, HSSCo5, N 310205.600	199,49
Φ224	ZPS "T" slot cutter Ø60x28x139, Z10, HSSCo5, N 310215.600	200,49
Φ225	ZPS "T" slot cutter Ø60x28x139, Z10, HSSCo5, TiALN, N 310205.600 TiAIN	239,49
Φ226	ZPS "T" slot cutter Ø60x28x139, Z10, HSSCo5, TiALN, N 310215.600 TiAIN	239,49
Φ227	Номер по каталогу производителя: 3142	
Φ228	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, NR 314215N.125	37,44
Φ229	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, NR-F 314215PH.125	33,57
Φ230	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, TiALN, NR 314215N.125 TiAIN	44,99
Φ231	ZPS "T" slot cutter Ø12,5x6x57, Z6, HSSCo5, TiALN, NR-F 314215PH.125 TiAIN	41,12
Φ232	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, NR 314215N.160	42,00
Φ233	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, NR-F 314215PH.160	34,26
Φ234	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, TiALN, NR 314215N.160 TiAIN	51,60
Φ235	ZPS "T" slot cutter Ø16x8x62, Z6, HSSCo5, TiALN, NR-F 314215PH.160 TiAIN	43,87
Φ236	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, NR 314215N.180	43,24
Φ237	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, NR-F 314215PH.180	38,75
Φ238	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, TiALN, NR 314215N.180 TiAIN	54,10
Φ239	ZPS "T" slot cutter Ø18x8x70, Z6, HSSCo5, TiALN, NR-F 314215PH.180 TiAIN	49,61
Φ240	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, NR 314215N.190	45,86
Φ241	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, NR-F 314215PH.190	40,68
Φ242	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, TiALN, NR 314215N.190 TiAIN	57,28
Φ243	ZPS "T" slot cutter Ø19x9x71, Z6, HSSCo5, TiALN, NR-F 314215PH.190 TiAIN	52,10
Φ244	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, NR 314215N.210	46,49
Φ245	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, NR-F 314215P.210	61,40
Φ246	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, TiALN, NR 314215N.210 TiAIN	59,16
Φ247	ZPS "T" slot cutter Ø21x9x74, Z6, HSSCo5, TiALN, NR-F 314215P.210 TiAIN	75,57
Φ248	ZPS "T" slot cutter Ø21x9x74, Z8, HSSCo5, NR-F 314215PH.210	47,17
Φ249	ZPS "T" slot cutter Ø21x9x74, Z8, HSSCo5, TiALN, NR-F 314215PH.210 TiAIN	59,78
Φ250	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, NR 314215N.220	49,73
Φ251	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, NR-F 314215P.220	67,64
Φ252	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, TiALN, NR 314215N.220 TiAIN	62,96
Φ253	ZPS "T" slot cutter Ø22x10x75, Z6, HSSCo5, TiALN, NR-F 314215P.220 TiAIN	82,43

Ф254	ZPS "T" slot cutter Ø25x11x82, Z6, HSSCo5, NR-F 314215P.250	67,64
Ф255	ZPS "T" slot cutter Ø25x11x82, Z6, HSSCo5, TiALN, NR-F 314215P.250 TiAIN	84,36
Ф256	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, NR 314215N.250	54,91
Ф257	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, NR-F 314215PH.250	56,85
Ф258	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, TiALN, NR 314215N.250 TiAIN	69,95
Ф259	ZPS "T" slot cutter Ø25x11x82, Z8, HSSCo5, TiALN, NR-F 314215PH.250 TiAIN	71,88
Ф260	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, NR 314215N.280	61,34
Ф261	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, NR-F 314215PH.280	62,65
Ф262	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, TiALN, NR 314215N.280 TiAIN	78,19
Ф263	ZPS "T" slot cutter Ø28x12x85, Z8, HSSCo5, TiALN, NR-F 314215PH.280 TiAIN	79,50
Ф264	ZPS "T" slot cutter Ø32x14x90, Z6, HSSCo5, NR-F 314215P.320	85,61
Ф265	ZPS "T" slot cutter Ø32x14x90, Z6, HSSCo5, TiALN, NR-F 314215P.320 TiAIN	107,02
Ф266	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, NR 314215N.320	68,45
Ф267	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, NR-F 314215PH.320	68,45
Ф268	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, TiALN, NR 314215N.320 TiAIN	87,73
Ф269	ZPS "T" slot cutter Ø32x14x90, Z8, HSSCo5, TiALN, NR-F 314215PH.320 TiAIN	87,73
Ф270	ZPS "T" slot cutter Ø36x16x103, Z10, HSSCo5, NR-F 314215PH.360	81,99
Ф271	ZPS "T" slot cutter Ø36x16x103, Z10, HSSCo5, TiALN, NR-F 314215PH.360 TiAIN	103,71
Ф272	ZPS "T" slot cutter Ø36x16x103, Z8, HSSCo5, NR 314215N.360	81,99
Ф273	ZPS "T" slot cutter Ø36x16x103, Z8, HSSCo5, TiALN, NR 314215N.360 TiAIN	103,71
Ф274	ZPS "T" slot cutter Ø40x18x108, Z10, HSSCo5, NR-F 314215PH.400	92,35
Ф275	ZPS "T" slot cutter Ø40x18x108, Z10, HSSCo5, TiALN, NR-F 314215PH.400 TiAIN	116,38
Ф276	ZPS "T" slot cutter Ø40x18x108, Z8, HSSCo5, NR 314215N.400	109,82
Ф277	ZPS "T" slot cutter Ø40x18x108, Z8, HSSCo5, NR-F 314215P.400	148,76
Ф278	ZPS "T" slot cutter Ø40x18x108, Z8, HSSCo5, TiALN, NR 314215N.400 TiAIN	133,85
Ф279	ZPS "T" slot cutter Ø40x18x108, Z8, HSSCo5, TiALN, NR-F 314215P.400 TiAIN	176,47
Ф280	ZPS "T" slot cutter Ø45x20x113, Z10, HSSCo5, NR-F 314215PH.450	113,01
Ф281	ZPS "T" slot cutter Ø45x20x113, Z10, HSSCo5, TiALN, NR-F 314215PH.450 TiAIN	140,09
Ф282	Фрезы для Т-образных пазов конический хвостовик	
Ф283	DIN 851	
Ф284	Номер по каталогу производителя: 3103	
Ф285	ZPS Taper shank "T" slot cutter, With CM, Ø18x8x82, Z8, DIN851, HSS, N 310340.180	42,56
Ф286	ZPS Taper shank "T" slot cutter, With CM, Ø18x8x82, Z8, DIN851, HSS, TiALN, N 310340.180 TiAIN	52,10
Ф287	ZPS Taper shank "T" slot cutter, With CM, Ø21x9x102, Z8, DIN851, HSS, N 310340.210	48,30
Ф288	ZPS Taper shank "T" slot cutter, With CM, Ø21x9x102, Z8, DIN851, HSS, TiALN, N 310340.210 TiAIN	59,47
Ф289	ZPS Taper shank "T" slot cutter, With CM, Ø25x11x104, Z8, DIN851, HSS, N 310340.250	51,36
Ф290	ZPS Taper shank "T" slot cutter, With CM, Ø25x11x104, Z8, DIN851, HSS, TiALN, N 310340.250 TiAIN	64,71
Ф291	ZPS Taper shank "T" slot cutter, With CM, Ø32x14x111, Z8, DIN851, HSS, N 310340.320	58,34
Ф292	ZPS Taper shank "T" slot cutter, With CM, Ø32x14x111, Z8, DIN851, HSS, TiALN, N 310340.320 TiAIN	75,32
Ф293	ZPS Taper shank "T" slot cutter, With CM, Ø40x18x138, Z8, DIN851, HSS, N 310340.400	67,64
Ф294	ZPS Taper shank "T" slot cutter, With CM, Ø40x18x138, Z8, DIN851, HSS, TiALN, N 310340.400 TiAIN	88,98
Ф295	ZPS Taper shank "T" slot cutter, With CM, Ø50x22x173, Z8, DIN851, HSS, N 310340.500	92,23
Ф296	ZPS Taper shank "T" slot cutter, With CM, Ø50x22x173, Z8, DIN851, HSS, TiALN, N 310340.500 TiAIN	135,47
Ф297	ZPS Taper shank "T" slot cutter, With CM, Ø60x28x188, Z10, DIN851, HSS, N 310340.600	123,24
Ф298	ZPS Taper shank "T" slot cutter, With CM, Ø60x28x188, Z10, DIN851, HSS, TiALN, N 310340.600 TiAIN	175,09
Ф299	ZPS Taper shank "T" slot cutter, With CM, Ø72x35x229, Z10, DIN851, HSS, N 310340.720	177,34
Ф300	ZPS Taper shank "T" slot cutter, With CM, Ø72x35x229, Z10, DIN851, HSS, TiALN, N 310340.720 TiAIN	240,55
Ф301	Фрезы для пазов сегментных шпонок	
Ф302	DIN 222185	
Ф303	Номер по каталогу производителя: 3201	
Ф304	ZPS Woodruff keyseat cutter Ø10, 8x1,6x45, Z8, 222185, HSS, N 320100.100016	20,84
Ф305	ZPS Woodruff keyseat cutter Ø10, 8x1,6x45, Z8, 222185, HSS, TiALN, N 320100.100016 TiAIN	27,64
Ф306	ZPS Woodruff keyseat cutter Ø10, 8x1x45, Z8, 222185, HSS, N 320100.100010	20,84

Ф307	ZPS Woodruff keyseat cutter Ø10, 8x1x45, Z8, 222185, HSS, TiALN, N 320100.100010 TiAIN	27,64
Ф308	ZPS Woodruff keyseat cutter Ø10, 8x2,5x45, Z8, 222185, HSS, N 320100.100025	20,84
Ф309	ZPS Woodruff keyseat cutter Ø10, 8x2,5x45, Z8, 222185, HSS, TiALN, N 320100.100025 TiAIN	27,64
Ф310	ZPS Woodruff keyseat cutter Ø10, 8x3x45, Z8, 222185, HSS, N 320100.100030	20,84
Ф311	ZPS Woodruff keyseat cutter Ø10, 8x3x45, Z8, 222185, HSS, TiALN, N 320100.100030 TiAIN	27,64
Ф312	ZPS Woodruff keyseat cutter Ø14x3x45, Z8, 222185, HSS, N 320100.130030	21,90
Ф313	ZPS Woodruff keyseat cutter Ø14x3x45, Z8, 222185, HSS, TiALN, N 320100.130030 TiAIN	30,58
Ф314	ZPS Woodruff keyseat cutter Ø14x4x45, Z8, 222185, HSS, N 320100.130040	21,90
Ф315	ZPS Woodruff keyseat cutter Ø14x4x45, Z8, 222185, HSS, TiALN, N 320100.130040 TiAIN	30,58
Ф316	ZPS Woodruff keyseat cutter Ø17, 2x1,6x50, Z8, 222185, HSS, N 320100.160016	25,83
Ф317	ZPS Woodruff keyseat cutter Ø17, 2x1,6x50, Z8, 222185, HSS, TiALN, N 320100.160016 TiAIN	36,44
Ф318	ZPS Woodruff keyseat cutter Ø17, 2x2x50, Z8, 222185, HSS, N 320100.160020	25,83
Ф319	ZPS Woodruff keyseat cutter Ø17, 2x2x50, Z8, 222185, HSS, TiALN, N 320100.160020 TiAIN	36,44
Ф320	ZPS Woodruff keyseat cutter Ø17, 2x3x50, Z8, 222185, HSS, N 320100.160030	25,83
Ф321	ZPS Woodruff keyseat cutter Ø17, 2x3x50, Z8, 222185, HSS, TiALN, N 320100.160030 TiAIN	36,44
Ф322	ZPS Woodruff keyseat cutter Ø17, 2x4x50, Z8, 222185, HSS, N 320100.160040	25,83
Ф323	ZPS Woodruff keyseat cutter Ø17, 2x4x50, Z8, 222185, HSS, TiALN, N 320100.160040 TiAIN	36,44
Ф324	ZPS Woodruff keyseat cutter Ø17, 2x5x50, Z8, 222185, HSS, N 320100.160050	31,64
Ф325	ZPS Woodruff keyseat cutter Ø17, 2x5x50, Z8, 222185, HSS, TiALN, N 320100.160050 TiAIN	42,43
Ф326	ZPS Woodruff keyseat cutter Ø20,5x4x60, Z8, 222185, HSS, N 320100.190040	31,64
Ф327	ZPS Woodruff keyseat cutter Ø20,5x4x60, Z8, 222185, HSS, TiALN, N 320100.190040 TiAIN	44,37
Ф328	ZPS Woodruff keyseat cutter Ø20,5x5x50, Z8, 222185, HSS, N 320100.190050	31,64
Ф329	ZPS Woodruff keyseat cutter Ø20,5x5x50, Z8, 222185, HSS, TiALN, N 320100.190050 TiAIN	44,37
Ф330	ZPS Woodruff keyseat cutter Ø23, 7x5x60, Z8, 222185, HSS, N 320100.220050	35,88
Ф331	ZPS Woodruff keyseat cutter Ø23, 7x5x60, Z8, 222185, HSS, TiALN, N 320100.220050 TiAIN	50,61
Ф332	ZPS Woodruff keyseat cutter Ø23, 7x6x60, Z8, 222185, HSS, N 320100.220060	35,88
Ф333	ZPS Woodruff keyseat cutter Ø23, 7x6x60, Z8, 222185, HSS, TiALN, N 320100.220060 TiAIN	50,61
Ф334	ZPS Woodruff keyseat cutter Ø27x2x60, Z10, 222185, HSS, N 320100.250020	37,56
Ф335	ZPS Woodruff keyseat cutter Ø27x2x60, Z10, 222185, HSS, TiALN, N 320100.250020 TiAIN	54,10
Ф336	ZPS Woodruff keyseat cutter Ø27x3x60, Z10, 222185, HSS, N 320100.250030	37,56
Ф337	ZPS Woodruff keyseat cutter Ø27x3x60, Z10, 222185, HSS, TiALN, N 320100.250030 TiAIN	54,10
Ф338	ZPS Woodruff keyseat cutter Ø27x6x60, Z10, 222185, HSS, N 320100.250060	37,56
Ф339	ZPS Woodruff keyseat cutter Ø27x6x60, Z10, 222185, HSS, TiALN, N 320100.250060 TiAIN	54,10
Ф340	ZPS Woodruff keyseat cutter Ø30, 2x6x60, Z10, 222185, HSS, N 320100.280060	38,13
Ф341	ZPS Woodruff keyseat cutter Ø30, 2x6x60, Z10, 222185, HSS, TiALN, N 320100.280060 TiAIN	56,60
Ф342	ZPS Woodruff keyseat cutter Ø30, 2x8x70, Z10, 222185, HSS, N 320100.280080	38,13
Ф343	ZPS Woodruff keyseat cutter Ø30, 2x8x70, Z10, 222185, HSS, TiALN, N 320100.280080 TiAIN	56,60
Ф344	ZPS Woodruff keyseat cutter Ø34,5x6x70, Z10, 222185, HSS, N 320100.320060	39,37
Ф345	ZPS Woodruff keyseat cutter Ø34,5x6x70, Z10, 222185, HSS, TiALN, N 320100.320060 TiAIN	60,59
Ф346	ZPS Woodruff keyseat cutter Ø34,5x8x70, Z10, 222185, HSS, N 320100.320080	39,37
Ф347	ZPS Woodruff keyseat cutter Ø34,5x8x70, Z10, 222185, HSS, TiALN, N 320100.320080 TiAIN	60,59
Ф348	ZPS Woodruff keyseat cutter Ø41x8x70, Z10, 222185, HSS, N 320100.380080	39,37
Ф349	ZPS Woodruff keyseat cutter Ø41x8x70, Z10, 222185, HSS, TiALN, N 320100.380080 TiAIN	64,40
Ф350	ZPS Woodruff keyseat cutter Ø48, 6x10x70, Z10, 222185, HSS, N 320100.450100	50,42
Ф351	ZPS Woodruff keyseat cutter Ø48, 6x10x70, Z10, 222185, HSS, TiALN, N 320100.450100 TiAIN	80,12
Ф352	ZPS Woodruff keyseat cutter Ø48, 6x8x70, Z10, 222185, HSS, N 320100.450080	50,42
Ф353	ZPS Woodruff keyseat cutter Ø48, 6x8x70, Z10, 222185, HSS, TiALN, N 320100.450080 TiAIN	80,12
Ф354	ZPS Woodruff keyseat cutter Ø7,5x1,5x48, Z8, 222185, HSS, N 320100.070015	20,47
Ф355	ZPS Woodruff keyseat cutter Ø7,5x1,5x48, Z8, 222185, HSS, TiALN, N 320100.070015 TiAIN	25,33
Ф356	ZPS Woodruff keyseat cutter Ø7,5x2x48, Z8, 222185, HSS, N 320100.070020	20,47
Ф357	ZPS Woodruff keyseat cutter Ø7,5x2x48, Z8, 222185, HSS, TiALN, N 320100.070020 TiAIN	25,33
Ф358	DIN 850	
Ф359	Номер по каталогу производителя: 3200	

Ф360	ZPS	Woodruff keyseat cutter	Ø10,5x2,5x50, Z6, DIN 850, HSSCo5, N	320005.105025	25,77
Ф361	ZPS	Woodruff keyseat cutter	Ø10,5x2,5x50, Z6, DIN 850, HSSCo5, N	320015.105025	25,90
Ф362	ZPS	Woodruff keyseat cutter	Ø10,5x2,5x50, Z6, DIN 850, HSSCo5, TiAlN, N	320005.105025 TiAlN	32,57
Ф363	ZPS	Woodruff keyseat cutter	Ø10,5x2,5x50, Z6, DIN 850, HSSCo5, TiAlN, N	320015.105025 TiAlN	32,57
Ф364	ZPS	Woodruff keyseat cutter	Ø10,5x2x50, Z6, DIN 850, HSSCo5, N	320005.105020	25,77
Ф365	ZPS	Woodruff keyseat cutter	Ø10,5x2x50, Z6, DIN 850, HSSCo5, N	320015.105020	25,90
Ф366	ZPS	Woodruff keyseat cutter	Ø10,5x2x50, Z6, DIN 850, HSSCo5, TiAlN, N	320005.105020 TiAlN	32,57
Ф367	ZPS	Woodruff keyseat cutter	Ø10,5x2x50, Z6, DIN 850, HSSCo5, TiAlN, N	320015.105020 TiAlN	32,57
Ф368	ZPS	Woodruff keyseat cutter	Ø10,5x3x50, Z6, DIN 850, HSSCo5, N	320005.105030	25,77
Ф369	ZPS	Woodruff keyseat cutter	Ø10,5x3x50, Z6, DIN 850, HSSCo5, N	320015.105030	25,90
Ф370	ZPS	Woodruff keyseat cutter	Ø10,5x3x50, Z6, DIN 850, HSSCo5, TiAlN, N	320005.105030 TiAlN	32,57
Ф371	ZPS	Woodruff keyseat cutter	Ø10,5x3x50, Z6, DIN 850, HSSCo5, TiAlN, N	320015.105030 TiAlN	32,57
Ф372	ZPS	Woodruff keyseat cutter	Ø13,5x2x56, Z6, DIN 850, HSSCo5, N	320005.135020	27,08
Ф373	ZPS	Woodruff keyseat cutter	Ø13,5x2x56, Z6, DIN 850, HSSCo5, N	320015.135020	27,21
Ф374	ZPS	Woodruff keyseat cutter	Ø13,5x2x56, Z6, DIN 850, HSSCo5, TiAlN, N	320005.135020 TiAlN	35,57
Ф375	ZPS	Woodruff keyseat cutter	Ø13,5x2x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.135020 TiAlN	35,57
Ф376	ZPS	Woodruff keyseat cutter	Ø13,5x3x56, Z6, DIN 850, HSSCo5, N	320005.135030	27,08
Ф377	ZPS	Woodruff keyseat cutter	Ø13,5x3x56, Z6, DIN 850, HSSCo5, N	320015.135030	27,21
Ф378	ZPS	Woodruff keyseat cutter	Ø13,5x3x56, Z6, DIN 850, HSSCo5, TiAlN, N	320005.135030 TiAlN	35,57
Ф379	ZPS	Woodruff keyseat cutter	Ø13,5x3x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.135030 TiAlN	35,57
Ф380	ZPS	Woodruff keyseat cutter	Ø13,5x4x56, Z6, DIN 850, HSSCo5, N	320005.135040	27,08
Ф381	ZPS	Woodruff keyseat cutter	Ø13,5x4x56, Z6, DIN 850, HSSCo5, N	320015.135040	27,21
Ф382	ZPS	Woodruff keyseat cutter	Ø13,5x4x56, Z6, DIN 850, HSSCo5, TiAlN, N	320005.135040 TiAlN	35,57
Ф383	ZPS	Woodruff keyseat cutter	Ø13,5x4x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.135040 TiAlN	35,57
Ф384	ZPS	Woodruff keyseat cutter	Ø16,5x2x56, Z6, DIN 850, HSSCo5, N	320015.165020	37,38
Ф385	ZPS	Woodruff keyseat cutter	Ø16,5x2x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.165020 TiAlN	50,17
Ф386	ZPS	Woodruff keyseat cutter	Ø16,5x3x56, Z6, DIN 850, HSSCo5, N	320005.165030	31,95
Ф387	ZPS	Woodruff keyseat cutter	Ø16,5x3x56, Z6, DIN 850, HSSCo5, N	320015.165030	32,07
Ф388	ZPS	Woodruff keyseat cutter	Ø16,5x3x56, Z6, DIN 850, HSSCo5, TiAlN, N	320005.165030 TiAlN	42,37
Ф389	ZPS	Woodruff keyseat cutter	Ø16,5x3x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.165030 TiAlN	42,37
Ф390	ZPS	Woodruff keyseat cutter	Ø16,5x4x56, Z6, DIN 850, HSSCo5, N	320005.165040	31,95
Ф391	ZPS	Woodruff keyseat cutter	Ø16,5x4x56, Z6, DIN 850, HSSCo5, N	320015.165040	32,07
Ф392	ZPS	Woodruff keyseat cutter	Ø16,5x4x56, Z6, DIN 850, HSSCo5, TiAlN, N	320005.165040 TiAlN	42,37
Ф393	ZPS	Woodruff keyseat cutter	Ø16,5x4x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.165040 TiAlN	42,37
Ф394	ZPS	Woodruff keyseat cutter	Ø16,5x5x56, Z6, DIN 850, HSSCo5, N	320005.165050	31,95
Ф395	ZPS	Woodruff keyseat cutter	Ø16,5x5x56, Z6, DIN 850, HSSCo5, N	320015.165050	32,07
Ф396	ZPS	Woodruff keyseat cutter	Ø16,5x5x56, Z6, DIN 850, HSSCo5, TiAlN, N	320005.165050 TiAlN	42,37
Ф397	ZPS	Woodruff keyseat cutter	Ø16,5x5x56, Z6, DIN 850, HSSCo5, TiAlN, N	320015.165050 TiAlN	42,37
Ф398	ZPS	Woodruff keyseat cutter	Ø19,5x3x63, Z8, DIN 850, HSSCo5, N	320005.195030	39,19
Ф399	ZPS	Woodruff keyseat cutter	Ø19,5x3x63, Z8, DIN 850, HSSCo5, N	320015.195030	39,37
Ф400	ZPS	Woodruff keyseat cutter	Ø19,5x3x63, Z8, DIN 850, HSSCo5, TiAlN, N	320005.195030 TiAlN	51,60
Ф401	ZPS	Woodruff keyseat cutter	Ø19,5x3x63, Z8, DIN 850, HSSCo5, TiAlN, N	320015.195030 TiAlN	51,60
Ф402	ZPS	Woodruff keyseat cutter	Ø19,5x4x63, Z8, DIN 850, HSSCo5, N	320005.195040	39,19
Ф403	ZPS	Woodruff keyseat cutter	Ø19,5x4x63, Z8, DIN 850, HSSCo5, N	320015.195040	39,37
Ф404	ZPS	Woodruff keyseat cutter	Ø19,5x4x63, Z8, DIN 850, HSSCo5, TiAlN, N	320005.195040 TiAlN	51,60
Ф405	ZPS	Woodruff keyseat cutter	Ø19,5x4x63, Z8, DIN 850, HSSCo5, TiAlN, N	320015.195040 TiAlN	51,60
Ф406	ZPS	Woodruff keyseat cutter	Ø19,5x5x63, Z8, DIN 850, HSSCo5, N	320005.195050	39,19
Ф407	ZPS	Woodruff keyseat cutter	Ø19,5x5x63, Z8, DIN 850, HSSCo5, N	320015.195050	39,37
Ф408	ZPS	Woodruff keyseat cutter	Ø19,5x5x63, Z8, DIN 850, HSSCo5, TiAlN, N	320005.195050 TiAlN	51,60
Ф409	ZPS	Woodruff keyseat cutter	Ø19,5x5x63, Z8, DIN 850, HSSCo5, TiAlN, N	320015.195050 TiAlN	51,60
Ф410	ZPS	Woodruff keyseat cutter	Ø19,5x6x63, Z8, DIN 850, HSSCo5, N	320005.195060	39,19
Ф411	ZPS	Woodruff keyseat cutter	Ø19,5x6x63, Z8, DIN 850, HSSCo5, N	320015.195060	39,37
Ф412	ZPS	Woodruff keyseat cutter	Ø19,5x6x63, Z8, DIN 850, HSSCo5, TiAlN, N	320005.195060 TiAlN	51,60

Φ413	ZPS Woodruff keyseat cutterR Ø19,5x6x63, Z8, DIN 850, HSSCo5, TiALN, N 320015.195060 TiAIN	51,60
Φ414	ZPS Woodruff keyseat cutterR Ø22,5x4x63, Z8, DIN 850, HSSCo5, N 320005.225040	44,43
Φ415	ZPS Woodruff keyseat cutterR Ø22,5x4x63, Z8, DIN 850, HSSCo5, N 320015.225040	44,68
Φ416	ZPS Woodruff keyseat cutterR Ø22,5x4x63, Z8, DIN 850, HSSCo5, TiALN, N 320005.225040 TiAIN	58,72
Φ417	ZPS Woodruff keyseat cutterR Ø22,5x4x63, Z8, DIN 850, HSSCo5, TiALN, N 320015.225040 TiAIN	58,72
Φ418	ZPS Woodruff keyseat cutterR Ø22,5x5x63, Z8, DIN 850, HSSCo5, N 320005.225050	44,43
Φ419	ZPS Woodruff keyseat cutterR Ø22,5x5x63, Z8, DIN 850, HSSCo5, N 320015.225050	44,68
Φ420	ZPS Woodruff keyseat cutterR Ø22,5x5x63, Z8, DIN 850, HSSCo5, TiALN, N 320005.225050 TiAIN	58,72
Φ421	ZPS Woodruff keyseat cutterR Ø22,5x5x63, Z8, DIN 850, HSSCo5, TiALN, N 320015.225050 TiAIN	58,72
Φ422	ZPS Woodruff keyseat cutterR Ø22,5x6x63, Z8, DIN 850, HSSCo5, N 320005.225060	44,43
Φ423	ZPS Woodruff keyseat cutterR Ø22,5x6x63, Z8, DIN 850, HSSCo5, N 320015.225060	44,68
Φ424	ZPS Woodruff keyseat cutterR Ø22,5x6x63, Z8, DIN 850, HSSCo5, TiALN, N 320005.225060 TiAIN	58,72
Φ425	ZPS Woodruff keyseat cutterR Ø22,5x6x63, Z8, DIN 850, HSSCo5, TiALN, N 320015.225060 TiAIN	58,72
Φ426	ZPS Woodruff keyseat cutterR Ø22,5x8x63, Z8, DIN 850, HSSCo5, N 320005.225080	44,43
Φ427	ZPS Woodruff keyseat cutterR Ø22,5x8x63, Z8, DIN 850, HSSCo5, N 320015.225080	44,68
Φ428	ZPS Woodruff keyseat cutterR Ø22,5x8x63, Z8, DIN 850, HSSCo5, TiALN, N 320005.225080 TiAIN	58,72
Φ429	ZPS Woodruff keyseat cutterR Ø22,5x8x63, Z8, DIN 850, HSSCo5, TiALN, N 320015.225080 TiAIN	58,72
Φ430	ZPS Woodruff keyseat cutterR Ø25,5x5x63, Z10, DIN 850, HSSCo5, N 320005.255050	49,73
Φ431	ZPS Woodruff keyseat cutterR Ø25,5x5x63, Z10, DIN 850, HSSCo5, N 320015.255050	49,92
Φ432	ZPS Woodruff keyseat cutterR Ø25,5x5x63, Z10, DIN 850, HSSCo5, TiALN, N 320005.255050 TiAIN	65,89
Φ433	ZPS Woodruff keyseat cutterR Ø25,5x5x63, Z10, DIN 850, HSSCo5, TiALN, N 320015.255050 TiAIN	65,89
Φ434	ZPS Woodruff keyseat cutterR Ø25,5x6x63, Z10, DIN 850, HSSCo5, N 320005.255060	49,73
Φ435	ZPS Woodruff keyseat cutterR Ø25,5x6x63, Z10, DIN 850, HSSCo5, N 320015.255060	49,92
Φ436	ZPS Woodruff keyseat cutterR Ø25,5x6x63, Z10, DIN 850, HSSCo5, TiALN, N 320005.255060 TiAIN	65,89
Φ437	ZPS Woodruff keyseat cutterR Ø25,5x6x63, Z10, DIN 850, HSSCo5, TiALN, N 320015.255060 TiAIN	65,89
Φ438	ZPS Woodruff keyseat cutterR Ø28,5x10x71, Z10, DIN 850, HSSCo5, N 320005.285100	50,36
Φ439	ZPS Woodruff keyseat cutterR Ø28,5x10x71, Z10, DIN 850, HSSCo5, N 320015.285100	50,61
Φ440	ZPS Woodruff keyseat cutterR Ø28,5x10x71, Z10, DIN 850, HSSCo5, TiALN, N 320005.285100 TiAIN	68,27
Φ441	ZPS Woodruff keyseat cutterR Ø28,5x10x71, Z10, DIN 850, HSSCo5, TiALN, N 320015.285100 TiAIN	68,27
Φ442	ZPS Woodruff keyseat cutterR Ø28,5x6x63, Z10, DIN 850, HSSCo5, N 320005.285060	50,36
Φ443	ZPS Woodruff keyseat cutterR Ø28,5x6x63, Z10, DIN 850, HSSCo5, N 320015.285060	50,61
Φ444	ZPS Woodruff keyseat cutterR Ø28,5x6x63, Z10, DIN 850, HSSCo5, TiALN, N 320005.285060 TiAIN	68,27
Φ445	ZPS Woodruff keyseat cutterR Ø28,5x6x63, Z10, DIN 850, HSSCo5, TiALN, N 320015.285060 TiAIN	68,27
Φ446	ZPS Woodruff keyseat cutterR Ø28,5x8x63, Z10, DIN 850, HSSCo5, N 320005.285080	50,36
Φ447	ZPS Woodruff keyseat cutterR Ø28,5x8x63, Z10, DIN 850, HSSCo5, N 320015.285080	50,61
Φ448	ZPS Woodruff keyseat cutterR Ø28,5x8x63, Z10, DIN 850, HSSCo5, TiALN, N 320005.285080 TiAIN	68,27
Φ449	ZPS Woodruff keyseat cutterR Ø28,5x8x63, Z10, DIN 850, HSSCo5, TiALN, N 320015.285080 TiAIN	68,27
Φ450	ZPS Woodruff keyseat cutterR Ø32,5x10x71, Z10, DIN 850, HSSCo5, N 320005.325100	51,92
Φ451	ZPS Woodruff keyseat cutterR Ø32,5x10x71, Z10, DIN 850, HSSCo5, N 320015.325100	52,17
Φ452	ZPS Woodruff keyseat cutterR Ø32,5x10x71, Z10, DIN 850, HSSCo5, TiALN, N 320005.325100 TiAIN	72,26
Φ453	ZPS Woodruff keyseat cutterR Ø32,5x10x71, Z10, DIN 850, HSSCo5, TiALN, N 320015.325100 TiAIN	72,26
Φ454	ZPS Woodruff keyseat cutterR Ø32,5x6x71, Z10, DIN 850, HSSCo5, N 320005.325060	51,92
Φ455	ZPS Woodruff keyseat cutterR Ø32,5x6x71, Z10, DIN 850, HSSCo5, N 320015.325060	52,17
Φ456	ZPS Woodruff keyseat cutterR Ø32,5x6x71, Z10, DIN 850, HSSCo5, TiALN, N 320005.325060 TiAIN	72,26
Φ457	ZPS Woodruff keyseat cutterR Ø32,5x6x71, Z10, DIN 850, HSSCo5, TiALN, N 320015.325060 TiAIN	72,26
Φ458	ZPS Woodruff keyseat cutterR Ø32,5x7x71, Z10, DIN 850, HSSCo5, N 320015.325070	52,17
Φ459	ZPS Woodruff keyseat cutterR Ø32,5x7x71, Z10, DIN 850, HSSCo5, TiALN, N 320015.325070 TiAIN	72,26
Φ460	ZPS Woodruff keyseat cutterR Ø32,5x8x71, Z10, DIN 850, HSSCo5, N 320005.325080	51,92
Φ461	ZPS Woodruff keyseat cutterR Ø32,5x8x71, Z10, DIN 850, HSSCo5, N 320015.325080	52,17
Φ462	ZPS Woodruff keyseat cutterR Ø32,5x8x71, Z10, DIN 850, HSSCo5, TiALN, N 320005.325080 TiAIN	72,26
Φ463	ZPS Woodruff keyseat cutterR Ø32,5x8x71, Z10, DIN 850, HSSCo5, TiALN, N 320015.325080 TiAIN	72,26
Φ464	ZPS Woodruff keyseat cutterR Ø38,5x8x71, Z10, DIN 850, HSSCo5, N 320005.385080	61,65
Φ465	ZPS Woodruff keyseat cutterR Ø38,5x8x71, Z10, DIN 850, HSSCo5, N 320015.385080	62,03

Ф466	ZPS Woodruff keyseat cutter Ø38,5x8x71, Z10, DIN 850, HSSCo5, TiALN, N 320005.385080 TiAIN	85,68
Ф467	ZPS Woodruff keyseat cutter Ø38,5x8x71, Z10, DIN 850, HSSCo5, TiALN, N 320015.385080 TiAIN	85,68
Ф468	ZPS Woodruff keyseat cutter Ø4,5x1x50, Z6, DIN 850, HSSCo5, N 320005.045010	26,96
Ф469	ZPS Woodruff keyseat cutter Ø4,5x1x50, Z6, DIN 850, HSSCo5, N 320015.045010	27,08
Ф470	ZPS Woodruff keyseat cutter Ø4,5x1x50, Z6, DIN 850, HSSCo5, TiALN, N 320005.045010 TiAIN	30,20
Ф471	ZPS Woodruff keyseat cutter Ø4,5x1x50, Z6, DIN 850, HSSCo5, TiALN, N 320015.045010 TiAIN	30,20
Ф472	ZPS Woodruff keyseat cutter Ø45,5x10x71, Z12, DIN 850, HSSCo5, N 320005.455100	73,76
Ф473	ZPS Woodruff keyseat cutter Ø45,5x10x71, Z12, DIN 850, HSSCo5, N 320015.455100	74,07
Ф474	ZPS Woodruff keyseat cutter Ø45,5x10x71, Z12, DIN 850, HSSCo5, TiALN, N 320005.455100 TiAIN	102,15
Ф475	ZPS Woodruff keyseat cutter Ø45,5x10x71, Z12, DIN 850, HSSCo5, TiALN, N 320015.455100 TiAIN	102,15
Ф476	ZPS Woodruff keyseat cutter Ø45,5x8x71, Z12, DIN 850, HSSCo5, N 320005.455080	73,76
Ф477	ZPS Woodruff keyseat cutter Ø45,5x8x71, Z12, DIN 850, HSSCo5, N 320015.455080	74,07
Ф478	ZPS Woodruff keyseat cutter Ø45,5x8x71, Z12, DIN 850, HSSCo5, TiALN, N 320005.455080 TiAIN	102,15
Ф479	ZPS Woodruff keyseat cutter Ø45,5x8x71, Z12, DIN 850, HSSCo5, TiALN, N 320015.455080 TiAIN	102,15
Ф480	ZPS Woodruff keyseat cutter Ø7,5x1,5x50, Z6, DIN 850, HSSCo5, N 320005.075015	21,59
Ф481	ZPS Woodruff keyseat cutter Ø7,5x1,5x50, Z6, DIN 850, HSSCo5, N 320015.075015	21,65
Ф482	ZPS Woodruff keyseat cutter Ø7,5x1,5x50, Z6, DIN 850, HSSCo5, TiALN, N 320005.075015 TiAIN	26,46
Ф483	ZPS Woodruff keyseat cutter Ø7,5x1,5x50, Z6, DIN 850, HSSCo5, TiALN, N 320015.075015 TiAIN	26,46
Ф484	ZPS Woodruff keyseat cutter Ø7,5x2x50, Z6, DIN 850, HSSCo5, N 320005.075020	21,59
Ф485	ZPS Woodruff keyseat cutter Ø7,5x2x50, Z6, DIN 850, HSSCo5, N 320015.075020	21,65
Ф486	ZPS Woodruff keyseat cutter Ø7,5x2x50, Z6, DIN 850, HSSCo5, TiALN, N 320005.075020 TiAIN	26,46
Ф487	ZPS Woodruff keyseat cutter Ø7,5x2x50, Z6, DIN 850, HSSCo5, TiALN, N 320015.075020 TiAIN	26,46
Ф488	Фрезы угловые для пазов ласточкин хвост	
Ф489	DIN 1833	
Ф490	Номер по каталогу производителя: 3302	
Ф491	ZPS Dovetail milling cutter 45°, Ø16x4x60, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.045160 TiAIN	36,32
Ф492	ZPS Dovetail milling cutter 45°, Ø16x4x60, Z10, DIN 1833C, HSSCo5, N 330215.045160	26,40
Ф493	ZPS Dovetail milling cutter 45°, Ø16x4x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.045160 TiAIN	36,32
Ф494	ZPS Dovetail milling cutter 45°, Ø20x5x63, Z10, DIN 1833A, HSSCo5, N 330205.045200	33,57
Ф495	ZPS Dovetail milling cutter 45°, Ø20x5x63, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.045200 TiAIN	46,05
Ф496	ZPS Dovetail milling cutter 45°, Ø20x5x63, Z10, DIN 1833C, HSSCo5, N 330215.045200	33,70
Ф497	ZPS Dovetail milling cutter 45°, Ø20x5x63, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.045200 TiAIN	46,05
Ф498	ZPS Dovetail milling cutter 45°, Ø25x6, 3x67, Z10, DIN 1833A, HSSCo5, N 330205.045250	41,87
Ф499	ZPS Dovetail milling cutter 45°, Ø25x6, 3x67, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.045250 TiAIN	57,47
Ф500	ZPS Dovetail milling cutter 45°, Ø25x6, 3x67, Z10, DIN 1833C, HSSCo5, N 330215.045250	42,06
Ф501	ZPS Dovetail milling cutter 45°, Ø25x6, 3x67, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.045250 TiAIN	57,47
Ф502	ZPS Dovetail milling cutter 45°, Ø32x8x71, Z12, DIN 1833C, HSSCo5, N 330215.045320	54,48
Ф503	ZPS Dovetail milling cutter 45°, Ø32x8x71, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.045320 TiAIN	74,26
Ф504	ZPS Dovetail milling cutter 45°, Ø40x10x80, Z12, DIN 1833C, HSSCo5, N 330215.045400	91,67
Ф505	ZPS Dovetail milling cutter 45°, Ø40x10x80, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.045400 TiAIN	119,31
Ф506	ZPS Dovetail milling cutter 50°, Ø16x5x60, Z10, DIN 1833A, HSSCo5, N 330205.050160	26,27
Ф507	ZPS Dovetail milling cutter 50°, Ø16x5x60, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.050160 TiAIN	36,32
Ф508	ZPS Dovetail milling cutter 50°, Ø16x5x60, Z10, DIN 1833C, HSSCo5, N 330215.050160	26,40
Ф509	ZPS Dovetail milling cutter 50°, Ø16x5x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.050160 TiAIN	36,32
Ф510	ZPS Dovetail milling cutter 50°, Ø20x6, 3x63, Z10, DIN 1833A, HSSCo5, N 330205.050200	33,57
Ф511	ZPS Dovetail milling cutter 50°, Ø20x6, 3x63, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.050200 TiAIN	46,05
Ф512	ZPS Dovetail milling cutter 50°, Ø20x6, 3x63, Z10, DIN 1833C, HSSCo5, N 330215.050200	33,70
Ф513	ZPS Dovetail milling cutter 50°, Ø20x6, 3x63, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.050200 TiAIN	46,05
Ф514	ZPS Dovetail milling cutter 50°, Ø25x8x67, Z10, DIN 1833A, HSSCo5, N 330205.050250	41,87
Ф515	ZPS Dovetail milling cutter 50°, Ø25x8x67, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.050250 TiAIN	57,47
Ф516	ZPS Dovetail milling cutter 50°, Ø25x8x67, Z10, DIN 1833C, HSSCo5, N 330215.050250	42,06
Ф517	ZPS Dovetail milling cutter 50°, Ø25x8x67, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.050250 TiAIN	57,47
Ф518	ZPS Dovetail milling cutter 55°, Ø16x5, 6x60, Z10, DIN 1833A, HSSCo5, N 330205.055160	26,27

Φ519	ZPS Dovetail milling cutter 55°, Ø16x5, 6x60, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.055160 TiAIN	36,32
Φ520	ZPS Dovetail milling cutter 55°, Ø16x5, 6x60, Z10, DIN 1833C, HSSCo5, N 330215.055160	26,40
Φ521	ZPS Dovetail milling cutter 55°, Ø16x5, 6x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.055160 TiAIN	36,32
Φ522	ZPS Dovetail milling cutter 55°, Ø20x7, 1x63, Z10, DIN 1833A, HSSCo5, N 330205.055200	33,57
Φ523	ZPS Dovetail milling cutter 55°, Ø20x7, 1x63, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.055200 TiAIN	46,05
Φ524	ZPS Dovetail milling cutter 55°, Ø20x7, 1x63, Z10, DIN 1833C, HSSCo5, N 330215.055200	33,70
Φ525	ZPS Dovetail milling cutter 55°, Ø20x7, 1x63, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.055200 TiAIN	46,05
Φ526	ZPS Dovetail milling cutter 55°, Ø25x9x67, Z10, DIN 1833A, HSSCo5, N 330205.055250	41,87
Φ527	ZPS Dovetail milling cutter 55°, Ø25x9x67, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.055250 TiAIN	57,47
Φ528	ZPS Dovetail milling cutter 55°, Ø25x9x67, Z10, DIN 1833C, HSSCo5, N 330215.055250	42,06
Φ529	ZPS Dovetail milling cutter 55°, Ø25x9x67, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.055250 TiAIN	57,47
Φ530	ZPS Dovetail milling cutter 60°, Ø16x6, 3x60, Z10, DIN 1833A, HSSCo5, N 330205.060160	26,27
Φ531	ZPS Dovetail milling cutter 60°, Ø16x6, 3x60, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.060160 TiAIN	36,32
Φ532	ZPS Dovetail milling cutter 60°, Ø16x6, 3x60, Z10, DIN 1833C, HSSCo5, N 330215.060160	26,40
Φ533	ZPS Dovetail milling cutter 60°, Ø16x6, 3x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.060160 TiAIN	36,32
Φ534	ZPS Dovetail milling cutter 60°, Ø20x8x63, Z10, DIN 1833A, HSSCo5, N 330205.060200	33,57
Φ535	ZPS Dovetail milling cutter 60°, Ø20x8x63, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.060200 TiAIN	46,05
Φ536	ZPS Dovetail milling cutter 60°, Ø20x8x63, Z10, DIN 1833C, HSSCo5, N 330215.060200	33,70
Φ537	ZPS Dovetail milling cutter 60°, Ø20x8x63, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.060200 TiAIN	46,05
Φ538	ZPS Dovetail milling cutter 60°, Ø25x10x67, Z10, DIN 1833A, HSSCo5, N 330205.060250	41,87
Φ539	ZPS Dovetail milling cutter 60°, Ø25x10x67, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.060250 TiAIN	57,47
Φ540	ZPS Dovetail milling cutter 60°, Ø25x10x67, Z10, DIN 1833C, HSSCo5, N 330215.060250	42,06
Φ541	ZPS Dovetail milling cutter 60°, Ø25x10x67, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.060250 TiAIN	57,47
Φ542	ZPS Dovetail milling cutter 60°, Ø32x12,5x71, Z10, DIN 1833C, HSSCo5, N 330215.060320	54,48
Φ543	ZPS Dovetail milling cutter 60°, Ø32x12,5x71, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.060320 TiAIN	74,26
Φ544	ZPS Dovetail milling cutter 60°, Ø32x12,5x71, Z12, DIN 1833A, HSSCo5, N 330205.060320	54,16
Φ545	ZPS Dovetail milling cutter 60°, Ø32x12,5x71, Z12, DIN 1833A, HSSCo5, TiALN, N 330205.060320 TiAIN	73,88
Φ546	ZPS Dovetail milling cutter 60°, Ø40x16x80, Z12, DIN 1833A, HSSCo5, N 330205.060400	90,85
Φ547	ZPS Dovetail milling cutter 60°, Ø40x16x80, Z12, DIN 1833A, HSSCo5, TiALN, N 330205.060400 TiAIN	118,06
Φ548	ZPS Dovetail milling cutter 60°, Ø40x16x80, Z12, DIN 1833C, HSSCo5, N 330215.060400	91,67
Φ549	ZPS Dovetail milling cutter 60°, Ø40x16x80, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.060400 TiAIN	119,31
Φ550	ZPS Dovetail milling cutter 65°, Ø16x6, 3x60, Z12, DIN 1833C, HSSCo5, N 330215.065160	26,40
Φ551	ZPS Dovetail milling cutter 65°, Ø16x6, 3x60, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.065160 TiAIN	36,32
Φ552	ZPS Dovetail milling cutter 65°, Ø25x10x67, Z10, DIN 1833C, HSSCo5, N 330215.065250	42,06
Φ553	ZPS Dovetail milling cutter 65°, Ø25x10x67, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.065250 TiAIN	57,47
Φ554	ZPS Dovetail milling cutter 70°, Ø16x7x60, Z10, DIN 1833A, HSSCo5, N 330205.070160	26,27
Φ555	ZPS Dovetail milling cutter 70°, Ø16x7x60, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.070160 TiAIN	36,32
Φ556	ZPS Dovetail milling cutter 70°, Ø16x7x60, Z12, DIN 1833C, HSSCo5, N 330215.070160	26,40
Φ557	ZPS Dovetail milling cutter 70°, Ø16x7x60, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.070160 TiAIN	36,32
Φ558	ZPS Dovetail milling cutter 70°, Ø20x9x63, Z10, DIN 1833A, HSSCo5, N 330205.070200	33,57
Φ559	ZPS Dovetail milling cutter 70°, Ø20x9x63, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.070200 TiAIN	46,05
Φ560	ZPS Dovetail milling cutter 70°, Ø20x9x63, Z10, DIN 1833C, HSSCo5, N 330215.070200	33,70
Φ561	ZPS Dovetail milling cutter 70°, Ø20x9x63, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.070200 TiAIN	46,05
Φ562	ZPS Dovetail milling cutter 70°, Ø25x11x67, Z10, DIN 1833A, HSSCo5, N 330205.070250	41,87
Φ563	ZPS Dovetail milling cutter 70°, Ø25x11x67, Z10, DIN 1833A, HSSCo5, TiALN, N 330205.070250 TiAIN	57,47
Φ564	ZPS Dovetail milling cutter 70°, Ø25x11x67, Z10, DIN 1833C, HSSCo5, N 330215.070250	42,06
Φ565	ZPS Dovetail milling cutter 70°, Ø25x11x67, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.070250 TiAIN	57,47
Φ566	ZPS Dovetail milling cutter 75°, Ø16x8x60, Z10, DIN 1833C, HSSCo5, N 330215.075160	26,40
Φ567	ZPS Dovetail milling cutter 75°, Ø16x8x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.075160 TiAIN	36,32
Φ568	ZPS Dovetail milling cutter 75°, Ø25x10x67, Z12, DIN 1833C, HSSCo5, N 330215.075250	42,06
Φ569	ZPS Dovetail milling cutter 75°, Ø25x10x67, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.075250 TiAIN	57,47
Φ570	ZPS Dovetail milling cutter 80°, Ø16x8x60, Z10, DIN 1833C, HSSCo5, N 330215.080160	26,40
Φ571	ZPS Dovetail milling cutter 80°, Ø16x8x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.080160 TiAIN	36,32

Ф572	ZPS Dovetail milling cutter 80°, Ø25x10x67, Z12, DIN 1833C, HSSCo5, N 330215.080250	42,06
Ф573	ZPS Dovetail milling cutter 80°, Ø25x10x67, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.080250 TiALN	57,47
Ф574	ZPS Dovetail milling cutter 85°, Ø16x8x60, Z10, DIN 1833C, HSSCo5, N 330215.085160	26,40
Ф575	ZPS Dovetail milling cutter 85°, Ø16x8x60, Z10, DIN 1833C, HSSCo5, TiALN, N 330215.085160 TiALN	36,32
Ф576	ZPS Dovetail milling cutter 85°, Ø25x10x67, Z12, DIN 1833C, HSSCo5, N 330215.085250	42,06
Ф577	ZPS Dovetail milling cutter 85°, Ø25x10x67, Z12, DIN 1833C, HSSCo5, TiALN, N 330215.085250 TiALN	57,47
Ф578	Номер по каталогу производителя: 3302	
Ф579	ZPS Dovetail milling cutter 45°, Ø16x4x60, Z10, DIN 1833A, HSSCo5, N 330205.045160	26,27
Ф580	Номер по каталогу производителя: 3500	
Ф581	ZPS Inverted dovetail milling cutter 45°, Ø16x4x60, Z10, HSSCo5, N 350005.045160	26,83
Ф582	ZPS Inverted dovetail milling cutter 45°, Ø16x4x60, Z10, HSSCo5, N 350015.045160	26,96
Ф583	ZPS Inverted dovetail milling cutter 45°, Ø16x4x60, Z10, HSSCo5, TiALN, N 350005.045160 TiALN	36,82
Ф584	ZPS Inverted dovetail milling cutter 45°, Ø16x4x60, Z10, HSSCo5, TiALN, N 350015.045160 TiALN	36,82
Ф585	ZPS Inverted dovetail milling cutter 45°, Ø20x5x63, Z10, HSSCo5, N 350005.045200	34,26
Ф586	ZPS Inverted dovetail milling cutter 45°, Ø20x5x63, Z10, HSSCo5, N 350015.045200	34,38
Ф587	ZPS Inverted dovetail milling cutter 45°, Ø20x5x63, Z10, HSSCo5, TiALN, N 350005.045200 TiALN	46,74
Ф588	ZPS Inverted dovetail milling cutter 45°, Ø20x5x63, Z10, HSSCo5, TiALN, N 350015.045200 TiALN	46,74
Ф589	ZPS Inverted dovetail milling cutter 45°, Ø25x6, 3x67, Z10, HSSCo5, N 350005.045250	42,62
Ф590	ZPS Inverted dovetail milling cutter 45°, Ø25x6, 3x67, Z10, HSSCo5, N 350015.045250	42,87
Ф591	ZPS Inverted dovetail milling cutter 45°, Ø25x6, 3x67, Z10, HSSCo5, TiALN, N 350005.045250 TiALN	58,34
Ф592	ZPS Inverted dovetail milling cutter 45°, Ø25x6, 3x67, Z10, HSSCo5, TiALN, N 350015.045250 TiALN	58,34
Ф593	ZPS Inverted dovetail milling cutter 45°, Ø32x8x71, Z12, HSSCo5, N 350015.045320	55,54
Ф594	ZPS Inverted dovetail milling cutter 45°, Ø32x8x71, Z12, HSSCo5, TiALN, N 350015.045320 TiALN	75,32
Ф595	ZPS Inverted dovetail milling cutter 50°, Ø16x5x60, Z12, HSSCo5, N 350015.050160	26,96
Ф596	ZPS Inverted dovetail milling cutter 50°, Ø16x5x60, Z12, HSSCo5, TiALN, N 350015.050160 TiALN	36,82
Ф597	ZPS Inverted dovetail milling cutter 50°, Ø20x6, 3x63, Z12, HSSCo5, N 350015.050200	34,38
Ф598	ZPS Inverted dovetail milling cutter 50°, Ø20x6, 3x63, Z12, HSSCo5, TiALN, N 350015.050200 TiALN	46,74
Ф599	ZPS Inverted dovetail milling cutter 50°, Ø25x8x67, Z12, HSSCo5, N 350015.050250	42,87
Ф600	ZPS Inverted dovetail milling cutter 50°, Ø25x8x67, Z12, HSSCo5, TiALN, N 350015.050250 TiALN	58,34
Ф601	ZPS Inverted dovetail milling cutter 55°, Ø16x5, 6x60, Z10, HSSCo5, N 350015.055160	26,96
Ф602	ZPS Inverted dovetail milling cutter 55°, Ø16x5, 6x60, Z10, HSSCo5, TiALN, N 350015.055160 TiALN	36,82
Ф603	ZPS Inverted dovetail milling cutter 55°, Ø20x7, 1x63, Z12, HSSCo5, N 350015.055200	34,38
Ф604	ZPS Inverted dovetail milling cutter 55°, Ø20x7, 1x63, Z12, HSSCo5, TiALN, N 350015.055200 TiALN	46,74
Ф605	ZPS Inverted dovetail milling cutter 55°, Ø25x9x67, Z12, HSSCo5, N 350015.055250	42,87
Ф606	ZPS Inverted dovetail milling cutter 55°, Ø25x9x67, Z12, HSSCo5, TiALN, N 350015.055250 TiALN	58,34
Ф607	ZPS Inverted dovetail milling cutter 60°, Ø16x6, 3x60, Z10, HSSCo5, N 350005.060160	26,83
Ф608	ZPS Inverted dovetail milling cutter 60°, Ø16x6, 3x60, Z10, HSSCo5, N 350015.060160	26,96
Ф609	ZPS Inverted dovetail milling cutter 60°, Ø16x6, 3x60, Z10, HSSCo5, TiALN, N 350005.060160 TiALN	36,82
Ф610	ZPS Inverted dovetail milling cutter 60°, Ø16x6, 3x60, Z10, HSSCo5, TiALN, N 350015.060160 TiALN	36,82
Ф611	ZPS Inverted dovetail milling cutter 60°, Ø20x8x63, Z10, HSSCo5, N 350005.060200	34,26
Ф612	ZPS Inverted dovetail milling cutter 60°, Ø20x8x63, Z10, HSSCo5, N 350015.060200	34,38
Ф613	ZPS Inverted dovetail milling cutter 60°, Ø20x8x63, Z10, HSSCo5, TiALN, N 350005.060200 TiALN	46,74
Ф614	ZPS Inverted dovetail milling cutter 60°, Ø20x8x63, Z10, HSSCo5, TiALN, N 350015.060200 TiALN	46,74
Ф615	ZPS Inverted dovetail milling cutter 60°, Ø25x10x67, Z10, HSSCo5, N 350005.060250	42,62
Ф616	ZPS Inverted dovetail milling cutter 60°, Ø25x10x67, Z10, HSSCo5, N 350015.060250	42,87
Ф617	ZPS Inverted dovetail milling cutter 60°, Ø25x10x67, Z10, HSSCo5, TiALN, N 350005.060250 TiALN	58,34
Ф618	ZPS Inverted dovetail milling cutter 60°, Ø25x10x67, Z10, HSSCo5, TiALN, N 350015.060250 TiALN	58,34
Ф619	ZPS Inverted dovetail milling cutter 60°, Ø32x12,5x71, Z12, HSSCo5, N 350015.060320	55,54
Ф620	ZPS Inverted dovetail milling cutter 60°, Ø32x12,5x71, Z12, HSSCo5, TiALN, N 350015.060320 TiALN	75,32
Ф621	ZPS Inverted dovetail milling cutter 65°, Ø16x6, 3x60, Z10, HSSCo5, N 350015.065160	26,96
Ф622	ZPS Inverted dovetail milling cutter 65°, Ø16x6, 3x60, Z10, HSSCo5, TiALN, N 350015.065160 TiALN	36,82
Ф623	ZPS Inverted dovetail milling cutter 65°, Ø25x10x67, Z12, HSSCo5, N 350015.065250	42,87
Ф624	ZPS Inverted dovetail milling cutter 65°, Ø25x10x67, Z12, HSSCo5, TiALN, N 350015.065250 TiALN	58,34

Ф625	ZPS Inverted dovetail milling cutter 70°, Ø16x7x60, Z10, HSSCo5, N 350005.070160	26,83
Ф626	ZPS Inverted dovetail milling cutter 70°, Ø16x7x60, Z10, HSSCo5, N 350015.070160	26,96
Ф627	ZPS Inverted dovetail milling cutter 70°, Ø16x7x60, Z10, HSSCo5, TiALN, N 350005.070160 TiALN	36,82
Ф628	ZPS Inverted dovetail milling cutter 70°, Ø16x7x60, Z10, HSSCo5, TiALN, N 350015.070160 TiALN	36,82
Ф629	ZPS Inverted dovetail milling cutter 70°, Ø20x9x63, Z10, HSSCo5, N 350005.070200	34,26
Ф630	ZPS Inverted dovetail milling cutter 70°, Ø20x9x63, Z10, HSSCo5, N 350015.070200	34,38
Ф631	ZPS Inverted dovetail milling cutter 70°, Ø20x9x63, Z10, HSSCo5, TiALN, N 350005.070200 TiALN	46,74
Ф632	ZPS Inverted dovetail milling cutter 70°, Ø20x9x63, Z10, HSSCo5, TiALN, N 350015.070200 TiALN	46,74
Ф633	ZPS Inverted dovetail milling cutter 70°, Ø25x11x67, Z10, HSSCo5, N 350005.070250	42,68
Ф634	ZPS Inverted dovetail milling cutter 70°, Ø25x11x67, Z10, HSSCo5, N 350015.070250	42,87
Ф635	ZPS Inverted dovetail milling cutter 70°, Ø25x11x67, Z10, HSSCo5, TiALN, N 350005.070250 TiALN	58,34
Ф636	ZPS Inverted dovetail milling cutter 70°, Ø25x11x67, Z10, HSSCo5, TiALN, N 350015.070250 TiALN	58,34
Ф637	ZPS Inverted dovetail milling cutter 75°, Ø16x8x60, Z10, HSSCo5, N 350015.075160	26,96
Ф638	ZPS Inverted dovetail milling cutter 75°, Ø16x8x60, Z10, HSSCo5, TiALN, N 350015.075160 TiALN	36,82
Ф639	ZPS Inverted dovetail milling cutter 75°, Ø25x10x67, Z12, HSSCo5, N 350015.075250	42,87
Ф640	ZPS Inverted dovetail milling cutter 75°, Ø25x10x67, Z12, HSSCo5, TiALN, N 350015.075250 TiALN	58,34
Ф641	Фрезы фасонные для снятия фасок	
Ф642	ZPS-FN Norm	
Ф643	Номер по каталогу производителя: S3500	
Ф644	ZPS Chamfer end mill, Ø1, 2x0x57, Z4, λ 0°, SC, AlTiN, N S350002	по запросу
Ф645	ZPS Chamfer end mill, Ø1, 2x0x57, Z4, λ 0°, SC, AlTiN, N S350002.060012	19,09
Ф646	ZPS Chamfer end mill, Ø1,6x0x63, Z4, λ 0°, SC, AlTiN, N S350002.060016	26,51
Ф647	ZPS Chamfer end mill, Ø1,6x0x63, Z4, λ 0°, SC, AlTiN, N S350002.090016	26,51
Ф648	ZPS Chamfer end mill, Ø2, 0x0x72, Z4, λ 0°, SC, AlTiN, N S350002.060020	39,48
Ф649	ZPS Chamfer end mill, Ø2, 0x0x72, Z4, λ 0°, SC, AlTiN, N S350002.090020	39,48
Ф650	ZPS Chamfer end mill, Ø2, 4x0x83, Z4, λ 0°, SC, AlTiN, N S350002.060024	57,00
Ф651	ZPS Chamfer end mill, Ø2, 4x0x83, Z4, λ 0°, SC, AlTiN, N S350002.090024	57,00
Ф652	Фрезы фасонные секторные выгнутые	
Ф653	DIN 6518	
Ф654	Номер по каталогу производителя: 3600	
Ф655	ZPS Corner rounding cutter concave R1, Ø8x60, Z4, HSSCo8, N 360018.010	40,44
Ф656	ZPS Corner rounding cutter concave R1, Ø8x60, Z4, HSSCo8, TiALN, N 360018.010 TiALN	46,18
Ф657	ZPS Corner rounding cutter concave R1,5, Ø9x60, Z4, HSSCo8, N 360018.015	44,18
Ф658	ZPS Corner rounding cutter concave R1,5, Ø9x60, Z4, HSSCo8, TiALN, N 360018.015 TiALN	51,23
Ф659	ZPS Corner rounding cutter concave R1,6, Ø9, 2x60, Z4, HSSCo8, N 360018.016	44,18
Ф660	ZPS Corner rounding cutter concave R1,6, Ø9, 2x60, Z4, HSSCo8, TiALN, N 360018.016 TiALN	51,23
Ф661	ZPS Corner rounding cutter concave R10, Ø28x85, Z4, HSSCo8, N 360018.100	82,93
Ф662	ZPS Corner rounding cutter concave R10, Ø28x85, Z4, HSSCo8, TiALN, N 360018.100 TiALN	101,77
Ф663	ZPS Corner rounding cutter concave R10,5, Ø31x90, Z4, HSSCo8, N 360018.105	91,60
Ф664	ZPS Corner rounding cutter concave R10,5, Ø31x90, Z4, HSSCo8, TiALN, N 360018.105 TiALN	114,82
Ф665	ZPS Corner rounding cutter concave R11, Ø32x90, Z4, HSSCo8, N 360018.110	91,60
Ф666	ZPS Corner rounding cutter concave R11, Ø32x90, Z4, HSSCo8, TiALN, N 360018.110 TiALN	114,82
Ф667	ZPS Corner rounding cutter concave R12, Ø34x90, Z4, HSSCo8, N 360018.120	91,60
Ф668	ZPS Corner rounding cutter concave R12, Ø34x90, Z4, HSSCo8, TiALN, N 360018.120 TiALN	114,82
Ф669	ZPS Corner rounding cutter concave R12,5, Ø41x100, Z6, HSSCo8, N 360018.125	132,10
Ф670	ZPS Corner rounding cutter concave R12,5, Ø41x100, Z6, HSSCo8, TiALN, N 360018.125 TiALN	161,24
Ф671	ZPS Corner rounding cutter concave R13, Ø42x100, Z6, HSSCo8, N 360018.130	132,10
Ф672	ZPS Corner rounding cutter concave R13, Ø42x100, Z6, HSSCo8, TiALN, N 360018.130 TiALN	161,24
Ф673	ZPS Corner rounding cutter concave R14, Ø44x100, Z6, HSSCo8, N 360018.140	132,10
Ф674	ZPS Corner rounding cutter concave R14, Ø44x100, Z6, HSSCo8, TiALN, N 360018.140 TiALN	161,24
Ф675	ZPS Corner rounding cutter concave R15, Ø46x100, Z6, HSSCo8, N 360018.150	151,01
Ф676	ZPS Corner rounding cutter concave R15, Ø46x100, Z6, HSSCo8, TiALN, N 360018.150 TiALN	184,39
Ф677	ZPS Corner rounding cutter concave R16, Ø48x100, Z6, HSSCo8, N 360018.160	151,01

Ф678	ZPS Corner rounding cutter concave R16, Ø48x100, Z6, HSSCo8, TiAlN, N 360018.160 TiAlN	184,39
Ф679	ZPS Corner rounding cutter concave R18, Ø52x112, Z6, HSSCo8, N 360018.180	170,35
Ф680	ZPS Corner rounding cutter concave R18, Ø52x112, Z6, HSSCo8, TiAlN, N 360018.180 TiAlN	207,92
Ф681	ZPS Corner rounding cutter concave R19, Ø56x112, Z6, HSSCo8, N 360018.190	188,88
Ф682	ZPS Corner rounding cutter concave R19, Ø56x112, Z6, HSSCo8, TiAlN, N 360018.190 TiAlN	228,51
Ф683	ZPS Corner rounding cutter concave R2, Ø10x60, Z4, HSSCo8, N 360018.020	44,18
Ф684	ZPS Corner rounding cutter concave R2, Ø10x60, Z4, HSSCo8, TiAlN, N 360018.020 TiAlN	51,23
Ф685	ZPS Corner rounding cutter concave R2,5, Ø11x60, Z4, HSSCo8, N 360018.025	44,18
Ф686	ZPS Corner rounding cutter concave R2,5, Ø11x60, Z4, HSSCo8, TiAlN, N 360018.025 TiAlN	51,23
Ф687	ZPS Corner rounding cutter concave R20, Ø56x112, Z6, HSSCo8, N 360018.200	189,20
Ф688	ZPS Corner rounding cutter concave R20, Ø56x112, Z6, HSSCo8, TiAlN, N 360018.200 TiAlN	229,63
Ф689	ZPS Corner rounding cutter concave R3, Ø12x60, Z4, HSSCo8, N 360018.030	45,86
Ф690	ZPS Corner rounding cutter concave R3, Ø12x60, Z4, HSSCo8, TiAlN, N 360018.030 TiAlN	54,16
Ф691	ZPS Corner rounding cutter concave R3,5, Ø13x60, Z4, HSSCo8, N 360018.035	49,67
Ф692	ZPS Corner rounding cutter concave R3,5, Ø13x60, Z4, HSSCo8, TiAlN, N 360018.035 TiAlN	59,22
Ф693	ZPS Corner rounding cutter concave R4, Ø14x60, Z4, HSSCo8, N 360018.040	49,67
Ф694	ZPS Corner rounding cutter concave R4, Ø14x60, Z4, HSSCo8, TiAlN, N 360018.040 TiAlN	59,22
Ф695	ZPS Corner rounding cutter concave R4,5, Ø15x60, Z4, HSSCo8, N 360018.045	53,23
Ф696	ZPS Corner rounding cutter concave R4,5, Ø15x60, Z4, HSSCo8, TiAlN, N 360018.045 TiAlN	63,46
Ф697	ZPS Corner rounding cutter concave R5, Ø16x60, Z4, HSSCo8, N 360018.050	53,23
Ф698	ZPS Corner rounding cutter concave R5, Ø16x60, Z4, HSSCo8, TiAlN, N 360018.050 TiAlN	64,15
Ф699	ZPS Corner rounding cutter concave R5,5, Ø19x67, Z4, HSSCo8, N 360018.055	56,10
Ф700	ZPS Corner rounding cutter concave R5,5, Ø19x67, Z4, HSSCo8, TiAlN, N 360018.055 TiAlN	70,01
Ф701	ZPS Corner rounding cutter concave R6, Ø20x67, Z4, HSSCo8, N 360018.060	56,10
Ф702	ZPS Corner rounding cutter concave R6, Ø20x67, Z4, HSSCo8, TiAlN, N 360018.060 TiAlN	70,01
Ф703	ZPS Corner rounding cutter concave R6,5, Ø21x71, Z4, HSSCo8, N 360018.065	68,95
Ф704	ZPS Corner rounding cutter concave R6,5, Ø21x71, Z4, HSSCo8, TiAlN, N 360018.065 TiAlN	84,99
Ф705	ZPS Corner rounding cutter concave R7, Ø22x71, Z4, HSSCo8, N 360018.070	68,95
Ф706	ZPS Corner rounding cutter concave R7, Ø22x71, Z4, HSSCo8, TiAlN, N 360018.070 TiAlN	84,99
Ф707	ZPS Corner rounding cutter concave R7,5, Ø23x71, Z4, HSSCo8, N 360018.075	68,95
Ф708	ZPS Corner rounding cutter concave R7,5, Ø23x71, Z4, HSSCo8, TiAlN, N 360018.075 TiAlN	84,99
Ф709	ZPS Corner rounding cutter concave R8, Ø24x71, Z4, HSSCo8, N 360018.080	68,95
Ф710	ZPS Corner rounding cutter concave R8, Ø24x71, Z4, HSSCo8, TiAlN, N 360018.080 TiAlN	84,99
Ф711	ZPS Corner rounding cutter concave R8,5, Ø25x85, Z4, HSSCo8, N 360018.085	82,93
Ф712	ZPS Corner rounding cutter concave R8,5, Ø25x85, Z4, HSSCo8, TiAlN, N 360018.085 TiAlN	101,77
Ф713	ZPS Corner rounding cutter concave R9, Ø26x85, Z4, HSSCo8, N 360018.090	82,93
Ф714	ZPS Corner rounding cutter concave R9, Ø26x85, Z4, HSSCo8, TiAlN, N 360018.090 TiAlN	101,77
Ф715	ZPS Corner rounding cutter concave R9,5, Ø27x85, Z4, HSSCo8, N 360018.095	82,93
Ф716	ZPS Corner rounding cutter concave R9,5, Ø27x85, Z4, HSSCo8, TiAlN, N 360018.095 TiAlN	101,77
Ф717	Фрезы фасонные четвертькруглые вогнутые	
Ф718	ZPS-FN Norm	
Ф719	Номер по каталогу производителя: S3600	
Ф720	ZPS Corner rounding concave cutter Ø4x0x57, Z4, λ 0°, SC, AlTiN, N S360002.010	19,94
Ф721	ZPS Corner rounding concave cutter Ø4x0x63, Z4, λ 0°, SC, AlTiN, N S360002.020	26,51
Ф722	ZPS Corner rounding concave cutter Ø4x0x72, Z4, λ 0°, SC, AlTiN, N S360002.030	39,48
Ф723	ZPS Corner rounding concave cutter Ø4x0x83, Z4, λ 0°, SC, AlTiN, N S360002.040	57,00
Ф724	ZPS Corner rounding concave cutter Ø4x0x83, Z4, λ 0°, SC, AlTiN, N S360002.050	76,38
Ф725	ZPS Corner rounding concave cutter Ø5x0x57, Z4, λ 0°, SC, AlTiN, N S360002.005	19,94
Ф726	ZPS Corner rounding concave cutter Ø5x0x63, Z4, λ 0°, SC, AlTiN, N S360002.015	26,51
Ф727	ZPS Corner rounding concave cutter Ø5x0x72, Z4, λ 0°, SC, AlTiN, N S360002.025	39,48
Ф728	ZPS Corner rounding concave cutter Ø5x0x83, Z4, λ 0°, SC, AlTiN, N S360002.035	57,00
Ф729	Фрезы дисковые фасонные	
Ф730	Фрезы зуборезные модульные	

Ф731	DIN 3972	
Ф732	Номер по каталогу производителя: 8900	
Ф733	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.1, HSSCo5 890075.0501	94,41
Ф734	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.2, HSSCo5 890075.0502	94,41
Ф735	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.3, HSSCo5 890075.0503	94,41
Ф736	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.4, HSSCo5 890075.0504	94,41
Ф737	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.5, HSSCo5 890075.0505	94,41
Ф738	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.6, HSSCo5 890075.0506	94,41
Ф739	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.7, HSSCo5 890075.0507	94,41
Ф740	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,5, Ø40x16, N.8, HSSCo5 890075.0508	94,41
Ф741	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.1, HSSCo5 890075.0751	94,41
Ф742	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.2, HSSCo5 890075.0752	94,41
Ф743	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.3, HSSCo5 890075.0753	94,41
Ф744	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.4, HSSCo5 890075.0754	94,41
Ф745	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.5, HSSCo5 890075.0755	94,41
Ф746	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.6, HSSCo5 890075.0756	94,41
Ф747	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.7, HSSCo5 890075.0757	94,41
Ф748	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.0,75, Ø40x16, N.8, HSSCo5 890075.0758	94,41
Ф749	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.1, HSSCo5 890075.1751	117,31
Ф750	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.2, HSSCo5 890075.1752	117,31
Ф751	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.3, HSSCo5 890075.1753	117,31
Ф752	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.4, HSSCo5 890075.1754	117,31
Ф753	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.5, HSSCo5 890075.1755	117,31
Ф754	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.6, HSSCo5 890075.1756	117,31
Ф755	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.7, HSSCo5 890075.1757	117,31
Ф756	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, 75, Ø63x22, N.8, HSSCo5 890075.1758	117,31
Ф757	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.1, HSSCo5 890075.1001	89,11
Ф758	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.2, HSSCo5 890075.1002	89,11
Ф759	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.3, HSSCo5 890075.1003	89,11
Ф760	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.4, HSSCo5 890075.1004	89,11
Ф761	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.5, HSSCo5 890075.1005	89,11
Ф762	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.6, HSSCo5 890075.1006	89,11
Ф763	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.7, HSSCo5 890075.1007	89,11
Ф764	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1, Ø50x16, N.8, HSSCo5 890075.1008	89,11
Ф765	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.1, HSSCo5 890075.1251	98,59
Ф766	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.2, HSSCo5 890075.1252	98,59
Ф767	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.3, HSSCo5 890075.1253	98,59
Ф768	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.4, HSSCo5 890075.1254	98,59
Ф769	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.5, HSSCo5 890075.1255	98,59
Ф770	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.6, HSSCo5 890075.1256	98,59
Ф771	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.7, HSSCo5 890075.1257	98,59
Ф772	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,25, Ø50x16, N.8, HSSCo5 890075.1258	98,59
Ф773	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.1, HSSCo5 890075.1501	103,08
Ф774	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.2, HSSCo5 890075.1502	103,08
Ф775	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.3, HSSCo5 890075.1503	103,08
Ф776	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.4, HSSCo5 890075.1504	103,08
Ф777	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.5, HSSCo5 890075.1505	103,08
Ф778	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.6, HSSCo5 890075.1506	103,08
Ф779	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.7, HSSCo5 890075.1507	103,08
Ф780	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.1,5, Ø63x22, N.8, HSSCo5 890075.1508	103,08
Ф781	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.2, 25, Ø63x22, N.1, HSSCo5 890075.2251	126,67
Ф782	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.2, 25, Ø63x22, N.2, HSSCo5 890075.2252	126,67
Ф783	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.2, 25, Ø63x22, N.3, HSSCo5 890075.2253	126,67

Φ784	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	25,	Ø63x22,	N.4,	HSSCo5	890075.2254	126,67
Φ785	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	25,	Ø63x22,	N.5,	HSSCo5	890075.2255	126,67
Φ786	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	25,	Ø63x22,	N.6,	HSSCo5	890075.2256	126,67
Φ787	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	25,	Ø63x22,	N.7,	HSSCo5	890075.2257	126,67
Φ788	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	25,	Ø63x22,	N.8,	HSSCo5	890075.2258	126,67
Φ789	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.1,	HSSCo5	890075.2751	159,12
Φ790	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.2,	HSSCo5	890075.2752	159,12
Φ791	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.3,	HSSCo5	890075.2753	159,12
Φ792	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.4,	HSSCo5	890075.2754	159,12
Φ793	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.5,	HSSCo5	890075.2755	159,12
Φ794	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.6,	HSSCo5	890075.2756	159,12
Φ795	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.7,	HSSCo5	890075.2757	159,12
Φ796	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	75,	Ø70x27,	N.8,	HSSCo5	890075.2758	159,12
Φ797	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.1,	HSSCo5	890075.2001		115,07
Φ798	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.2,	HSSCo5	890075.2002		115,07
Φ799	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.3,	HSSCo5	890075.2003		115,07
Φ800	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.4,	HSSCo5	890075.2004		115,07
Φ801	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.5,	HSSCo5	890075.2005		115,07
Φ802	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.6,	HSSCo5	890075.2006		115,07
Φ803	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.7,	HSSCo5	890075.2007		115,07
Φ804	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,	Ø63x22,	N.8,	HSSCo5	890075.2008		115,07
Φ805	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.1,	HSSCo5	890075.2501		118,56
Φ806	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.2,	HSSCo5	890075.2502		118,56
Φ807	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.3,	HSSCo5	890075.2503		118,56
Φ808	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.4,	HSSCo5	890075.2504		118,56
Φ809	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.5,	HSSCo5	890075.2505		118,56
Φ810	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.6,	HSSCo5	890075.2506		118,56
Φ811	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.7,	HSSCo5	890075.2507		118,56
Φ812	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.2,5,	Ø63x22,	N.8,	HSSCo5	890075.2508		118,56
Φ813	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.1,	HSSCo5	890075.3251	162,43
Φ814	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.2,	HSSCo5	890075.3252	162,43
Φ815	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.3,	HSSCo5	890075.3253	162,43
Φ816	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.4,	HSSCo5	890075.3254	162,43
Φ817	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.5,	HSSCo5	890075.3255	162,43
Φ818	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.6,	HSSCo5	890075.3256	162,43
Φ819	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.7,	HSSCo5	890075.3257	162,43
Φ820	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	25,	Ø70x27,	N.8,	HSSCo5	890075.3258	162,43
Φ821	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.1,	HSSCo5	890075.3751	201,30
Φ822	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.2,	HSSCo5	890075.3752	201,30
Φ823	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.3,	HSSCo5	890075.3753	201,30
Φ824	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.4,	HSSCo5	890075.3754	201,30
Φ825	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.5,	HSSCo5	890075.3755	201,30
Φ826	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.6,	HSSCo5	890075.3756	201,30
Φ827	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.7,	HSSCo5	890075.3757	201,30
Φ828	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	75,	Ø80x27,	N.8,	HSSCo5	890075.3758	201,30
Φ829	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.1,	HSSCo5	890075.3001		143,83
Φ830	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.2,	HSSCo5	890075.3002		143,83
Φ831	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.3,	HSSCo5	890075.3003		143,83
Φ832	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.4,	HSSCo5	890075.3004		143,83
Φ833	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.5,	HSSCo5	890075.3005		143,83
Φ834	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.6,	HSSCo5	890075.3006		143,83
Φ835	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.7,	HSSCo5	890075.3007		143,83
Φ836	ZPS	Involute gear cutter for spur,	Wheels,	pressure angle 20° m.3,	Ø70x27,	N.8,	HSSCo5	890075.3008		143,83

[illegible]

Ф890	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.5,5, Ø90x32, N.6, HSSCo5 890075.5506	397,61
Ф891	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.5,5, Ø90x32, N.7, HSSCo5 890075.5507	397,61
Ф892	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.5,5, Ø90x32, N.8, HSSCo5 890075.5508	397,61
Ф893	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.1, HSSCo5 890075.6001	412,90
Ф894	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.2, HSSCo5 890075.6002	412,90
Ф895	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.3, HSSCo5 890075.6003	412,90
Ф896	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.4, HSSCo5 890075.6004	412,90
Ф897	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.5, HSSCo5 890075.6005	412,90
Ф898	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.6, HSSCo5 890075.6006	412,90
Ф899	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.7, HSSCo5 890075.6007	412,90
Ф900	ZPS Involute gear cutter for spur, Wheels, pressure angle 20° m.6, Ø100x32, N.8, HSSCo5 890075.6008	412,90
Ф901	Фрезы цилиндрические двухугловые симметричные	
Ф902	DIN 847	
Ф903	Номер по каталогу производителя: 8570	
Ф904	ZPS Double angle milling cutter symmetrical 120°, Ø100x36x32, Z24, HSS 857070.120100	142,65
Ф905	ZPS Double angle milling cutter symmetrical 120°, Ø50x14x16, Z16, HSS 857070.120050	58,91
Ф906	ZPS Double angle milling cutter symmetrical 120°, Ø63x20x22, Z16, HSS 857070.120063	70,32
Ф907	ZPS Double angle milling cutter symmetrical 120°, Ø80x25x27, Z20, HSS 857070.120080	84,24
Ф908	ZPS Double angle milling cutter symmetrical 45°, Ø100x18x32, Z20, HSSCo5 857075V.045100	141,15
Ф909	ZPS Double angle milling cutter symmetrical 45°, Ø100x18x32, Z28, HSS 857070.045100	126,36
Ф910	ZPS Double angle milling cutter symmetrical 45°, Ø50x8x16, Z16, HSSCo5 857075V.045050	57,03
Ф911	ZPS Double angle milling cutter symmetrical 45°, Ø50x8x16, Z22, HSS 857070.045050	52,48
Ф912	ZPS Double angle milling cutter symmetrical 45°, Ø63x10x22, Z16, HSSCo5 857075V.045063	68,08
Ф913	ZPS Double angle milling cutter symmetrical 45°, Ø63x10x22, Z24, HSS 857070.045063	62,71
Ф914	ZPS Double angle milling cutter symmetrical 45°, Ø80x12x27, Z20, HSSCo5 857075V.045080	81,56
Ф915	ZPS Double angle milling cutter symmetrical 45°, Ø80x12x27, Z26, HSS 857070.045080	73,07
Ф916	ZPS Double angle milling cutter symmetrical 60°, Ø100x25x32, Z20, HSSCo5 857075V.060100	145,64
Ф917	ZPS Double angle milling cutter symmetrical 60°, Ø100x25x32, Z24, HSS 857070.060100	130,42
Ф918	ZPS Double angle milling cutter symmetrical 60°, Ø50x10x16, Z16, HSSCo5 857075V.060050	59,84
Ф919	ZPS Double angle milling cutter symmetrical 60°, Ø50x10x16, Z18, HSS 857070.060050	53,60
Ф920	ZPS Double angle milling cutter symmetrical 60°, Ø63x14x22, Z16, HSSCo5 857075V.060063	70,39
Ф921	ZPS Double angle milling cutter symmetrical 60°, Ø63x14x22, Z20, HSS 857070.060063	65,89
Ф922	ZPS Double angle milling cutter symmetrical 60°, Ø80x18x27, Z18, HSSCo5 857075V.060080	85,68
Ф923	ZPS Double angle milling cutter symmetrical 60°, Ø80x18x27, Z22, HSS 857070.060080	76,75
Ф924	ZPS Double angle milling cutter symmetrical 90°, Ø100x32x32, Z20, HSSCo5 857075V.090100	150,32
Ф925	ZPS Double angle milling cutter symmetrical 90°, Ø100x32x32, Z24, HSS 857070.090100	134,60
Ф926	ZPS Double angle milling cutter symmetrical 90°, Ø50x14x16, Z16, HSS 857070.090050	56,28
Ф927	ZPS Double angle milling cutter symmetrical 90°, Ø50x14x16, Z16, HSSCo5 857075V.090050	62,84
Ф928	ZPS Double angle milling cutter symmetrical 90°, Ø63x20x22, Z16, HSSCo5 857075V.090063	75,07
Ф929	ZPS Double angle milling cutter symmetrical 90°, Ø63x20x22, Z18, HSS 857070.090063	67,14
Ф930	ZPS Double angle milling cutter symmetrical 90°, Ø80x22x27, Z18, HSSCo5 857075V.090080	89,92
Ф931	ZPS Double angle milling cutter symmetrical 90°, Ø80x22x27, Z20, HSS 857070.090080	82,80
Ф932	Фрезы цилиндрические одноугловые односторонние	
Ф933	DIN 22242	
Ф934	Номер по каталогу производителя: 8525	
Ф935	ZPS Single angle milling cutter 20° R1, Ø63x6x16, Z14, 222242, HSS, 852570.020063	42,74
Ф936	ZPS Single angle milling cutter 20° R1,5, Ø100x10x27, Z18, 222242, HSS, 852570.020100	77,88
Ф937	ZPS Single angle milling cutter 25° R1, Ø63x6x22, Z14, 222242, HSS, 852570.025063	42,49
Ф938	ZPS Single angle milling cutter 25° R1, Ø80x10x22, Z16, 222242, HSS, 852570.025080	51,98
Ф939	ZPS Single angle milling cutter 25° R1,5, Ø100x14x27, Z18, 222242, HSS, 852570.025100	82,93
Ф940	ZPS Single angle milling cutter 25° R2, Ø125x18x27, Z20, 222242, HSS, 852570.025125	153,07
Ф941	ZPS Single angle milling cutter 25° R2,5, Ø160x22x32, Z22, 222242, HSS, 852570.025160	209,66
Ф942	ZPS Single angle milling cutter 30° R1, Ø63x8x22, Z14, 222242, HSS, 852570.030063	46,18

Ф943	ZPS Single angle milling cutter 30° R1,5, Ø100x14x27, Z18, 222242, HSS, 852570.030100	82,93
Ф944	DIN 842	
Ф945	Номер по каталогу производителя: 8532	
Ф946	ZPS Single angle milling cutter 45°, Ø100x28x27, Z22, HSS 853270.045100	147,33
Ф947	ZPS Single angle milling cutter 45°, Ø100x30x27, Z20, HSSCo5 853275V.045100	164,61
Ф948	ZPS Single angle milling cutter 45°, Ø125x36x32, Z24, HSS 853270.045125	258,02
Ф949	ZPS Single angle milling cutter 45°, Ø160x45x40, Z28, HSS 853270.045160	437,67
Ф950	ZPS Single angle milling cutter 45°, Ø40x10x10, Z14, HSS 853270.045040	53,10
Ф951	ZPS Single angle milling cutter 45°, Ø40x12x10, Z14, HSSCo5 853275V.045040	59,28
Ф952	ZPS Single angle milling cutter 45°, Ø50x13x13, Z16, HSS 853270.045050	57,16
Ф953	ZPS Single angle milling cutter 45°, Ø50x15x13, Z16, HSSCo5 853275V.045050	62,09
Ф954	ZPS Single angle milling cutter 45°, Ø63x18x16, Z16, HSSCo5 853275V.045063	66,39
Ф955	ZPS Single angle milling cutter 45°, Ø63x18x16, Z18, HSS 853270.045063	59,47
Ф956	ZPS Single angle milling cutter 45°, Ø80x22x22, Z20, HSS 853270.045080	94,22
Ф957	ZPS Single angle milling cutter 45°, Ø80x23x22, Z18, HSSCo5 853275V.045080	100,53
Ф958	ZPS Single angle milling cutter 50°, Ø100x32x27, Z20, HSSCo5 853275V.050100	164,61
Ф959	ZPS Single angle milling cutter 50°, Ø100x32x27, Z22, HSS 853270.050100	147,33
Ф960	ZPS Single angle milling cutter 50°, Ø125x40x32, Z24, HSS 853270.050125	258,02
Ф961	ZPS Single angle milling cutter 50°, Ø160x50x40, Z28, HSS 853270.050160	437,67
Ф962	ZPS Single angle milling cutter 50°, Ø40x13x10, Z14, HSS 853270.050040	53,10
Ф963	ZPS Single angle milling cutter 50°, Ø40x13x10, Z14, HSSCo5 853275V.050040	62,15
Ф964	ZPS Single angle milling cutter 50°, Ø50x16x13, Z16, HSS 853270.050050	55,54
Ф965	ZPS Single angle milling cutter 50°, Ø50x16x13, Z16, HSSCo5 853275V.050050	63,90
Ф966	ZPS Single angle milling cutter 50°, Ø63x20x16, Z16, HSSCo5 853275V.050063	68,27
Ф967	ZPS Single angle milling cutter 50°, Ø63x20x16, Z18, HSS 853270.050063	56,72
Ф968	ZPS Single angle milling cutter 50°, Ø80x25x22, Z18, HSSCo5 853275V.050080	103,40
Ф969	ZPS Single angle milling cutter 50°, Ø80x25x22, Z20, HSS 853270.050080	89,98
Ф970	ZPS Single angle milling cutter 55°, Ø100x32x27, Z22, HSS 853270.055100	147,33
Ф971	ZPS Single angle milling cutter 55°, Ø125x40x32, Z24, HSS 853270.055125	258,02
Ф972	ZPS Single angle milling cutter 55°, Ø40x13x10, Z14, HSS 853270.055040	53,10
Ф973	ZPS Single angle milling cutter 55°, Ø50x6x13, Z16, HSS 853270.055050	55,54
Ф974	ZPS Single angle milling cutter 55°, Ø63x20x16, Z18, HSS 853270.055063	59,40
Ф975	ZPS Single angle milling cutter 55°, Ø80x25x22, Z20, HSS 853270.055080	92,54
Ф976	ZPS Single angle milling cutter 60°, Ø100x32x27, Z20, HSSCo5 853275V.060100	164,61
Ф977	ZPS Single angle milling cutter 60°, Ø100x32x27, Z22, HSS 853270.060100	147,33
Ф978	ZPS Single angle milling cutter 60°, Ø125x40x32, Z26, HSS 853270.060125	258,02
Ф979	ZPS Single angle milling cutter 60°, Ø160x50x40, Z28, HSS 853270.060160	437,67
Ф980	ZPS Single angle milling cutter 60°, Ø40x13x10, Z14, HSS 853270.060040	50,73
Ф981	ZPS Single angle milling cutter 60°, Ø40x13x10, Z14, HSSCo5 853275V.060040	59,28
Ф982	ZPS Single angle milling cutter 60°, Ø50x16x13, Z16, HSS 853270.060050	54,60
Ф983	ZPS Single angle milling cutter 60°, Ø50x16x13, Z16, HSSCo5 853275V.060050	62,09
Ф984	ZPS Single angle milling cutter 60°, Ø63x20x16, Z16, HSSCo5 853275V.060063	66,39
Ф985	ZPS Single angle milling cutter 60°, Ø63x20x16, Z18, HSS 853270.060063	59,47
Ф986	ZPS Single angle milling cutter 60°, Ø80x25x22, Z18, HSSCo5 853275V.060080	100,53
Ф987	ZPS Single angle milling cutter 60°, Ø80x25x22, Z20, HSS 853270.060080	92,54
Ф988	Фрезы цилиндрические полукруглые выпуклые	
Ф989	DIN ≈855A	
Ф990	Номер по каталогу производителя: 8200	
Ф991	ZPS Half circle milling cutteR concave, R1, Ø50x6x16, Z14, HSS, 820070.010	59,40
Ф992	ZPS Half circle milling cutteR concave, R1, Ø50x8x16, Z14, HSSCo5 820075V.010	66,46
Ф993	ZPS Half circle milling cutteR concave, R1,25, Ø50x6x16, Z14, HSS, 820070.0125	59,40
Ф994	ZPS Half circle milling cutteR concave, R1,25, Ø50x8x16, Z14, HSSCo5 820075V.0125	66,46
Ф995	ZPS Half circle milling cutteR concave, R1,5, Ø50x8x16, Z14, HSSCo5 820075V.015	66,46

Φ996	ZPS Half circle milling cutter concave, R1,6, Ø50x8x16, Z14, HSS, 820070.016	59,40
Φ997	ZPS Half circle milling cutter concave, R10, Ø100x36x32, Z10, HSSCo5 820075V.100	202,24
Φ998	ZPS Half circle milling cutter concave, R10, Ø100x36x32, Z12, HSS, 820070.100	180,90
Φ999	ZPS Half circle milling cutter concave, R12, Ø100x40x32, Z10, HSSCo5 820075V.120	263,89
Φ1000	ZPS Half circle milling cutter concave, R12, Ø100x40x32, Z12, HSS, 820070.120	236,00
Φ1001	ZPS Half circle milling cutter concave, R12,5, Ø100x40x32, Z12, HSS, 820070.125	262,95
Φ1002	ZPS Half circle milling cutter concave, R16, Ø125x50x32, Z10, HSS, 820070.160	402,11
Φ1003	ZPS Half circle milling cutter concave, R2, Ø50x9x16, Z14, HSS, 820070.020	59,40
Φ1004	ZPS Half circle milling cutter concave, R2, Ø50x9x16, Z14, HSSCo5 820075V.020	66,46
Φ1005	ZPS Half circle milling cutter concave, R2,5, Ø63x10x22, Z12, HSS, 820070.025	61,15
Φ1006	ZPS Half circle milling cutter concave, R2,5, Ø63x10x22, Z14, HSSCo5 820075V.025	68,33
Φ1007	ZPS Half circle milling cutter concave, R20, Ø125x60x32, Z10, HSS, 820070.200	508,37
Φ1008	ZPS Half circle milling cutter concave, R20, Ø125x60x32, Z10, HSSCo5 820075V.200	659,88
Φ1009	ZPS Half circle milling cutter concave, R3, 15, Ø63x12x22, Z12, HSS, 820070.0315	67,77
Φ1010	ZPS Half circle milling cutter concave, R3, Ø63x12x22, Z12, HSS, 820070.030	63,15
Φ1011	ZPS Half circle milling cutter concave, R3, Ø63x12x22, Z12, HSSCo5 820075V.030	70,64
Φ1012	ZPS Half circle milling cutter concave, R3,5, Ø63x16x22, Z12, HSS, 820070.035	67,77
Φ1013	ZPS Half circle milling cutter concave, R4, Ø63x16x22, Z12, HSS, 820070.040	69,39
Φ1014	ZPS Half circle milling cutter concave, R4, Ø63x16x22, Z12, HSSCo5 820075V.040	75,50
Φ1015	ZPS Half circle milling cutter concave, R4,5, Ø63x18x22, Z12, HSS, 820070.045	77,75
Φ1016	ZPS Half circle milling cutter concave, R5, Ø63x20x22, Z10, HSSCo5 820075V.050	100,53
Φ1017	ZPS Half circle milling cutter concave, R5, Ø63x20x22, Z12, HSS, 820070.050	89,92
Φ1018	ZPS Half circle milling cutter concave, R6, 3, Ø80x24x27, Z12, HSS, 820070.063	114,82
Φ1019	ZPS Half circle milling cutter concave, R6, Ø80x24x27, Z10, HSSCo5 820075V.060	116,69
Φ1020	ZPS Half circle milling cutter concave, R6, Ø80x24x27, Z12, HSS, 820070.060	104,33
Φ1021	ZPS Half circle milling cutter concave, R7, Ø80x24x27, Z12, HSS, 820070.070	114,82
Φ1022	ZPS Half circle milling cutter concave, R7, Ø80x24x27, Z12, HSSCo5 820075V.070	133,60
Φ1023	ZPS Half circle milling cutter concave, R8, Ø80x32x27, Z10, HSSCo5 820075V.080	141,34
Φ1024	ZPS Half circle milling cutter concave, R8, Ø80x32x27, Z12, HSS, 820070.080	126,36
Φ1025	ZPS Half circle milling cutter concave, R9, Ø100x32x32, Z12, HSS, 820070.090	151,26
Φ1026	ZPS Half circle milling cutter concave, R9, Ø100x32x32, Z12, HSSCo5 820075V.090	192,75
Φ1027	DIN ≈856	
Φ1028	Номер по каталогу производителя: 8100	
Φ1029	ZPS Half circle milling cutter convex, R1, Ø50x2x16, Z14, HSS 810070.010	55,54
Φ1030	ZPS Half circle milling cutter convex, R1, Ø50x2x16, Z16, HSSCo5 810075V.010	60,40
Φ1031	ZPS Half circle milling cutter convex, R1,25, Ø50x2,5x16, Z14, HSS 810070.0125	56,53
Φ1032	ZPS Half circle milling cutter convex, R1,25, Ø50x2,5x16, Z16, HSSCo5 810075V.0125	60,40
Φ1033	ZPS Half circle milling cutter convex, R1,5, Ø50x3x16, Z14, HSS 810070.015	55,54
Φ1034	ZPS Half circle milling cutter convex, R1,5, Ø50x3x16, Z16, HSSCo5 810075V.015	60,40
Φ1035	ZPS Half circle milling cutter convex, R1,6, Ø50x3, 2x16, Z14, HSS 810070.016	56,53
Φ1036	ZPS Half circle milling cutter convex, R10, Ø100x20x32, Z12, HSS 810070.100	158,50
Φ1037	ZPS Half circle milling cutter convex, R10, Ø100x20x32, Z12, HSSCo5 810075V.100	177,22
Φ1038	ZPS Half circle milling cutter convex, R11, Ø100x22x32, Z12, HSS 810070.110	170,66
Φ1039	ZPS Half circle milling cutter convex, R12, Ø100x24x32, Z12, HSS 810070.120	182,08
Φ1040	ZPS Half circle milling cutter convex, R12, Ø100x24x32, Z12, HSSCo5 810075V.120	203,55
Φ1041	ZPS Half circle milling cutter convex, R12,5, Ø100x25x32, Z12, HSS 810070.125	229,63
Φ1042	ZPS Half circle milling cutter convex, R14, Ø125x28x40, Z12, HSS 810070.140	312,37
Φ1043	ZPS Half circle milling cutter convex, R15, Ø125x32x32, Z12, HSS 810070.150	337,90
Φ1044	ZPS Half circle milling cutter convex, R16, Ø125x32x32, Z12, HSS 810070.160	352,19
Φ1045	ZPS Half circle milling cutter convex, R18, Ø125x36x40, Z12, HSS 810070.180	391,50
Φ1046	ZPS Half circle milling cutter convex, R2, Ø50x4x16, Z14, HSS 810070.020	56,53
Φ1047	ZPS Half circle milling cutter convex, R2, Ø50x4x16, Z16, HSSCo5 810075V.020	60,40
Φ1048	ZPS Half circle milling cutter convex, R2,5, Ø63x5x22, Z12, HSS 810070.025	56,16

Φ1049	ZPS Half circle milling cutteR convex, R2,5, Ø63x5x22, Z12, HSSCo5 810075V.025	59,90
Φ1050	ZPS Half circle milling cutteR convex, R20, Ø125x40x32, Z12, HSS 810070.200	445,22
Φ1051	ZPS Half circle milling cutteR convex, R25, Ø160x50x40, Z12, HSS 810070.250	521,16
Φ1052	ZPS Half circle milling cutteR convex, R3, 15, Ø63x6, 3x22, Z12, HSS 810070.0315	59,34
Φ1053	ZPS Half circle milling cutteR convex, R3, Ø63x6x22, Z12, HSS 810070.030	56,97
Φ1054	ZPS Half circle milling cutteR convex, R3, Ø63x6x22, Z12, HSSCo5 810075V.030	64,77
Φ1055	ZPS Half circle milling cutteR convex, R3,5, Ø63x7x22, Z12, HSS 810070.035	59,34
Φ1056	ZPS Half circle milling cutteR convex, R3,5, Ø63x7x22, Z12, HSSCo5 810075V.035	66,39
Φ1057	ZPS Half circle milling cutteR convex, R4, Ø63x8x22, Z12, HSS 810070.040	61,90
Φ1058	ZPS Half circle milling cutteR convex, R4, Ø63x8x22, Z12, HSSCo5 810075V.040	67,95
Φ1059	ZPS Half circle milling cutteR convex, R4,5, Ø63x9x22, Z12, HSS 810070.045	68,14
Φ1060	ZPS Half circle milling cutteR convex, R4,5, Ø63x9x22, Z12, HSSCo5 810075V.045	74,07
Φ1061	ZPS Half circle milling cutteR convex, R5, Ø63x10x22, Z12, HSS 810070.050	78,62
Φ1062	ZPS Half circle milling cutteR convex, R5, Ø63x10x22, Z12, HSSCo5 810075V.050	87,92
Φ1063	ZPS Half circle milling cutteR convex, R5,5, Ø80x11x27, Z12, HSS 810070.055	83,68
Φ1064	ZPS Half circle milling cutteR convex, R5,5, Ø80x11x27, Z12, HSSCo5 810075V.055	93,48
Φ1065	ZPS Half circle milling cutteR convex, R6, 3, Ø80x12, 6x27, Z12, HSS 810070.063	99,40
Φ1066	ZPS Half circle milling cutteR convex, R6, Ø80x12x27, Z12, HSS 810070.060	91,42
Φ1067	ZPS Half circle milling cutteR convex, R6, Ø80x12x27, Z12, HSSCo5 810075V.060	102,15
Φ1068	ZPS Half circle milling cutteR convex, R6,5, Ø80x13x27, Z12, HSS 810070.065	99,40
Φ1069	ZPS Half circle milling cutteR convex, R7, Ø80x14x27, Z12, HSS 810070.070	101,28
Φ1070	ZPS Half circle milling cutteR convex, R7, Ø80x14x27, Z12, HSSCo5 810075V.070	120,74
Φ1071	ZPS Half circle milling cutteR convex, R7,5, Ø80x15x27, Z12, HSS 810070.075	103,02
Φ1072	ZPS Half circle milling cutteR convex, R8, Ø80x16x27, Z12, HSS 810070.080	110,82
Φ1073	ZPS Half circle milling cutteR convex, R8, Ø80x16x27, Z12, HSSCo5 810075V.080	123,93
Φ1074	ZPS Half circle milling cutteR convex, R8,5, Ø100x17x32, Z12, HSS 810070.085	121,12
Φ1075	ZPS Half circle milling cutteR convex, R9, Ø100x18x32, Z12, HSS 810070.090	132,48
Φ1076	ZPS Half circle milling cutteR convex, R9, Ø100x18x32, Z12, HSSCo5 810075V.090	169,23
Φ1077	ZPS Half circle milling cutteR convex, R9,5, Ø100x19x32, Z12, HSS 810070.095	144,08
Φ1078	DIN 222231	
Φ1079	Номер по каталогу производителя: 8241	
Φ1080	ZPS Half circle milling cutteR concave, coupled, R11, Ø100x36x32, Z10, 222231, HSSE, 824173.110	133,22
Φ1081	ZPS Half circle milling cutteR concave, coupled, R12, Ø100x38x32, Z10, 222231, HSSE, 824173.120	по запросу
Φ1082	ZPS Half circle milling cutteR concave, coupled, R12,5, Ø100x40x32, Z10, 222231, HSSE, 824173.125	138,47
Φ1083	ZPS Half circle milling cutteR concave, coupled, R14, Ø125x44x40, Z10, 222231, HSSE, 824173.140	195,12
Φ1084	ZPS Half circle milling cutteR concave, coupled, R16, Ø125x48x40, Z10, 222231, HSSE, 824173.160	200,37
Φ1085	ZPS Half circle milling cutteR concave, coupled, R18, Ø125x52x40, Z10, 222231, HSSE, 824173.180	205,73
Φ1086	ZPS Half circle milling cutteR concave, coupled, R20, Ø125x58x40, Z10, 222231, HSSE, 824173.200	по запросу
Φ1087	ZPS Half circle milling cutteR concave, coupled, R22,5, Ø160x63x40, Z12, 222231, HSSE, 824173.225	342,89
Φ1088	ZPS Half circle milling cutteR concave, coupled, R25, Ø160x68x40, Z12, 222231, HSSE, 824173.250	по запросу
Φ1089	Фрезы цилиндрические четвертькруглые вогнутые	
Φ1090	DIN ≈6513	
Φ1091	Номер по каталогу производителя: 8301	
Φ1092	ZPS Corner rounding milling cutteR concave R1, Ø63x4x22, Z20, HSS 830170.010	34,94
Φ1093	ZPS Corner rounding milling cutteR concave R1,6, Ø63x5x22, Z18, HSS 830170.016	34,94
Φ1094	ZPS Corner rounding milling cutteR concave R10, Ø100x26x32, Z12, HSS 830170.100	по запросу
Φ1095	ZPS Corner rounding milling cutteR concave R12, Ø100x32x32, Z10, HSS 830170.120	138,90
Φ1096	ZPS Corner rounding milling cutteR concave R14, Ø125x36x40, Z10, HSS 830170.140	199,43
Φ1097	ZPS Corner rounding milling cutteR concave R16, Ø125x40x40, Z10, HSS 830170.160	236,62
Φ1098	ZPS Corner rounding milling cutteR concave R18, Ø125x45x40, Z10, HSS 830170.180	258,59
Φ1099	ZPS Corner rounding milling cutteR concave R2, Ø63x6x22, Z16, HSS 830170.020	34,94
Φ1100	ZPS Corner rounding milling cutteR concave R2,5, Ø63x8x22, Z14, HSS 830170.025	35,88
Φ1101	ZPS Corner rounding milling cutteR concave R20, Ø125x50x40, Z10, HSS 830170.200	299,15

Ф1102	ZPS Corner rounding milling cutter concave R25, Ø160x60x40, Z12, HSS 830170.250	по запросу
Ф1103	ZPS Corner rounding milling cutter concave R3, Ø63x10x22, Z12, HSS 830170.030	37,19
Ф1104	ZPS Corner rounding milling cutter concave R4, Ø63x12x22, Z12, HSS 830170.040	39,75
Ф1105	ZPS Corner rounding milling cutter concave R5, Ø80x14x27, Z12, HSS 830170.050	52,67
Ф1106	ZPS Corner rounding milling cutter concave R6, Ø80x16x27, Z12, HSS 830170.060	61,46
Ф1107	ZPS Corner rounding milling cutter concave R8, Ø80x22x27, Z12, HSS 830170.080	74,38
Ф1108	Фрезы концевые копируемые	
Ф1109	Фрезы копируемые конические	
Ф1110	DIN 222814	
Ф1111	Номер по каталогу производителя: 5807	
Ф1112	ZPS Die sinking cutter - tapered 1°, Ø12x50x118, Z4, HSSCo8 580718.0112	53,66
Ф1113	ZPS Die sinking cutter - tapered 1°, Ø12x50x118, Z4, HSSCo8, TiAIN 580718.0112 TiAIN	61,84
Ф1114	ZPS Die sinking cutter - tapered 1°, Ø20x80x155, Z4, HSSCo8 580718.0120	59,09
Ф1115	ZPS Die sinking cutter - tapered 1°, Ø20x80x155, Z4, HSSCo8, TiAIN 580718.0120 TiAIN	72,57
Ф1116	ZPS Die sinking cutter - tapered 1°, Ø5x20x73, Z4, HSSCo8 580718.0105	41,25
Ф1117	ZPS Die sinking cutter - tapered 1°, Ø5x20x73, Z4, HSSCo8, TiAIN 580718.0105 TiAIN	44,80
Ф1118	ZPS Die sinking cutter - tapered 1°, Ø8x32x95, Z4, HSSCo8 580718.0108	47,42
Ф1119	ZPS Die sinking cutter - tapered 1°, Ø8x32x95, Z4, HSSCo8, TiAIN 580718.0108 TiAIN	53,29
Ф1120	ZPS Die sinking cutter - tapered 10°, Ø12x50x130, Z4, HSSCo8 580718.1012	69,64
Ф1121	ZPS Die sinking cutter - tapered 10°, Ø12x50x130, Z4, HSSCo8, TiAIN 580718.1012 TiAIN	87,67
Ф1122	ZPS Die sinking cutter - tapered 10°, Ø20x80x165, Z4, HSSCo8 580718.1020	92,48
Ф1123	ZPS Die sinking cutter - tapered 10°, Ø20x80x165, Z4, HSSCo8, TiAIN 580718.1020 TiAIN	123,05
Ф1124	ZPS Die sinking cutter - tapered 10°, Ø5x20x80, Z4, HSSCo8 580718.1005	45,05
Ф1125	ZPS Die sinking cutter - tapered 10°, Ø5x20x80, Z4, HSSCo8, TiAIN 580718.1005 TiAIN	52,04
Ф1126	ZPS Die sinking cutter - tapered 10°, Ø8x32x100, Z4, HSSCo8 580718.1008	57,28
Ф1127	ZPS Die sinking cutter - tapered 10°, Ø8x32x100, Z4, HSSCo8, TiAIN 580718.1008 TiAIN	68,39
Ф1128	ZPS Die sinking cutter - tapered 2°, Ø12x50x118, Z4, HSSCo8 580718.0212	53,66
Ф1129	ZPS Die sinking cutter - tapered 2°, Ø12x50x118, Z4, HSSCo8, TiAIN 580718.0212 TiAIN	63,02
Ф1130	ZPS Die sinking cutter - tapered 2°, Ø20x80x160, Z4, HSSCo8 580718.0220	68,52
Ф1131	ZPS Die sinking cutter - tapered 2°, Ø20x80x160, Z4, HSSCo8, TiAIN 580718.0220 TiAIN	83,74
Ф1132	ZPS Die sinking cutter - tapered 2°, Ø5x20x74, Z4, HSSCo8 580718.0205	41,25
Ф1133	ZPS Die sinking cutter - tapered 2°, Ø5x20x74, Z4, HSSCo8, TiAIN 580718.0205 TiAIN	44,80
Ф1134	ZPS Die sinking cutter - tapered 2°, Ø8x32x95, Z4, HSSCo8 580718.0208	47,42
Ф1135	ZPS Die sinking cutter - tapered 2°, Ø8x32x95, Z4, HSSCo8, TiAIN 580718.0208 TiAIN	53,29
Ф1136	ZPS Die sinking cutter - tapered 3°, Ø12x50x120, Z4, HSSCo8 580718.0312	56,10
Ф1137	ZPS Die sinking cutter - tapered 3°, Ø12x50x120, Z4, HSSCo8, TiAIN 580718.0312 TiAIN	66,02
Ф1138	ZPS Die sinking cutter - tapered 3°, Ø20x80x160, Z4, HSSCo8 580718.0320	68,52
Ф1139	ZPS Die sinking cutter - tapered 3°, Ø20x80x160, Z4, HSSCo8, TiAIN 580718.0320 TiAIN	84,86
Ф1140	ZPS Die sinking cutter - tapered 3°, Ø5x20x74, Z4, HSSCo8 580718.0305	41,25
Ф1141	ZPS Die sinking cutter - tapered 3°, Ø5x20x74, Z4, HSSCo8, TiAIN 580718.0305 TiAIN	45,36
Ф1142	ZPS Die sinking cutter - tapered 3°, Ø8x32x95, Z4, HSSCo8 580718.0308	47,42
Ф1143	ZPS Die sinking cutter - tapered 3°, Ø8x32x95, Z4, HSSCo8, TiAIN 580718.0308 TiAIN	53,85
Ф1144	ZPS Die sinking cutter - tapered 5°, Ø12x50x120, Z4, HSSCo8 580718.0512	58,84
Ф1145	ZPS Die sinking cutter - tapered 5°, Ø12x50x120, Z4, HSSCo8, TiAIN 580718.0512 TiAIN	71,20
Ф1146	ZPS Die sinking cutter - tapered 5°, Ø20x80x165, Z4, HSSCo8 580718.0520	84,74
Ф1147	ZPS Die sinking cutter - tapered 5°, Ø20x80x165, Z4, HSSCo8, TiAIN 580718.0520 TiAIN	104,71
Ф1148	ZPS Die sinking cutter - tapered 5°, Ø5x20x74, Z4, HSSCo8 580718.0505	41,25
Ф1149	ZPS Die sinking cutter - tapered 5°, Ø5x20x74, Z4, HSSCo8, TiAIN 580718.0505 TiAIN	46,55
Ф1150	ZPS Die sinking cutter - tapered 5°, Ø8x32x98, Z4, HSSCo8 580718.0508	54,60
Ф1151	ZPS Die sinking cutter - tapered 5°, Ø8x32x98, Z4, HSSCo8, TiAIN 580718.0508 TiAIN	62,77
Ф1152	ZPS Die sinking cutter - tapered 7°, Ø12x50x130, Z4, HSSCo8 580718.0712	68,27
Ф1153	ZPS Die sinking cutter - tapered 7°, Ø12x50x130, Z4, HSSCo8, TiAIN 580718.0712 TiAIN	82,43
Ф1154	ZPS Die sinking cutter - tapered 7°, Ø20x80x165, Z4, HSSCo8 580718.0720	89,67

Ф1155	ZPS Die sinking cutter - tapered 7°, Ø20x80x165, Z4, HSSCo8, TiAlN 580718.0720 TiAlN	114,44
Ф1156	ZPS Die sinking cutter - tapered 7°, Ø5x20x80, Z4, HSSCo8 580718.0705	45,05
Ф1157	ZPS Die sinking cutter - tapered 7°, Ø5x20x80, Z4, HSSCo8, TiAlN 580718.0705 TiAlN	50,86
Ф1158	ZPS Die sinking cutter - tapered 7°, Ø8x32x98, Z4, HSSCo8 580718.0708	54,60
Ф1159	ZPS Die sinking cutter - tapered 7°, Ø8x32x98, Z4, HSSCo8, TiAlN 580718.0708 TiAlN	63,90
Ф1160	Фрезы копировальные со сферическим торцом	
Ф1161	DIN ≈1889	
Ф1162	Номер по каталогу производителя: 5114	
Ф1163	ZPS Ball nose end mill R=½D, Ø10x22x95, Z2, DIN HSSCo8 511418.100	21,53
Ф1164	ZPS Ball nose end mill R=½D, Ø10x22x95, Z2, DIN HSSCo8, TiAlN 511418.100 TiAlN	27,39
Ф1165	ZPS Ball nose end mill R=½D, Ø11x22x102, Z2, DIN HSSCo8 511418.110	24,77
Ф1166	ZPS Ball nose end mill R=½D, Ø11x22x102, Z2, DIN HSSCo8, TiAlN 511418.110 TiAlN	31,20
Ф1167	ZPS Ball nose end mill R=½D, Ø12x26x110, Z2, DIN HSSCo8 511418.120	24,90
Ф1168	ZPS Ball nose end mill R=½D, Ø12x26x110, Z2, DIN HSSCo8, TiAlN 511418.120 TiAlN	31,95
Ф1169	ZPS Ball nose end mill R=½D, Ø13x26x110, Z2, DIN HSSCo8 511418.130	28,70
Ф1170	ZPS Ball nose end mill R=½D, Ø13x26x110, Z2, DIN HSSCo8, TiAlN 511418.130 TiAlN	36,25
Ф1171	ZPS Ball nose end mill R=½D, Ø14x26x110, Z2, DIN HSSCo8 511418.140	30,89
Ф1172	ZPS Ball nose end mill R=½D, Ø14x26x110, Z2, DIN HSSCo8, TiAlN 511418.140 TiAlN	39,06
Ф1173	ZPS Ball nose end mill R=½D, Ø15x26x110, Z2, DIN HSSCo8 511418.150	35,57
Ф1174	ZPS Ball nose end mill R=½D, Ø15x26x110, Z2, DIN HSSCo8, TiAlN 511418.150 TiAlN	44,37
Ф1175	ZPS Ball nose end mill R=½D, Ø16x32x123, Z2, DIN HSSCo8 511418.160	35,82
Ф1176	ZPS Ball nose end mill R=½D, Ø16x32x123, Z2, DIN HSSCo8, TiAlN 511418.160 TiAlN	45,24
Ф1177	ZPS Ball nose end mill R=½D, Ø18x32x123, Z2, DIN HSSCo8 511418.180	44,24
Ф1178	ZPS Ball nose end mill R=½D, Ø18x32x123, Z2, DIN HSSCo8, TiAlN 511418.180 TiAlN	54,79
Ф1179	ZPS Ball nose end mill R=½D, Ø20x38x141, Z2, DIN HSSCo8 511418.200	55,16
Ф1180	ZPS Ball nose end mill R=½D, Ø20x38x141, Z2, DIN HSSCo8, TiAlN 511418.200 TiAlN	66,83
Ф1181	ZPS Ball nose end mill R=½D, Ø22x38x141, Z2, DIN HSSCo8 511418.220	73,01
Ф1182	ZPS Ball nose end mill R=½D, Ø22x38x141, Z2, DIN HSSCo8, TiAlN 511418.220 TiAlN	85,86
Ф1183	ZPS Ball nose end mill R=½D, Ø24x45x166, Z2, DIN HSSCo8 511418.240	93,16
Ф1184	ZPS Ball nose end mill R=½D, Ø24x45x166, Z2, DIN HSSCo8, TiAlN 511418.240 TiAlN	107,27
Ф1185	ZPS Ball nose end mill R=½D, Ø25x45x166, Z2, DIN HSSCo8 511418.250	102,15
Ф1186	ZPS Ball nose end mill R=½D, Ø25x45x166, Z2, DIN HSSCo8, TiAlN 511418.250 TiAlN	116,75
Ф1187	ZPS Ball nose end mill R=½D, Ø28x45x166, Z2, DIN HSSCo8 511418.280	129,92
Ф1188	ZPS Ball nose end mill R=½D, Ø28x45x166, Z2, DIN HSSCo8, TiAlN 511418.280 TiAlN	146,27
Ф1189	ZPS Ball nose end mill R=½D, Ø2x7x54, Z2, DIN HSSCo8 511418.020	14,54
Ф1190	ZPS Ball nose end mill R=½D, Ø2x7x54, Z2, DIN HSSCo8, TiAlN 511418.020 TiAlN	16,29
Ф1191	ZPS Ball nose end mill R=½D, Ø30x45x166, Z2, DIN HSSCo8 511418.300	147,14
Ф1192	ZPS Ball nose end mill R=½D, Ø30x45x166, Z2, DIN HSSCo8, TiAlN 511418.300 TiAlN	164,74
Ф1193	ZPS Ball nose end mill R=½D, Ø32x53x186, Z2, DIN HSSCo8 511418.320	171,66
Ф1194	ZPS Ball nose end mill R=½D, Ø32x53x186, Z2, DIN HSSCo8, TiAlN 511418.320 TiAlN	190,38
Ф1195	ZPS Ball nose end mill R=½D, Ø3x8x56, Z2, DIN HSSCo8 511418.030	14,54
Ф1196	ZPS Ball nose end mill R=½D, Ø3x8x56, Z2, DIN HSSCo8, TiAlN 511418.030 TiAlN	16,60
Ф1197	ZPS Ball nose end mill R=½D, Ø4x11x63, Z2, DIN HSSCo8 511418.040	14,54
Ф1198	ZPS Ball nose end mill R=½D, Ø4x11x63, Z2, DIN HSSCo8, TiAlN 511418.040 TiAlN	16,91
Ф1199	ZPS Ball nose end mill R=½D, Ø5x13x68, Z2, DIN HSSCo8 511418.050	14,54
Ф1200	ZPS Ball nose end mill R=½D, Ø5x13x68, Z2, DIN HSSCo8, TiAlN 511418.050 TiAlN	17,53
Ф1201	ZPS Ball nose end mill R=½D, Ø6x13x68, Z2, DIN HSSCo8 511418.060	14,98
Ф1202	ZPS Ball nose end mill R=½D, Ø6x13x68, Z2, DIN HSSCo8, TiAlN 511418.060 TiAlN	18,47
Ф1203	ZPS Ball nose end mill R=½D, Ø7x16x80, Z2, DIN HSSCo8 511418.070	17,28
Ф1204	ZPS Ball nose end mill R=½D, Ø7x16x80, Z2, DIN HSSCo8, TiAlN 511418.070 TiAlN	21,34
Ф1205	ZPS Ball nose end mill R=½D, Ø8x19x88, Z2, DIN HSSCo8 511418.080	18,28
Ф1206	ZPS Ball nose end mill R=½D, Ø8x19x88, Z2, DIN HSSCo8, TiAlN 511418.080 TiAlN	22,96
Ф1207	ZPS Ball nose end mill R=½D, Ø9x19x88, Z2, DIN HSSCo8 511418.090	20,97

Φ1208	ZPS Ball nose end mill R=½D, Ø9x19x88, Z2, DIN HSSCo8, TiAlN 511418.090 TiAlN	26,21
Φ1209	Номер по каталогу производителя: 5307	
Φ1210	ZPS Ball nose end mill R=½D, Ø10x22x72, Z4, HSSCo8 530718.100	20,59
Φ1211	ZPS Ball nose end mill R=½D, Ø10x22x72, Z4, HSSCo8, TiAlN 530718.100 TiAlN	26,40
Φ1212	ZPS Ball nose end mill R=½D, Ø12x26x83, Z4, HSSCo8 530718.120	25,33
Φ1213	ZPS Ball nose end mill R=½D, Ø12x26x83, Z4, HSSCo8, TiAlN 530718.120 TiAlN	32,39
Φ1214	ZPS Ball nose end mill R=½D, Ø16x32x92, Z4, HSSCo8 530718.160	35,63
Φ1215	ZPS Ball nose end mill R=½D, Ø16x32x92, Z4, HSSCo8, TiAlN 530718.160 TiAlN	45,05
Φ1216	ZPS Ball nose end mill R=½D, Ø20x38x104, Z4, HSSCo8 530718.200	51,48
Φ1217	ZPS Ball nose end mill R=½D, Ø20x38x104, Z4, HSSCo8, TiAlN 530718.200 TiAlN	63,21
Φ1218	ZPS Ball nose end mill R=½D, Ø4x11x55, Z4, HSSCo8 530718.040	12,85
Φ1219	ZPS Ball nose end mill R=½D, Ø4x11x55, Z4, HSSCo8, TiAlN 530718.040 TiAlN	15,16
Φ1220	ZPS Ball nose end mill R=½D, Ø5x13x57, Z4, HSSCo8 530718.050	13,23
Φ1221	ZPS Ball nose end mill R=½D, Ø5x13x57, Z4, HSSCo8, TiAlN 530718.050 TiAlN	16,16
Φ1222	ZPS Ball nose end mill R=½D, Ø6x13x57, Z4, HSSCo8 530718.060	13,60
Φ1223	ZPS Ball nose end mill R=½D, Ø6x13x57, Z4, HSSCo8, TiAlN 530718.060 TiAlN	17,16
Φ1224	ZPS Ball nose end mill R=½D, Ø8x19x69, Z4, HSSCo8 530718.080	16,72
Φ1225	ZPS Ball nose end mill R=½D, Ø8x19x69, Z4, HSSCo8, TiAlN 530718.080 TiAlN	21,40
Φ1226	Номер по каталогу производителя: 5317	
Φ1227	ZPS Ball nose end mill R=½D, Ø10x45x95, Z4, HSSCo8 531718.100	23,03
Φ1228	ZPS Ball nose end mill R=½D, Ø10x45x95, Z4, HSSCo8, TiAlN 531718.100 TiAlN	28,89
Φ1229	ZPS Ball nose end mill R=½D, Ø12x53x110, Z4, HSSCo8 531718.120	28,45
Φ1230	ZPS Ball nose end mill R=½D, Ø12x53x110, Z4, HSSCo8, TiAlN 531718.120 TiAlN	35,44
Φ1231	ZPS Ball nose end mill R=½D, Ø16x63x123, Z4, HSSCo8 531718.160	40,00
Φ1232	ZPS Ball nose end mill R=½D, Ø16x63x123, Z4, HSSCo8, TiAlN 531718.160 TiAlN	49,36
Φ1233	ZPS Ball nose end mill R=½D, Ø20x75x141, Z4, HSSCo8 531718.200	57,78
Φ1234	ZPS Ball nose end mill R=½D, Ø20x75x141, Z4, HSSCo8, TiAlN 531718.200 TiAlN	69,51
Φ1235	ZPS Ball nose end mill R=½D, Ø4x19x63, Z4, HSSCo8 531718.040	13,92
Φ1236	ZPS Ball nose end mill R=½D, Ø4x19x63, Z4, HSSCo8, TiAlN 531718.040 TiAlN	16,22
Φ1237	ZPS Ball nose end mill R=½D, Ø5x24x68, Z4, HSSCo8 531718.050	14,73
Φ1238	ZPS Ball nose end mill R=½D, Ø5x24x68, Z4, HSSCo8, TiAlN 531718.050 TiAlN	17,66
Φ1239	ZPS Ball nose end mill R=½D, Ø6x24x68, Z4, HSSCo8 531718.060	16,04
Φ1240	ZPS Ball nose end mill R=½D, Ø6x24x68, Z4, HSSCo8, TiAlN 531718.060 TiAlN	19,53
Φ1241	ZPS Ball nose end mill R=½D, Ø8x38x88, Z4, HSSCo8 531718.080	18,78
Φ1242	ZPS Ball nose end mill R=½D, Ø8x38x88, Z4, HSSCo8, TiAlN 531718.080 TiAlN	23,40
Φ1243	DIN 1889	
Φ1244	Номер по каталогу производителя: 5104	
Φ1245	ZPS Ball nose end mill R=½D, Ø10x13x63, Z2, HSSCo8 510418.100	16,47
Φ1246	ZPS Ball nose end mill R=½D, Ø10x13x63, Z2, HSSCo8, TiAlN 510418.100 TiAlN	22,40
Φ1247	ZPS Ball nose end mill R=½D, Ø10x13x63, Z2, HSSE-PM, AlTiN 510417.100 AlTiN	26,83
Φ1248	ZPS Ball nose end mill R=½D, Ø11x13x70, Z2, HSSCo8 510418.110	19,16
Φ1249	ZPS Ball nose end mill R=½D, Ø11x13x70, Z2, HSSCo8, TiAlN 510418.110 TiAlN	25,65
Φ1250	ZPS Ball nose end mill R=½D, Ø12x16x73, Z2, HSSCo8 510418.120	19,16
Φ1251	ZPS Ball nose end mill R=½D, Ø12x16x73, Z2, HSSCo8, TiAlN 510418.120 TiAlN	26,15
Φ1252	ZPS Ball nose end mill R=½D, Ø12x16x73, Z2, HSSE-PM, AlTiN 510417.120 AlTiN	32,20
Φ1253	ZPS Ball nose end mill R=½D, Ø13x16x73, Z2, HSSCo8 510418.130	22,03
Φ1254	ZPS Ball nose end mill R=½D, Ø13x16x73, Z2, HSSCo8, TiAlN 510418.130 TiAlN	29,64
Φ1255	ZPS Ball nose end mill R=½D, Ø14x16x73, Z2, HSSCo8 510418.140	23,77
Φ1256	ZPS Ball nose end mill R=½D, Ø14x16x73, Z2, HSSCo8, TiAlN 510418.140 TiAlN	32,01
Φ1257	ZPS Ball nose end mill R=½D, Ø14x16x73, Z2, HSSE-PM, AlTiN 510417.140 AlTiN	38,69
Φ1258	ZPS Ball nose end mill R=½D, Ø15x16x73, Z2, HSSCo8 510418.150	27,39
Φ1259	ZPS Ball nose end mill R=½D, Ø15x16x73, Z2, HSSCo8, TiAlN 510418.150 TiAlN	36,13
Φ1260	ZPS Ball nose end mill R=½D, Ø15x16x73, Z2, HSSE-PM, AlTiN 510417.150 AlTiN	43,56

Φ1261	ZPS Ball nose end mill R=½D, Ø16x19x79, Z2, HSSCo8 510418.160	27,52
Φ1262	ZPS Ball nose end mill R=½D, Ø16x19x79, Z2, HSSCo8, TiAlN 510418.160 TiAlN	36,88
Φ1263	ZPS Ball nose end mill R=½D, Ø16x19x79, Z2, HSSE-PM, AlTiN 510417.160 AlTiN	44,49
Φ1264	ZPS Ball nose end mill R=½D, Ø18x19x79, Z2, HSSCo8 510418.180	34,01
Φ1265	ZPS Ball nose end mill R=½D, Ø18x19x79, Z2, HSSCo8, TiAlN 510418.180 TiAlN	44,49
Φ1266	ZPS Ball nose end mill R=½D, Ø18x19x79, Z2, HSSE-PM, AlTiN 510417.180 AlTiN	53,73
Φ1267	ZPS Ball nose end mill R=½D, Ø20x22x88, Z2, HSSCo8 510418.200	42,37
Φ1268	ZPS Ball nose end mill R=½D, Ø20x22x88, Z2, HSSCo8, TiAlN 510418.200 TiAlN	54,04
Φ1269	ZPS Ball nose end mill R=½D, Ø20x22x88, Z2, HSSE-PM, AlTiN 510417.200 AlTiN	66,58
Φ1270	ZPS Ball nose end mill R=½D, Ø22x22x88, Z2, HSSCo8 510418.220	51,29
Φ1271	ZPS Ball nose end mill R=½D, Ø22x22x88, Z2, HSSCo8, TiAlN 510418.220 TiAlN	64,15
Φ1272	ZPS Ball nose end mill R=½D, Ø24x26x102, Z2, HSSCo8 510418.240	60,09
Φ1273	ZPS Ball nose end mill R=½D, Ø24x26x102, Z2, HSSCo8, TiAlN 510418.240 TiAlN	74,13
Φ1274	ZPS Ball nose end mill R=½D, Ø25x26x102, Z2, HSSCo8 510418.250	61,46
Φ1275	ZPS Ball nose end mill R=½D, Ø25x26x102, Z2, HSSCo8, TiAlN 510418.250 TiAlN	76,13
Φ1276	ZPS Ball nose end mill R=½D, Ø28x26x102, Z2, HSSCo8 510418.280	75,38
Φ1277	ZPS Ball nose end mill R=½D, Ø28x26x102, Z2, HSSCo8, TiAlN 510418.280 TiAlN	91,79
Φ1278	ZPS Ball nose end mill R=½D, Ø2x4x48, Z2, HSSCo8 510418.020	11,23
Φ1279	ZPS Ball nose end mill R=½D, Ø2x4x48, Z2, HSSCo8, TiAlN 510418.020 TiAlN	12,67
Φ1280	ZPS Ball nose end mill R=½D, Ø30x26x102, Z2, HSSCo8 510418.300	84,12
Φ1281	ZPS Ball nose end mill R=½D, Ø30x26x102, Z2, HSSCo8, TiAlN 510418.300 TiAlN	101,71
Φ1282	ZPS Ball nose end mill R=½D, Ø32x32x112, Z2, HSSCo8 510418.320	96,60
Φ1283	ZPS Ball nose end mill R=½D, Ø32x32x112, Z2, HSSCo8, TiAlN 510418.320 TiAlN	115,32
Φ1284	ZPS Ball nose end mill R=½D, Ø3x5x49, Z2, HSSCo8 510418.030	11,23
Φ1285	ZPS Ball nose end mill R=½D, Ø3x5x49, Z2, HSSCo8, TiAlN 510418.030 TiAlN	12,98
Φ1286	ZPS Ball nose end mill R=½D, Ø4,5x7x51, Z2, HSSCo8 510418.045	12,36
Φ1287	ZPS Ball nose end mill R=½D, Ø4,5x7x51, Z2, HSSCo8, TiAlN 510418.045 TiAlN	15,60
Φ1288	ZPS Ball nose end mill R=½D, Ø4x7x51, Z2, HSSCo8 510418.040	11,23
Φ1289	ZPS Ball nose end mill R=½D, Ø4x7x51, Z2, HSSCo8, TiAlN 510418.040 TiAlN	13,54
Φ1290	ZPS Ball nose end mill R=½D, Ø4x7x51, Z2, HSSE-PM, AlTiN 510417.040 AlTiN	18,22
Φ1291	ZPS Ball nose end mill R=½D, Ø5x8x52, Z2, HSSCo8 510418.050	11,23
Φ1292	ZPS Ball nose end mill R=½D, Ø5x8x52, Z2, HSSCo8, TiAlN 510418.050 TiAlN	14,16
Φ1293	ZPS Ball nose end mill R=½D, Ø5x8x52, Z2, HSSE-PM, AlTiN 510417.050 AlTiN	18,22
Φ1294	ZPS Ball nose end mill R=½D, Ø6x8x52, Z2, HSSCo8 510418.060	11,54
Φ1295	ZPS Ball nose end mill R=½D, Ø6x8x52, Z2, HSSCo8, TiAlN 510418.060 TiAlN	15,04
Φ1296	ZPS Ball nose end mill R=½D, Ø6x8x52, Z2, HSSE-PM, AlTiN 510417.060 AlTiN	18,22
Φ1297	ZPS Ball nose end mill R=½D, Ø7x10x60, Z2, HSSCo8 510418.070	13,29
Φ1298	ZPS Ball nose end mill R=½D, Ø7x10x60, Z2, HSSCo8, TiAlN 510418.070 TiAlN	17,41
Φ1299	ZPS Ball nose end mill R=½D, Ø7x10x60, Z2, HSSE-PM, AlTiN 510417.070 AlTiN	23,34
Φ1300	ZPS Ball nose end mill R=½D, Ø8x11x61, Z2, HSSCo8 510418.080	14,10
Φ1301	ZPS Ball nose end mill R=½D, Ø8x11x61, Z2, HSSCo8, TiAlN 510418.080 TiAlN	18,84
Φ1302	ZPS Ball nose end mill R=½D, Ø8x11x61, Z2, HSSE-PM, AlTiN 510417.080 AlTiN	23,34
Φ1303	ZPS Ball nose end mill R=½D, Ø9x11x61, Z2, HSSCo8 510418.090	16,22
Φ1304	ZPS Ball nose end mill R=½D, Ø9x11x61, Z2, HSSCo8, TiAlN 510418.090 TiAlN	21,47
Φ1305	ZPS Ball nose end mill R=½D, Ø9x11x61, Z2, HSSE-PM, AlTiN 510417.090 AlTiN	26,83
Φ1306	DIN 6527	
Φ1307	Номер по каталогу производителя: S5106	
Φ1308	ZPS Ball nose end mill, Ø10x11x66, Z2, λ 30°, SC, AlTiN, N S510602.100	46,44
Φ1309	ZPS Ball nose end mill, Ø10x11x66, Z2, λ 30°, SC, AlTiN, N S510612.100	46,44
Φ1310	ZPS Ball nose end mill, Ø12x12x73, Z2, λ 30°, SC, AlTiN, N S510602.120	64,92
Φ1311	ZPS Ball nose end mill, Ø12x12x73, Z2, λ 30°, SC, AlTiN, N S510612.120	64,92
Φ1312	ZPS Ball nose end mill, Ø14x14x75, Z2, λ 30°, SC, AlTiN, N S510602.140	86,32
Φ1313	ZPS Ball nose end mill, Ø14x14x75, Z2, λ 30°, SC, AlTiN, N S510612.140	86,32

Ф1314	ZPS Ball nose end mill, Ø16x16x82, Z2, λ 30°, SC, AlTiN, N S510602.160	104,96
Ф1315	ZPS Ball nose end mill, Ø16x16x82, Z2, λ 30°, SC, AlTiN, N S510612.160	104,96
Ф1316	ZPS Ball nose end mill, Ø18x18x84, Z2, λ 30°, SC, AlTiN, N S510602.180	128,44
Ф1317	ZPS Ball nose end mill, Ø18x18x84, Z2, λ 30°, SC, AlTiN, N S510612.180	128,44
Ф1318	ZPS Ball nose end mill, Ø20x20x92, Z2, λ 30°, SC, AlTiN, N S510602.200	158,26
Ф1319	ZPS Ball nose end mill, Ø20x20x92, Z2, λ 30°, SC, AlTiN, N S510612.200	158,26
Ф1320	ZPS Ball nose end mill, Ø3x4x50, Z2, λ 30°, SC, AlTiN, N S510602.030	24,82
Ф1321	ZPS Ball nose end mill, Ø3x4x50, Z2, λ 30°, SC, AlTiN, N S510612.030	24,82
Ф1322	ZPS Ball nose end mill, Ø4x5x54, Z2, λ 30°, SC, AlTiN, N S510602.040	25,22
Ф1323	ZPS Ball nose end mill, Ø4x5x54, Z2, λ 30°, SC, AlTiN, N S510612.040	25,22
Ф1324	ZPS Ball nose end mill, Ø5x6x54, Z2, λ 30°, SC, AlTiN, N S510602.050	25,22
Ф1325	ZPS Ball nose end mill, Ø5x6x54, Z2, λ 30°, SC, AlTiN, N S510612.050	25,22
Ф1326	ZPS Ball nose end mill, Ø6x7x54, Z2, λ 30°, SC, AlTiN, N S510602.060	25,22
Ф1327	ZPS Ball nose end mill, Ø6x7x54, Z2, λ 30°, SC, AlTiN, N S510612.060	25,22
Ф1328	ZPS Ball nose end mill, Ø8x9x58, Z2, λ 30°, SC, AlTiN, N S510602.080	34,03
Ф1329	ZPS Ball nose end mill, Ø8x9x58, Z2, λ 30°, SC, AlTiN, N S510612.080	34,03
Ф1330	Номер по каталогу производителя: S5116	
Ф1331	ZPS Ball nose end mill, Ø10x19x72, Z2, λ 30°, SC, AlTiN, N S511602.100	49,87
Ф1332	ZPS Ball nose end mill, Ø10x19x72, Z2, λ 30°, SC, AlTiN, N S511612.100	49,87
Ф1333	ZPS Ball nose end mill, Ø12x22x83, Z2, λ 30°, SC, AlTiN, N S511602.120	71,49
Ф1334	ZPS Ball nose end mill, Ø12x22x83, Z2, λ 30°, SC, AlTiN, N S511612.120	71,49
Ф1335	ZPS Ball nose end mill, Ø14x22x83, Z2, λ 30°, SC, AlTiN, N S511602.140	92,16
Ф1336	ZPS Ball nose end mill, Ø14x22x83, Z2, λ 30°, SC, AlTiN, N S511612.140	92,16
Ф1337	ZPS Ball nose end mill, Ø16x26x92, Z2, λ 30°, SC, AlTiN, N S511602.160	116,53
Ф1338	ZPS Ball nose end mill, Ø16x26x92, Z2, λ 30°, SC, AlTiN, N S511612.160	116,53
Ф1339	ZPS Ball nose end mill, Ø18x26x92, Z2, λ 30°, SC, AlTiN, N S511602.180	138,55
Ф1340	ZPS Ball nose end mill, Ø18x26x92, Z2, λ 30°, SC, AlTiN, N S511612.180	138,55
Ф1341	ZPS Ball nose end mill, Ø20x32x104, Z2, λ 30°, SC, AlTiN, N S511602.200	176,68
Ф1342	ZPS Ball nose end mill, Ø20x32x104, Z2, λ 30°, SC, AlTiN, N S511612.200	176,68
Ф1343	ZPS Ball nose end mill, Ø3x7x57, Z2, λ 30°, SC, AlTiN, N S511602.030	26,17
Ф1344	ZPS Ball nose end mill, Ø3x7x57, Z2, λ 30°, SC, AlTiN, N S511612.030	26,17
Ф1345	ZPS Ball nose end mill, Ø4x8x57, Z2, λ 30°, SC, AlTiN, N S511602.040	26,17
Ф1346	ZPS Ball nose end mill, Ø4x8x57, Z2, λ 30°, SC, AlTiN, N S511612.040	26,17
Ф1347	ZPS Ball nose end mill, Ø5x10x57, Z2, λ 30°, SC, AlTiN, N S511602.050	26,17
Ф1348	ZPS Ball nose end mill, Ø5x10x57, Z2, λ 30°, SC, AlTiN, N S511612.050	26,17
Ф1349	ZPS Ball nose end mill, Ø6x10x57, Z2, λ 30°, SC, AlTiN, N S511602.060	26,17
Ф1350	ZPS Ball nose end mill, Ø6x10x57, Z2, λ 30°, SC, AlTiN, N S511612.060	26,17
Ф1351	ZPS Ball nose end mill, Ø8x16x63, Z2, λ 30°, SC, AlTiN, N S511602.080	36,56
Ф1352	ZPS Ball nose end mill, Ø8x16x63, Z2, λ 30°, SC, AlTiN, N S511612.080	36,56
Ф1353	ZPS-FN Norm	
Ф1354	Номер по каталогу производителя: S5116	
Ф1355	ZPS Ball nose end mill, Ø10x11x100, Z2, λ 30°, SC, AlCrN, N S511602E.100	77,84
Ф1356	ZPS Ball nose end mill, Ø10x11x100, Z2, λ 30°, SC, AlCrN, N S511612E.100	77,84
Ф1357	ZPS Ball nose end mill, Ø12x13x120, Z2, λ 30°, SC, AlCrN, N S511602E.120	113,22
Ф1358	ZPS Ball nose end mill, Ø12x13x120, Z2, λ 30°, SC, AlCrN, N S511612E.120	113,22
Ф1359	ZPS Ball nose end mill, Ø14x15x120, Z2, λ 30°, SC, AlCrN, N S511602E.140	133,94
Ф1360	ZPS Ball nose end mill, Ø14x15x120, Z2, λ 30°, SC, AlCrN, N S511612E.140	133,94
Ф1361	ZPS Ball nose end mill, Ø16x17x140, Z2, λ 30°, SC, AlCrN, N S511602E.160	183,64
Ф1362	ZPS Ball nose end mill, Ø16x17x140, Z2, λ 30°, SC, AlCrN, N S511612E.160	183,64
Ф1363	ZPS Ball nose end mill, Ø18x19x140, Z2, λ 30°, SC, AlCrN, N S511602E.180	220,76
Ф1364	ZPS Ball nose end mill, Ø18x19x140, Z2, λ 30°, SC, AlCrN, N S511612E.180	220,76
Ф1365	ZPS Ball nose end mill, Ø20x21x160, Z2, λ 30°, SC, AlCrN, N S511602E.200	290,12
Ф1366	ZPS Ball nose end mill, Ø20x21x160, Z2, λ 30°, SC, AlCrN, N S511612E.200	290,12

Ф1367	ZPS Ball nose end mill, Ø2x3x62, Z2, λ 30°, SC, AlCrN, N S511602E.020	32,35
Ф1368	ZPS Ball nose end mill, Ø2x3x62, Z2, λ 30°, SC, AlCrN, N S511612E.020	32,35
Ф1369	ZPS Ball nose end mill, Ø3x4x62, Z2, λ 30°, SC, AlCrN, N S511602E.030	32,35
Ф1370	ZPS Ball nose end mill, Ø3x4x62, Z2, λ 30°, SC, AlCrN, N S511612E.030	32,35
Ф1371	ZPS Ball nose end mill, Ø4x5x62, Z2, λ 30°, SC, AlCrN, N S511602E.040	32,35
Ф1372	ZPS Ball nose end mill, Ø4x5x62, Z2, λ 30°, SC, AlCrN, N S511612E.040	32,35
Ф1373	ZPS Ball nose end mill, Ø5x6x80, Z2, λ 30°, SC, AlCrN, N S511602E.050	37,46
Ф1374	ZPS Ball nose end mill, Ø5x6x80, Z2, λ 30°, SC, AlCrN, N S511612E.050	37,46
Ф1375	ZPS Ball nose end mill, Ø6x7x80, Z2, λ 30°, SC, AlCrN, N S511602E.060	37,46
Ф1376	ZPS Ball nose end mill, Ø6x7x80, Z2, λ 30°, SC, AlCrN, N S511612E.060	37,46
Ф1377	ZPS Ball nose end mill, Ø8x9x90, Z2, λ 30°, SC, AlCrN, N S511602E.080	53,41
Ф1378	ZPS Ball nose end mill, Ø8x9x90, Z2, λ 30°, SC, AlCrN, N S511612E.080	53,41
Ф1379	Номер по каталогу производителя: S5316	
Ф1380	ZPS Ball nose end mill, Ø10x11x100, Z4, λ 30°, SC, AlCrN, N S531602E.100	88,12
Ф1381	ZPS Ball nose end mill, Ø10x11x100, Z4, λ 30°, SC, AlCrN, N S531612E.100	88,12
Ф1382	ZPS Ball nose end mill, Ø12x13x120, Z4, λ 30°, SC, AlCrN, N S531602E.120	125,46
Ф1383	ZPS Ball nose end mill, Ø12x13x120, Z4, λ 30°, SC, AlCrN, N S531612E.120	125,46
Ф1384	ZPS Ball nose end mill, Ø14x15x120, Z4, λ 30°, SC, AlCrN, N S531602E.140	146,91
Ф1385	ZPS Ball nose end mill, Ø14x15x120, Z4, λ 30°, SC, AlCrN, N S531612E.140	146,91
Ф1386	ZPS Ball nose end mill, Ø16x17x140, Z4, λ 30°, SC, AlCrN, N S531602E.160	198,86
Ф1387	ZPS Ball nose end mill, Ø16x17x140, Z4, λ 30°, SC, AlCrN, N S531612E.160	198,86
Ф1388	ZPS Ball nose end mill, Ø18x19x140, Z4, λ 30°, SC, AlCrN, N S531602E.180	237,61
Ф1389	ZPS Ball nose end mill, Ø18x19x140, Z4, λ 30°, SC, AlCrN, N S531612E.180	237,61
Ф1390	ZPS Ball nose end mill, Ø20x21x160, Z4, λ 30°, SC, AlCrN, N S531602E.200	308,77
Ф1391	ZPS Ball nose end mill, Ø20x21x160, Z4, λ 30°, SC, AlCrN, N S531612E.200	308,77
Ф1392	ZPS Ball nose end mill, Ø2x3x62, Z4, λ 30°, SC, AlCrN, N S531602E.020	37,46
Ф1393	ZPS Ball nose end mill, Ø2x3x62, Z4, λ 30°, SC, AlCrN, N S531612E.020	37,46
Ф1394	ZPS Ball nose end mill, Ø3x4x62, Z4, λ 30°, SC, AlCrN, N S531602E.030	37,46
Ф1395	ZPS Ball nose end mill, Ø3x4x62, Z4, λ 30°, SC, AlCrN, N S531612E.030	37,46
Ф1396	ZPS Ball nose end mill, Ø4x5x62, Z4, λ 30°, SC, AlCrN, N S531602E.040	37,46
Ф1397	ZPS Ball nose end mill, Ø4x5x62, Z4, λ 30°, SC, AlCrN, N S531612E.040	37,46
Ф1398	ZPS Ball nose end mill, Ø5x6x80, Z4, λ 30°, SC, AlCrN, N S531602E.050	44,59
Ф1399	ZPS Ball nose end mill, Ø5x6x80, Z4, λ 30°, SC, AlCrN, N S531612E.050	44,59
Ф1400	ZPS Ball nose end mill, Ø6x7x80, Z4, λ 30°, SC, AlCrN, N S531602E.060	44,59
Ф1401	ZPS Ball nose end mill, Ø6x7x80, Z4, λ 30°, SC, AlCrN, N S531612E.060	44,59
Ф1402	ZPS Ball nose end mill, Ø8x9x90, Z4, λ 30°, SC, AlCrN, N S531602E.080	61,66
Ф1403	ZPS Ball nose end mill, Ø8x9x90, Z4, λ 30°, SC, AlCrN, N S531612E.080	61,66
Ф1404	Фрезы копируемые со сферическим торцем МИНИ	
Ф1405	ZPS-FN Norm	
Ф1406	Номер по каталогу производителя: S5606	
Ф1407	ZPS Mini ball nose end mill, Ø0, 4x0, 6x50, Z2, λ 30°, SC, AlTiN, H S560602.004	50,66
Ф1408	ZPS Mini ball nose end mill, Ø0, 6x0,9x50, Z2, λ 30°, SC, AlTiN, H S560602.006	45,71
Ф1409	ZPS Mini ball nose end mill, Ø0, 7x0, 8x50, Z2, λ 30°, SC, AlTiN, H S560602.007	45,66
Ф1410	ZPS Mini ball nose end mill, Ø0, 8x1, 2x50, Z2, λ 30°, SC, AlTiN, H S560602.008	40,21
Ф1411	ZPS Mini ball nose end mill, Ø0,5x0, 7x50, Z2, λ 30°, SC, AlTiN, H S560602.005	50,66
Ф1412	ZPS Mini ball nose end mill, Ø0,9x1,3x50, Z2, λ 30°, SC, AlTiN, H S560602.009	40,21
Ф1413	ZPS Mini ball nose end mill, Ø1, 2x1, 8x50, Z2, λ 30°, SC, AlTiN, H S560602.012	38,19
Ф1414	ZPS Mini ball nose end mill, Ø1, 4x2, 1x50, Z2, λ 30°, SC, AlTiN, H S560602.014	38,19
Ф1415	ZPS Mini ball nose end mill, Ø1, 8x2, 7x50, Z2, λ 30°, SC, AlTiN, H S560602.018	38,19
Ф1416	ZPS Mini ball nose end mill, Ø1,5x2, 3x50, Z2, λ 30°, SC, AlTiN, H S560602.015	38,19
Ф1417	ZPS Mini ball nose end mill, Ø1,6x2, 4x50, Z2, λ 30°, SC, AlTiN, H S560602.016	38,19
Ф1418	ZPS Mini ball nose end mill, Ø1x1,5x50, Z2, λ 30°, SC, AlTiN, H S560602.010	38,19
Ф1419	ZPS Mini ball nose end mill, Ø2,5x3, 7x50, Z2, λ 30°, SC, AlTiN, H S560602.025	38,19

Ф1420	ZPS Mini ball nose end mill, Ø2x3x50, Z2, λ 30°, SC, AlTiN, H S560602.020	38,19
Ф1421	ZPS Mini ball nose end mill, Ø3x4x50, Z2, λ 30°, SC, AlTiN, H S560602.030	38,19
Ф1422	Фрезы концевые с коническим хвостовиком	
Ф1423	Фрезы концевые с коническим хвостовиком	
Ф1424	DIN ≈845	
Ф1425	Номер по каталогу производителя: 4309	
Ф1426	ZPS Taper shank end mill, Ø10x22x90, Z5, 222146, HSS, TiAlN, H 430940.100 TiAlN	20,84
Ф1427	ZPS Taper shank end mill, Ø12x26x111, Z5, 222146, HSS, TiAlN, H 430940.120 TiAlN	22,40
Ф1428	ZPS Taper shank end mill, Ø14x26x111, Z5, 222146, HSS, TiAlN, H 430940.140 TiAlN	27,14
Ф1429	ZPS Taper shank end mill, Ø16x32x117, Z6, 222146, HSS, TiAlN, H 430940.160 TiAlN	30,89
Ф1430	ZPS Taper shank end mill, Ø18x36x120, Z6, 222146, HSS, TiAlN, H 430940.180 TiAlN	35,57
Ф1431	ZPS Taper shank end mill, Ø20x38x123, Z6, 222146, HSS, TiAlN, H 430940.200 TiAlN	38,88
Ф1432	ZPS Taper shank end mill, Ø22x38x123, Z6, 222146, HSS, TiAlN, H 430940.220 TiAlN	43,93
Ф1433	ZPS Taper shank end mill, Ø25x50x154, Z6, 222146, HSS, TiAlN, H 430940.250 TiAlN	64,02
Ф1434	ZPS Taper shank end mill, Ø28x50x154, Z7, 222146, HSS, TiAlN, H 430940.280 TiAlN	69,83
Ф1435	ZPS Taper shank end mill, Ø30x50x154, Z7, 222146, HSS, TiAlN, H 430940.300 TiAlN	74,88
Ф1436	ZPS Taper shank end mill, Ø32x53x178, Z8, 222146, HSS, TiAlN, H 430940.320 TiAlN	83,43
Ф1437	ZPS Taper shank end mill, Ø36x53x178, Z8, 222146, HSS, TiAlN, H 430940.360 TiAlN	98,84
Ф1438	ZPS Taper shank end mill, Ø40x63x188, Z8, 222146, HSS, TiAlN, H 430940.400 TiAlN	116,88
Ф1439	ZPS Taper shank end mill, Ø45x63x188, Z8, 222146, HSS, TiAlN, H 430940.450 TiAlN	141,52
Ф1440	DIN 222142	
Ф1441	Номер по каталогу производителя: 4119	
Ф1442	ZPS Taper shank end mill, Ø25x80x184, Z4, 222142, HSS, TiAlN, W 411940.250 TiAlN	76,56
Ф1443	ZPS Taper shank end mill, Ø25x80x184, Z4, 222142, HSS, W 411940.250	50,48
Ф1444	ZPS Taper shank end mill, Ø32x100x229, Z4, 222142, HSS, TiAlN, W 411940.320 TiAlN	111,76
Ф1445	ZPS Taper shank end mill, Ø32x100x229, Z4, 222142, HSS, W 411940.320	78,37
Ф1446	ZPS Taper shank end mill, Ø40x125x250, Z4, 222142, HSS, TiAlN, W 411940.400 TiAlN	142,21
Ф1447	ZPS Taper shank end mill, Ø40x125x250, Z4, 222142, HSS, W 411940.400	100,53
Ф1448	ZPS Taper shank end mill, Ø50x150x308, Z5, 222142, HSS, TiAlN, W 411940.500 TiAlN	236,50
Ф1449	ZPS Taper shank end mill, Ø50x150x308, Z5, 222142, HSS, W 411940.500	184,33
Ф1450	ZPS Taper shank end mill, Ø63x180x338, Z6, 222142, HSS, TiAlN, W 411940.630 TiAlN	375,52
Ф1451	ZPS Taper shank end mill, Ø63x180x338, Z6, 222142, HSS, W 411940.630	309,82
Ф1452	Номер по каталогу производителя: 4209	
Ф1453	ZPS Taper shank end mill, Ø10x22x92, Z4, 222142, HSS, N 420940.100	15,29
Ф1454	ZPS Taper shank end mill, Ø10x22x92, Z4, 222142, HSS, TiAlN, N 420940.100 TiAlN	21,09
Ф1455	ZPS Taper shank end mill, Ø14x26x111, Z4, 222142, HSS, N 420940.140	19,59
Ф1456	ZPS Taper shank end mill, Ø14x26x111, Z4, 222142, HSS, TiAlN, N 420940.140 TiAlN	27,71
Ф1457	ZPS Taper shank end mill, Ø18x32x117, Z4, 222142, HSS, N 420940.180	21,90
Ф1458	ZPS Taper shank end mill, Ø18x32x117, Z4, 222142, HSS, TiAlN, N 420940.180 TiAlN	32,32
Ф1459	ZPS Taper shank end mill, Ø20x38x123, Z4, 222142, HSS, N 420940.200	30,64
Ф1460	ZPS Taper shank end mill, Ø20x38x123, Z4, 222142, HSS, TiAlN, N 420940.200 TiAlN	42,24
Ф1461	ZPS Taper shank end mill, Ø22x38x123, Z5, 222142, HSS, N 420940.220	34,76
Ф1462	ZPS Taper shank end mill, Ø22x38x123, Z5, 222142, HSS, TiAlN, N 420940.220 TiAlN	47,49
Ф1463	ZPS Taper shank end mill, Ø25x50x154, Z5, 222142, HSS, N 420940.250	42,24
Ф1464	ZPS Taper shank end mill, Ø25x50x154, Z5, 222142, HSS, TiAlN, N 420940.250 TiAlN	68,33
Ф1465	ZPS Taper shank end mill, Ø28x50x154, Z5, 222142, HSS, N 420940.280	46,55
Ф1466	ZPS Taper shank end mill, Ø28x50x154, Z5, 222142, HSS, TiAlN, N 420940.280 TiAlN	75,75
Ф1467	ZPS Taper shank end mill, Ø30x50x154, Z6, 222142, HSS, N 420940.300	48,67
Ф1468	ZPS Taper shank end mill, Ø30x50x154, Z6, 222142, HSS, TiAlN, N 420940.300 TiAlN	80,12
Ф1469	ZPS Taper shank end mill, Ø32x53x178, Z6, 222142, HSS, N 420940.320	55,66
Ф1470	ZPS Taper shank end mill, Ø32x53x178, Z6, 222142, HSS, TiAlN, N 420940.320 TiAlN	89,11
Ф1471	ZPS Taper shank end mill, Ø36x53x178, Z6, 222142, HSS, N 420940.360	70,51
Ф1472	ZPS Taper shank end mill, Ø36x53x178, Z6, 222142, HSS, TiAlN, N 420940.360 TiAlN	108,26

Ф1473	ZPS Taper shank end mill, Ø40x63x188, Z6, 222142, HSS, N 420940.400	79,44
Ф1474	ZPS Taper shank end mill, Ø40x63x188, Z6, 222142, HSS, TiAlN, N 420940.400 TiAlN	121,18
Ф1475	ZPS Taper shank end mill, Ø45x63x188, Z6, 222142, HSS, N 420940.450	99,53
Ф1476	ZPS Taper shank end mill, Ø45x63x188, Z6, 222142, HSS, TiAlN, N 420940.450 TiAlN	146,76
Ф1477	ZPS Taper shank end mill, Ø50x70x228, Z6, 222142, HSS, N 420940.500	117,81
Ф1478	ZPS Taper shank end mill, Ø50x70x228, Z6, 222142, HSS, TiAlN, N 420940.500 TiAlN	169,98
Ф1479	ZPS Taper shank end mill, Ø63x80x241, Z8, 222142, HSS, N 420940.630	211,54
Ф1480	ZPS Taper shank end mill, Ø63x80x241, Z8, 222142, HSS, TiAlN, N 420940.630 TiAlN	277,24
Ф1481	Номер по каталогу производителя: 4219	
Ф1482	ZPS Taper shank end mill, Ø22x75x160, Z5, 222142, HSS, N 421940.220	44,37
Ф1483	ZPS Taper shank end mill, Ø22x75x160, Z5, 222142, HSS, TiAlN, N 421940.220 TiAlN	67,27
Ф1484	ZPS Taper shank end mill, Ø25x80x184, Z5, 222142, HSS, N 421940.250	53,79
Ф1485	ZPS Taper shank end mill, Ø25x80x184, Z5, 222142, HSS, TiAlN, N 421940.250 TiAlN	79,87
Ф1486	ZPS Taper shank end mill, Ø32x100x229, Z6, 222142, HSS, N 421940.320	67,58
Ф1487	ZPS Taper shank end mill, Ø32x100x229, Z6, 222142, HSS, TiAlN, N 421940.320 TiAlN	100,96
Ф1488	ZPS Taper shank end mill, Ø40x125x250, Z6, 222142, HSS, N 421940.400	108,08
Ф1489	ZPS Taper shank end mill, Ø40x125x250, Z6, 222142, HSS, TiAlN, N 421940.400 TiAlN	149,82
Ф1490	ZPS Taper shank end mill, Ø50x110x268, Z6, 222142, HSS, N 421940.500110	134,97
Ф1491	ZPS Taper shank end mill, Ø50x110x268, Z6, 222142, HSS, TiAlN, N 421940.500110 TiAlN	187,70
Ф1492	ZPS Taper shank end mill, Ø50x150x308, Z6, 222142, HSS, N 421940.500	157,25
Ф1493	ZPS Taper shank end mill, Ø50x150x308, Z6, 222142, HSS, TiAlN, N 421940.500 TiAlN	209,48
Ф1494	ZPS Taper shank end mill, Ø63x180x338, Z8, 222142, HSS, N 421940.630	284,36
Ф1495	ZPS Taper shank end mill, Ø63x180x338, Z8, 222142, HSS, TiAlN, N 421940.630 TiAlN	350,06
Ф1496	Номер по каталогу производителя: 4229	
Ф1497	ZPS Taper shank end mill, Ø10x22x92, Z4, HSS, CB, N 422940.100	16,97
Ф1498	ZPS Taper shank end mill, Ø10x22x92, Z4, HSS, TiAlN CB, N 422940.100 TiAlN	22,78
Ф1499	ZPS Taper shank end mill, Ø12x25x107, Z4, HSS, CB, N 422940.120	16,97
Ф1500	ZPS Taper shank end mill, Ø12x25x107, Z4, HSS, CB, N 422940.120MK1	16,97
Ф1501	ZPS Taper shank end mill, Ø12x25x107, Z4, HSS, TiAlN CB, N 422940.120 TiAlN	23,90
Ф1502	ZPS Taper shank end mill, Ø12x25x107, Z4, HSS, TiAlN CB, N 422940.120MK1 TiAlN	23,90
Ф1503	ZPS Taper shank end mill, Ø14x26x111, Z4, HSS, CB, N 422940.140	21,72
Ф1504	ZPS Taper shank end mill, Ø14x26x111, Z4, HSS, TiAlN CB, N 422940.140 TiAlN	29,83
Ф1505	ZPS Taper shank end mill, Ø18x32x117, Z4, HSS, CB, N 422940.180	27,64
Ф1506	ZPS Taper shank end mill, Ø18x32x117, Z4, HSS, TiAlN CB, N 422940.180 TiAlN	38,06
Ф1507	ZPS Taper shank end mill, Ø20x38x123, Z4, HSS, CB, N 422940.200	36,44
Ф1508	ZPS Taper shank end mill, Ø20x38x123, Z4, HSS, TiAlN CB, N 422940.200 TiAlN	47,99
Ф1509	ZPS Taper shank end mill, Ø22x38x123, Z5, HSS, CB, N 422940.220	41,62
Ф1510	ZPS Taper shank end mill, Ø22x38x123, Z5, HSS, TiAlN CB, N 422940.220 TiAlN	54,35
Ф1511	ZPS Taper shank end mill, Ø25x50x154, Z5, HSS, CB, N 422940.250	50,61
Ф1512	ZPS Taper shank end mill, Ø25x50x154, Z5, HSS, TiAlN CB, N 422940.250 TiAlN	76,69
Ф1513	ZPS Taper shank end mill, Ø28x50x154, Z5, HSS, CB, N 422940.280	53,98
Ф1514	ZPS Taper shank end mill, Ø28x50x154, Z5, HSS, TiAlN CB, N 422940.280 TiAlN	83,24
Ф1515	ZPS Taper shank end mill, Ø30x50x154, Z6, HSS, CB, N 422940.300	58,59
Ф1516	ZPS Taper shank end mill, Ø30x50x154, Z6, HSS, TiAlN CB, N 422940.300 TiAlN	90,23
Ф1517	ZPS Taper shank end mill, Ø32x53x178, Z6, HSS, CB, N 422940.320	63,59
Ф1518	ZPS Taper shank end mill, Ø32x53x178, Z6, HSS, TiAlN CB, N 422940.320 TiAlN	96,97
Ф1519	ZPS Taper shank end mill, Ø36x53x178, Z6, HSS, CB, N 422940.360	80,18
Ф1520	ZPS Taper shank end mill, Ø36x53x178, Z6, HSS, TiAlN CB, N 422940.360 TiAlN	117,75
Ф1521	ZPS Taper shank end mill, Ø40x63x188, Z6, HSS, CB, N 422940.400	98,28
Ф1522	ZPS Taper shank end mill, Ø40x63x188, Z6, HSS, TiAlN CB, N 422940.400 TiAlN	139,96
Ф1523	ZPS Taper shank end mill, Ø45x63x188, Z6, HSS, CB, N 422940.450	123,80
Ф1524	ZPS Taper shank end mill, Ø45x63x188, Z6, HSS, TiAlN CB, N 422940.450 TiAlN	170,79
Ф1525	ZPS Taper shank end mill, Ø50x70x228, Z6, HSS, CB, N 422940.500	150,20

Ф1526	ZPS Taper shank end mill, Ø50x70x228, Z6, HSS, TiAlN CB, N 422940.500 TiAlN	202,36
Ф1527	ZPS Taper shank end mill, Ø63x80x241, Z8, HSS, CB, N 422940.630	269,76
Ф1528	ZPS Taper shank end mill, Ø63x80x241, Z8, HSS, TiAlN CB, N 422940.630 TiAlN	335,52
Ф1529	Номер по каталогу производителя: 4239	
Ф1530	ZPS Taper shank end mill, Ø22x75x160, Z5, HSS, CB, N 423940.220	54,66
Ф1531	ZPS Taper shank end mill, Ø22x75x160, Z5, HSS, TiAlN CB, N 423940.220 TiAlN	77,69
Ф1532	ZPS Taper shank end mill, Ø25x80x184, Z5, HSS, CB, N 423940.250	59,22
Ф1533	ZPS Taper shank end mill, Ø25x80x184, Z5, HSS, TiAlN CB, N 423940.250 TiAlN	85,43
Ф1534	ZPS Taper shank end mill, Ø32x100x229, Z6, HSS, CB, N 423940.320	92,04
Ф1535	ZPS Taper shank end mill, Ø32x100x229, Z6, HSS, TiAlN CB, N 423940.320 TiAlN	125,61
Ф1536	ZPS Taper shank end mill, Ø40x125x250, Z6, HSS, CB, N 423940.400	121,43
Ф1537	ZPS Taper shank end mill, Ø40x125x250, Z6, HSS, TiAlN CB, N 423940.400 TiAlN	163,36
Ф1538	ZPS Taper shank end mill, Ø50x110x268, Z6, HSS, CB, N 423940.500110	189,32
Ф1539	ZPS Taper shank end mill, Ø50x110x268, Z6, HSS, TiAlN CB, N 423940.500110 TiAlN	241,74
Ф1540	ZPS Taper shank end mill, Ø50x150x308, Z6, HSS, CB, N 423940.500	222,71
Ф1541	ZPS Taper shank end mill, Ø50x150x308, Z6, HSS, TiAlN CB, N 423940.500 TiAlN	275,12
Ф1542	ZPS Taper shank end mill, Ø63x180x338, Z8, HSS, CB, N 423940.630	374,15
Ф1543	ZPS Taper shank end mill, Ø63x180x338, Z8, HSS, TiAlN CB, N 423940.630 TiAlN	440,23
Ф1544	DIN 222146	
Ф1545	Номер по каталогу производителя: 4309	
Ф1546	ZPS Taper shank end mill, Ø10x22x90, Z5, 222146, HSS, H 430940.100	14,98
Ф1547	ZPS Taper shank end mill, Ø12x26x111, Z5, 222146, HSS, H 430940.120	15,35
Ф1548	ZPS Taper shank end mill, Ø14x26x111, Z5, 222146, HSS, H 430940.140	18,97
Ф1549	ZPS Taper shank end mill, Ø16x32x117, Z6, 222146, HSS, H 430940.160	21,53
Ф1550	ZPS Taper shank end mill, Ø18x36x120, Z6, 222146, HSS, H 430940.180	25,02
Ф1551	ZPS Taper shank end mill, Ø20x38x123, Z6, 222146, HSS, H 430940.200	27,21
Ф1552	ZPS Taper shank end mill, Ø22x38x123, Z6, 222146, HSS, H 430940.220	31,08
Ф1553	ZPS Taper shank end mill, Ø25x50x154, Z6, 222146, HSS, H 430940.250	37,69
Ф1554	ZPS Taper shank end mill, Ø28x50x154, Z7, 222146, HSS, H 430940.280	40,31
Ф1555	ZPS Taper shank end mill, Ø30x50x154, Z7, 222146, HSS, H 430940.300	43,31
Ф1556	ZPS Taper shank end mill, Ø32x53x178, Z8, 222146, HSS, H 430940.320	49,73
Ф1557	ZPS Taper shank end mill, Ø36x53x178, Z8, 222146, HSS, H 430940.360	60,96
Ф1558	ZPS Taper shank end mill, Ø40x63x188, Z8, 222146, HSS, H 430940.400	74,76
Ф1559	ZPS Taper shank end mill, Ø45x63x188, Z8, 222146, HSS, H 430940.450	94,10
Ф1560	ZPS Taper shank end mill, Ø50x70x228, Z10, 222146, HSS, H 430940.500	114,13
Ф1561	ZPS Taper shank end mill, Ø50x70x228, Z10, 222146, HSS, TiAlN, H 430940.500 TiAlN	166,86
Ф1562	ZPS Taper shank end mill, Ø63x80x241, Z12, 222146, HSS, H 430940.630	205,05
Ф1563	ZPS Taper shank end mill, Ø63x80x241, Z12, 222146, HSS, TiAlN, H 430940.630 TiAlN	271,44
Ф1564	Номер по каталогу производителя: 4319	
Ф1565	ZPS Taper shank end mill, Ø25x80x184, Z6, 222146, HSS, H 431940.250	49,11
Ф1566	ZPS Taper shank end mill, Ø25x80x184, Z6, 222146, HSS, TiAlN, H 431940.250 TiAlN	75,50
Ф1567	ZPS Taper shank end mill, Ø32x100x229, Z7, 222146, HSS, H 431940.320	76,32
Ф1568	ZPS Taper shank end mill, Ø32x100x229, Z7, 222146, HSS, TiAlN, H 431940.320 TiAlN	110,07
Ф1569	ZPS Taper shank end mill, Ø40x125x250, Z8, 222146, HSS, H 431940.400	105,64
Ф1570	ZPS Taper shank end mill, Ø40x125x250, Z8, 222146, HSS, TiAlN, H 431940.400 TiAlN	147,76
Ф1571	ZPS Taper shank end mill, Ø50x110x268, Z10, 222146, HSS, H 431940.500	193,69
Ф1572	ZPS Taper shank end mill, Ø50x110x268, Z10, 222146, HSS, TiAlN, H 431940.500 TiAlN	246,42
Ф1573	ZPS Taper shank end mill, Ø50x150x308, Z10, 222146, HSS, H 431940.500110	164,61
Ф1574	ZPS Taper shank end mill, Ø50x150x308, Z10, 222146, HSS, TiAlN, H 431940.500110 TiAlN	217,34
Ф1575	ZPS Taper shank end mill, Ø63x180x338, Z12, 222146, HSS, H 431940.630	325,54
Ф1576	ZPS Taper shank end mill, Ø63x180x338, Z12, 222146, HSS, TiAlN, H 431940.630 TiAlN	391,93
Ф1577	DIN 222148	
Ф1578	Номер по каталогу производителя: 4109	

Φ1579	ZPS Taper shank end mill, Ø10x22x92, Z3, 222148, HSS, TiAlN , W 410940.100 TiAlN	21,65
Φ1580	ZPS Taper shank end mill, Ø12x26x111, Z3, 222148, HSS, TiAlN , W 410940.120 TiAlN	23,71
Φ1581	ZPS Taper shank end mill, Ø12x26x111, Z3, 222148, HSS, W 410940.120	16,72
Φ1582	ZPS Taper shank end mill, Ø16x32x117, Z3, 222148, HSS, TiAlN , W 410940.160 TiAlN	30,39
Φ1583	ZPS Taper shank end mill, Ø16x32x117, Z3, 222148, HSS, W 410940.160	21,09
Φ1584	ZPS Taper shank end mill, Ø25x50x154, Z4, 222148, HSS, TiAlN , W 410940.250 TiAlN	64,08
Φ1585	ZPS Taper shank end mill, Ø25x50x154, Z4, 222148, HSS, W 410940.250	37,88
Φ1586	ZPS Taper shank end mill, Ø28x50x154, Z4, 222148, HSS, TiAlN , W 410940.280 TiAlN	70,45
Φ1587	ZPS Taper shank end mill, Ø28x50x154, Z4, 222148, HSS, W 410940.280	40,75
Φ1588	ZPS Taper shank end mill, Ø30x50x154, Z4, 222148, HSS, TiAlN , W 410940.300 TiAlN	75,57
Φ1589	ZPS Taper shank end mill, Ø30x50x154, Z4, 222148, HSS, W 410940.300	43,80
Φ1590	ZPS Taper shank end mill, Ø32x53x178, Z4, 222148, HSS, TiAlN , W 410940.320 TiAlN	83,37
Φ1591	ZPS Taper shank end mill, Ø32x53x178, Z4, 222148, HSS, W 410940.320	49,80
Φ1592	ZPS Taper shank end mill, Ø36x53x178, Z4, 222148, HSS, TiAlN , W 410940.360 TiAlN	100,53
Φ1593	ZPS Taper shank end mill, Ø36x53x178, Z4, 222148, HSS, W 410940.360	62,84
Φ1594	ZPS Taper shank end mill, Ø40x63x188, Z4, 222148, HSS, TiAlN , W 410940.400 TiAlN	118,93
Φ1595	ZPS Taper shank end mill, Ø40x63x188, Z4, 222148, HSS, W 410940.400	77,06
Φ1596	ZPS Taper shank end mill, Ø45x63x188, Z4, 222148, HSS, TiAlN , W 410940.450 TiAlN	144,27
Φ1597	ZPS Taper shank end mill, Ø45x63x188, Z4, 222148, HSS, W 410940.450	97,09
Φ1598	ZPS Taper shank end mill, Ø50x70x228, Z5, 222148, HSS, TiAlN , W 410940.500 TiAlN	170,16
Φ1599	ZPS Taper shank end mill, Ø50x70x228, Z5, 222148, HSS, W 410940.500	117,75
Φ1600	ZPS Taper shank end mill, Ø63x80x241, Z6, 222148, HSS, TiAlN , W 410940.630 TiAlN	264,08
Φ1601	ZPS Taper shank end mill, Ø63x80x241, Z6, 222148, HSS, W 410940.630	198,00
Φ1602	DIN 845	
Φ1603	Номер по каталогу производителя: 4102	
Φ1604	ZPS Taper shank end mill, Ø10x22x92, Z3, HSSCo5, TiAlN , W 410245.100 TiAlN	25,96
Φ1605	ZPS Taper shank end mill, Ø10x22x92, Z3, HSSCo5, W 410245.100	20,09
Φ1606	ZPS Taper shank end mill, Ø12x26x111, Z3, HSSCo5, TiAlN , W 410245.120 TiAlN	28,58
Φ1607	ZPS Taper shank end mill, Ø12x26x111, Z3, HSSCo5, W 410245.120	21,28
Φ1608	ZPS Taper shank end mill, Ø16x32x117, Z3, HSSCo5, TiAlN , W 410245.160 TiAlN	38,44
Φ1609	ZPS Taper shank end mill, Ø16x32x117, Z3, HSSCo5, W 410245.160	29,02
Φ1610	ZPS Taper shank end mill, Ø20x38x123, Z3, HSSCo5, TiAlN , W 410245.200 TiAlN	47,42
Φ1611	ZPS Taper shank end mill, Ø20x38x123, Z3, HSSCo5, W 410245.200	35,76
Φ1612	ZPS Taper shank end mill, Ø22x38x123, Z3, HSSCo5, TiAlN , W 410245.220 TiAlN	53,66
Φ1613	ZPS Taper shank end mill, Ø22x38x123, Z3, HSSCo5, W 410245.220	40,81
Φ1614	ZPS Taper shank end mill, Ø24x45x147, Z4, HSSCo5, TiAlN , W 410245.240 TiAlN	61,46
Φ1615	ZPS Taper shank end mill, Ø24x45x147, Z4, HSSCo5, W 410245.240	47,42
Φ1616	ZPS Taper shank end mill, Ø25x45x147, Z4, HSSCo5, TiAlN , W 410245.250 TiAlN	64,52
Φ1617	ZPS Taper shank end mill, Ø25x45x147, Z4, HSSCo5, W 410245.250	49,80
Φ1618	ZPS Taper shank end mill, Ø26x45x147, Z4, HSSCo5, TiAlN , W 410245.260 TiAlN	66,64
Φ1619	ZPS Taper shank end mill, Ø26x45x147, Z4, HSSCo5, W 410245.260	51,29
Φ1620	ZPS Taper shank end mill, Ø28x45x147, Z4, HSSCo5, TiAlN , W 410245.280 TiAlN	69,64
Φ1621	ZPS Taper shank end mill, Ø28x45x147, Z4, HSSCo5, W 410245.280	53,16
Φ1622	ZPS Taper shank end mill, Ø30x45x147, Z4, HSSCo5, TiAlN , W 410245.300 TiAlN	74,82
Φ1623	ZPS Taper shank end mill, Ø30x45x147, Z4, HSSCo5, W 410245.300	57,10
Φ1624	ZPS Taper shank end mill, Ø32x53x178, Z4, HSSCo5, TiAlN , W 410245.320 TiAlN	98,40
Φ1625	ZPS Taper shank end mill, Ø32x53x178, Z4, HSSCo5, W 410245.320	64,65
Φ1626	ZPS Taper shank end mill, Ø36x53x178, Z4, HSSCo5, TiAlN , W 410245.360 TiAlN	115,25
Φ1627	ZPS Taper shank end mill, Ø36x53x178, Z4, HSSCo5, W 410245.360	77,56
Φ1628	ZPS Taper shank end mill, Ø40x63x188, Z4, HSSCo5, TiAlN , W 410245.400 TiAlN	141,52
Φ1629	ZPS Taper shank end mill, Ø40x63x188, Z4, HSSCo5, W 410245.400	99,59
Φ1630	ZPS Taper shank end mill, Ø45x63x188, Z4, HSSCo5, TiAlN , W 410245.450 TiAlN	166,86
Φ1631	ZPS Taper shank end mill, Ø45x63x188, Z4, HSSCo5, W 410245.450	119,68

Ф1632	ZPS Taper shank end mill, Ø50x75x233, Z5, HSSCo5, TiAlN , W 410245.500 TiAlN	197,68
Ф1633	ZPS Taper shank end mill, Ø50x75x233, Z5, HSSCo5, W 410245.500	145,27
Ф1634	ZPS Taper shank end mill, Ø63x90x248, Z6, HSSCo5, TiAlN , W 410245.630 TiAlN	322,05
Ф1635	ZPS Taper shank end mill, Ø63x90x248, Z6, HSSCo5, W 410245.630	255,96
Ф1636	Номер по каталогу производителя: 4109	
Ф1637	ZPS Taper shank end mill, Ø10x22x92, Z3, 222148, HSS, W 410940.100	15,85
Ф1638	Номер по каталогу производителя: 4112	
Ф1639	ZPS Taper shank end mill, Ø25x90x192, Z4, HSSCo5, TiAlN , W 411245.250 TiAlN	88,73
Ф1640	ZPS Taper shank end mill, Ø25x90x192, Z4, HSSCo5, W 411245.250	62,52
Ф1641	ZPS Taper shank end mill, Ø32x106x231, Z4, HSSCo5, TiAlN , W 411245.320 TiAlN	130,73
Ф1642	ZPS Taper shank end mill, Ø32x106x231, Z4, HSSCo5, W 411245.320	97,16
Ф1643	ZPS Taper shank end mill, Ø40x125x250, Z4, HSSCo5, TiAlN , W 411245.400 TiAlN	173,72
Ф1644	ZPS Taper shank end mill, Ø40x125x250, Z4, HSSCo5, W 411245.400	131,79
Ф1645	ZPS Taper shank end mill, Ø50x150x308, Z5, HSSCo5, TiAlN , W 411245.500 TiAlN	294,09
Ф1646	ZPS Taper shank end mill, Ø50x150x308, Z5, HSSCo5, W 411245.500	241,68
Ф1647	ZPS Taper shank end mill, Ø63x180x338, Z6, HSSCo5, TiAlN , W 411245.630 TiAlN	468,31
Ф1648	ZPS Taper shank end mill, Ø63x180x338, Z6, HSSCo5, W 411245.630	402,23
Ф1649	Номер по каталогу производителя: 4202	
Ф1650	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo5, N 420245.100	20,90
Ф1651	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo5, TiAlN, N 420245.100 TiAlN	26,71
Ф1652	ZPS Taper shank end mill, Ø12x26x111, Z4, HSSCo5, N 420245.120	22,15
Ф1653	ZPS Taper shank end mill, Ø12x26x111, Z4, HSSCo5, TiAlN, N 420245.120 TiAlN	29,45
Ф1654	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo5, N 420245.140	27,46
Ф1655	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo5, TiAlN, N 420245.140 TiAlN	35,94
Ф1656	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo5, N 420245.160	29,45
Ф1657	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo5, TiAlN, N 420245.160 TiAlN	38,81
Ф1658	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo5, N 420245.180	34,26
Ф1659	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo5, TiAlN, N 420245.180 TiAlN	44,80
Ф1660	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo5, N 420245.200	37,19
Ф1661	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo5, TiAlN, N 420245.200 TiAlN	48,86
Ф1662	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo5, N 420245.220	42,49
Ф1663	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo5, TiAlN, N 420245.220 TiAlN	55,35
Ф1664	ZPS Taper shank end mill, Ø24x45x147, Z5, HSSCo5, N 420245.240	49,23
Ф1665	ZPS Taper shank end mill, Ø24x45x147, Z5, HSSCo5, TiAlN, N 420245.240 TiAlN	63,27
Ф1666	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo5, N 420245.250	51,54
Ф1667	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo5, TiAlN, N 420245.250 TiAlN	66,14
Ф1668	ZPS Taper shank end mill, Ø26x45x147, Z5, HSSCo5, N 420245.260	54,54
Ф1669	ZPS Taper shank end mill, Ø26x45x147, Z5, HSSCo5, TiAlN, N 420245.260 TiAlN	69,76
Ф1670	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo5, N 420245.280	55,54
Ф1671	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo5, TiAlN, N 420245.280 TiAlN	71,45
Ф1672	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo5, N 420245.300	59,09
Ф1673	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo5, TiAlN, N 420245.300 TiAlN	76,69
Ф1674	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo5, N 420245.320	66,96
Ф1675	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo5, TiAlN, N 420245.320 TiAlN	100,71
Ф1676	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo5, N 420245.360	82,06
Ф1677	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo5, TiAlN, N 420245.360 TiAlN	119,93
Ф1678	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo5, N 420245.400	100,59
Ф1679	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo5, TiAlN, N 420245.400 TiAlN	142,71
Ф1680	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo5, N 420245.450	125,99
Ф1681	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo5, TiAlN, N 420245.450 TiAlN	173,22
Ф1682	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo5, N 420245.500	153,69
Ф1683	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo5, TiAlN, N 420245.500 TiAlN	206,36
Ф1684	ZPS Taper shank end mill, Ø56x75x233, Z8, HSSCo5, N 420245.560	211,79

Ф1685	ZPS Taper shank end mill, Ø56x75x233, Z8, HSSCo5, TiALN, N 420245.560 TiAIN	270,50
Ф1686	ZPS Taper shank end mill, Ø63x90x248, Z8, HSSCo5, N 420245.630	272,06
Ф1687	ZPS Taper shank end mill, Ø63x90x248, Z8, HSSCo5, TiALN, N 420245.630 TiAIN	338,15
Ф1688	Номер по каталогу производителя: 4212	
Ф1689	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo5, N 421245.100	27,96
Ф1690	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo5, TiALN, N 421245.100 TiAIN	33,82
Ф1691	ZPS Taper shank end mill, Ø12x53x138, Z4, HSSCo5, N 421245.120	28,58
Ф1692	ZPS Taper shank end mill, Ø12x53x138, Z4, HSSCo5, TiALN, N 421245.120 TiAIN	35,57
Ф1693	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo5, N 421245.140	35,32
Ф1694	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo5, TiALN, N 421245.140 TiAIN	43,49
Ф1695	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo5, N 421245.160	38,63
Ф1696	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo5, TiALN, N 421245.160 TiAIN	47,99
Ф1697	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo5, N 421245.180	43,62
Ф1698	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo5, TiALN, N 421245.180 TiAIN	54,10
Ф1699	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo5, N 421245.200	47,36
Ф1700	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo5, TiALN, N 421245.200 TiAIN	68,45
Ф1701	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo5, N 421245.220	56,16
Ф1702	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo5, TiALN, N 421245.220 TiAIN	79,31
Ф1703	ZPS Taper shank end mill, Ø24x90x192, Z5, HSSCo5, N 421245.240	62,71
Ф1704	ZPS Taper shank end mill, Ø24x90x192, Z5, HSSCo5, TiALN, N 421245.240 TiAIN	87,98
Ф1705	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo5, N 421245.250	66,21
Ф1706	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo5, TiALN, N 421245.250 TiAIN	92,54
Ф1707	ZPS Taper shank end mill, Ø26x90x192, Z5, HSSCo5, N 421245.260	82,68
Ф1708	ZPS Taper shank end mill, Ø26x90x192, Z5, HSSCo5, TiALN, N 421245.260 TiAIN	110,07
Ф1709	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo5, N 421245.280	88,11
Ф1710	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo5, TiALN, N 421245.280 TiAIN	117,69
Ф1711	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo5, N 421245.300	94,66
Ф1712	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo5, TiALN, N 421245.300 TiAIN	126,30
Ф1713	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo5, N 421245.320	108,51
Ф1714	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo5, TiALN, N 421245.320 TiAIN	142,27
Ф1715	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo5, N 421245.360	120,74
Ф1716	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo5, TiALN, N 421245.360 TiAIN	158,68
Ф1717	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo5, N 421245.400	133,04
Ф1718	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo5, TiALN, N 421245.400 TiAIN	175,16
Ф1719	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo5, N 421245.450	168,17
Ф1720	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo5, TiALN, N 421245.450 TiAIN	215,59
Ф1721	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo5, N 421245.500	203,24
Ф1722	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo5, TiALN, N 421245.500 TiAIN	255,96
Ф1723	ZPS Taper shank end mill, Ø56x150x308, Z8, HSSCo5, N 421245.560	298,40
Ф1724	ZPS Taper shank end mill, Ø56x150x308, Z8, HSSCo5, TiALN, N 421245.560 TiAIN	357,36
Ф1725	ZPS Taper shank end mill, Ø63x180x338, Z8, HSSCo5, N 421245.630	383,39
Ф1726	ZPS Taper shank end mill, Ø63x180x338, Z8, HSSCo5, TiALN, N 421245.630 TiAIN	449,78
Ф1727	Номер по каталогу производителя: 4222	
Ф1728	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo5 CB, N 422245.100	26,46
Ф1729	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo5, TiAIN CB, N 422245.100 TiAIN	32,32
Ф1730	ZPS Taper shank end mill, Ø12x26x111, Z4, HSSCo5 CB, N 422245.120	27,08
Ф1731	ZPS Taper shank end mill, Ø12x26x111, Z4, HSSCo5, TiAIN CB, N 422245.120 TiAIN	34,07
Ф1732	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo5 CB, N 422245.140	33,76
Ф1733	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo5, TiAIN CB, N 422245.140 TiAIN	42,00
Ф1734	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo5 CB, N 422245.160	38,00
Ф1735	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo5, TiAIN CB, N 422245.160 TiAIN	47,36
Ф1736	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo5 CB, N 422245.180	44,24
Ф1737	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo5, TiAIN CB, N 422245.180 TiAIN	54,79

Ф1738	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo5 CB, N 422245.200	48,11
Ф1739	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo5, TiAlN CB, N 422245.200 TiAlN	59,78
Ф1740	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo5 CB, N 422245.220	54,85
Ф1741	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo5, TiAlN CB, N 422245.220 TiAlN	67,70
Ф1742	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo5 CB, N 422245.250	66,58
Ф1743	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo5, TiAlN CB, N 422245.250 TiAlN	81,18
Ф1744	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo5 CB, N 422245.280	71,07
Ф1745	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo5, TiAlN CB, N 422245.280 TiAlN	87,48
Ф1746	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo5 CB, N 422245.300	77,13
Ф1747	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo5, TiAlN CB, N 422245.300 TiAlN	94,85
Ф1748	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo5 CB, N 422245.320	83,68
Ф1749	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo5, TiAlN CB, N 422245.320 TiAlN	117,37
Ф1750	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo5 CB, N 422245.360	105,58
Ф1751	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo5, TiAlN CB, N 422245.360 TiAlN	143,46
Ф1752	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo5 CB, N 422245.400	129,48
Ф1753	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo5, TiAlN CB, N 422245.400 TiAlN	171,60
Ф1754	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo5 CB, N 422245.450	162,99
Ф1755	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo5, TiAlN CB, N 422245.450 TiAlN	210,48
Ф1756	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo5 CB, N 422245.500	197,87
Ф1757	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo5, TiAlN CB, N 422245.500 TiAlN	250,54
Ф1758	ZPS Taper shank end mill, Ø56x75x233, Z8, HSSCo5 CB, N 422245.560	276,68
Ф1759	ZPS Taper shank end mill, Ø56x75x233, Z8, HSSCo5, TiAlN CB, N 422245.560 TiAlN	335,65
Ф1760	ZPS Taper shank end mill, Ø63x90x248, Z8, HSSCo5 CB, N 422245.630	355,43
Ф1761	ZPS Taper shank end mill, Ø63x90x248, Z8, HSSCo5, TiAlN CB, N 422245.630 TiAlN	421,82
Ф1762	Номер по каталогу производителя: 4232	
Ф1763	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo5 CB, N 423245.100	32,39
Ф1764	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo5, TiAlN CB, N 423245.100 TiAlN	38,25
Ф1765	ZPS Taper shank end mill, Ø12x53x138, Z4, HSSCo5 CB, N 423245.120	33,51
Ф1766	ZPS Taper shank end mill, Ø12x53x138, Z4, HSSCo5, TiAlN CB, N 423245.120 TiAlN	40,56
Ф1767	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo5 CB, N 423245.140	40,75
Ф1768	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo5, TiAlN CB, N 423245.140 TiAlN	48,92
Ф1769	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo5 CB, N 423245.160	46,18
Ф1770	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo5, TiAlN CB, N 423245.160 TiAlN	55,54
Ф1771	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo5 CB, N 423245.180	53,79
Ф1772	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo5, TiAlN CB, N 423245.180 TiAlN	64,33
Ф1773	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo5 CB, N 423245.200	58,41
Ф1774	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo5, TiAlN CB, N 423245.200 TiAlN	79,50
Ф1775	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo5 CB, N 423245.220	69,64
Ф1776	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo5, TiAlN CB, N 423245.220 TiAlN	92,79
Ф1777	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo5 CB, N 423245.250	81,87
Ф1778	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo5, TiAlN CB, N 423245.250 TiAlN	108,26
Ф1779	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo5 CB, N 423245.280	109,01
Ф1780	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo5, TiAlN CB, N 423245.280 TiAlN	138,53
Ф1781	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo5 CB, N 423245.300	121,99
Ф1782	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo5, TiAlN CB, N 423245.300 TiAlN	153,63
Ф1783	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo5 CB, N 423245.320	136,22
Ф1784	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo5, TiAlN CB, N 423245.320 TiAlN	169,98
Ф1785	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo5 CB, N 423245.360	148,70
Ф1786	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo5, TiAlN CB, N 423245.360 TiAlN	186,58
Ф1787	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo5 CB, N 423245.400	163,74
Ф1788	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo5, TiAlN CB, N 423245.400 TiAlN	205,86
Ф1789	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo5 CB, N 423245.450	225,51
Ф1790	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo5, TiAlN CB, N 423245.450 TiAlN	272,94

Φ1791	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo5 CB, N 423245.500	291,84
Φ1792	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo5, TiAlN CB, N 423245.500 TiAlN	344,51
Φ1793	ZPS Taper shank end mill, Ø56x150x308, Z8, HSSCo5 CB, N 423245.560	391,19
Φ1794	ZPS Taper shank end mill, Ø56x150x308, Z8, HSSCo5, TiAlN CB, N 423245.560 TiAlN	450,15
Φ1795	ZPS Taper shank end mill, Ø63x180x338, Z8, HSSCo5 CB, N 423245.630	490,46
Φ1796	ZPS Taper shank end mill, Ø63x180x338, Z8, HSSCo5, TiAlN CB, N 423245.630 TiAlN	556,86
Φ1797	Номер по каталогу производителя: 4242	
Φ1798	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo8, NR 424248.100	29,64
Φ1799	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo8, TiAlN, NR 424248.100 TiAlN	35,51
Φ1800	ZPS Taper shank end mill, Ø12x26x96, Z4, HSSCo8, NR 424248.120	30,26
Φ1801	ZPS Taper shank end mill, Ø12x26x96, Z4, HSSCo8, TiAlN, NR 424248.120 TiAlN	37,38
Φ1802	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo8, NR 424248.140	37,44
Φ1803	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo8, TiAlN, NR 424248.140 TiAlN	45,68
Φ1804	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo8, NR 424248.160	42,62
Φ1805	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo8, TiAlN, NR 424248.160 TiAlN	52,04
Φ1806	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo8, NR 424248.180	48,67
Φ1807	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo8, TiAlN, NR 424248.180 TiAlN	59,28
Φ1808	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo8, NR 424248.200	53,79
Φ1809	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo8, TiAlN, NR 424248.200 TiAlN	65,58
Φ1810	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo8, NR 424248.220	58,66
Φ1811	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo8, TiAlN, NR 424248.220 TiAlN	71,64
Φ1812	ZPS Taper shank end mill, Ø24x45x147, Z5, HSSCo8, NR 424248.240	69,45
Φ1813	ZPS Taper shank end mill, Ø24x45x147, Z5, HSSCo8, TiAlN, NR 424248.240 TiAlN	83,62
Φ1814	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo8, NR 424248.250	72,45
Φ1815	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo8, TiAlN, NR 424248.250 TiAlN	87,24
Φ1816	ZPS Taper shank end mill, Ø26x45x147, Z5, HSSCo8, NR 424248.260	72,88
Φ1817	ZPS Taper shank end mill, Ø26x45x147, Z5, HSSCo8, TiAlN, NR 424248.260 TiAlN	88,23
Φ1818	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo8, NR 424248.280	79,44
Φ1819	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo8, TiAlN, NR 424248.280 TiAlN	95,97
Φ1820	ZPS Taper shank end mill, Ø30x45x147, Z5, HSSCo8, NR 424248.300	83,74
Φ1821	ZPS Taper shank end mill, Ø30x45x147, Z5, HSSCo8, TiAlN, NR 424248.300 TiAlN	101,46
Φ1822	ZPS Taper shank end mill, Ø32x53x201, Z6, HSSCo8, NR 424248.320	105,14
Φ1823	ZPS Taper shank end mill, Ø32x53x201, Z6, HSSCo8, TiAlN, NR 424248.320 TiAlN	140,84
Φ1824	ZPS Taper shank end mill, Ø35x53x201, Z5, HSSCo8, NR 424248.350	121,24
Φ1825	ZPS Taper shank end mill, Ø35x53x201, Z5, HSSCo8, TiAlN, NR 424248.350 TiAlN	158,43
Φ1826	ZPS Taper shank end mill, Ø36x53x201, Z6, HSSCo8, NR 424248.360	130,35
Φ1827	ZPS Taper shank end mill, Ø36x53x201, Z6, HSSCo8, TiAlN, NR 424248.360 TiAlN	169,67
Φ1828	ZPS Taper shank end mill, Ø40x63x211, Z6, HSSCo8, NR 424248.400	145,20
Φ1829	ZPS Taper shank end mill, Ø40x63x211, Z6, HSSCo8, TiAlN, NR 424248.400 TiAlN	188,95
Φ1830	ZPS Taper shank end mill, Ø45x63x211, Z6, HSSCo8, NR 424248.450	177,78
Φ1831	ZPS Taper shank end mill, Ø45x63x211, Z6, HSSCo8, TiAlN, NR 424248.450 TiAlN	225,64
Φ1832	ZPS Taper shank end mill, Ø50x75x261, Z8, HSSCo8, NR 424248.500	222,27
Φ1833	ZPS Taper shank end mill, Ø50x75x261, Z8, HSSCo8, TiAlN, NR 424248.500 TiAlN	275,43
Φ1834	Номер по каталогу производителя: 4252	
Φ1835	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo8, NR 425248.200	69,76
Φ1836	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo8, TiAlN, NR 425248.200 TiAlN	91,10
Φ1837	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo8, NR 425248.220	78,06
Φ1838	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo8, TiAlN, NR 425248.220 TiAlN	101,40
Φ1839	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo8, NR 425248.250	92,98
Φ1840	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo8, TiAlN, NR 425248.250 TiAlN	119,56
Φ1841	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo8, NR 425248.280	123,86
Φ1842	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo8, TiAlN, NR 425248.280 TiAlN	153,63
Φ1843	ZPS Taper shank end mill, Ø30x90x192, Z5, HSSCo8, NR 425248.300	134,53

Ф1844	ZPS Taper shank end mill, Ø30x90x192, Z5, HSSCo8, TiAlN, NR 425248.300 TiAlN	166,42
Ф1845	ZPS Taper shank end mill, Ø32x106x254, Z6, HSSCo8, NR 425248.320	163,92
Ф1846	ZPS Taper shank end mill, Ø32x106x254, Z6, HSSCo8, TiAlN, NR 425248.320 TiAlN	198,93
Ф1847	ZPS Taper shank end mill, Ø36x106x254, Z6, HSSCo8, NR 425248.360	172,16
Ф1848	ZPS Taper shank end mill, Ø36x106x254, Z6, HSSCo8, TiAlN, NR 425248.360 TiAlN	210,48
Ф1849	ZPS Taper shank end mill, Ø40x125x273, Z6, HSSCo8, NR 425248.400	195,31
Ф1850	ZPS Taper shank end mill, Ø40x125x273, Z6, HSSCo8, TiAlN, NR 425248.400 TiAlN	237,87
Ф1851	ZPS Taper shank end mill, Ø45x125x273, Z6, HSSCo8, NR 425248.450	273,87
Ф1852	ZPS Taper shank end mill, Ø45x125x273, Z6, HSSCo8, TiAlN, NR 425248.450 TiAlN	321,80
Ф1853	ZPS Taper shank end mill, Ø50x150x336, Z8, HSSCo8, NR 425248.500	331,03
Ф1854	ZPS Taper shank end mill, Ø50x150x336, Z8, HSSCo8, TiAlN, NR 425248.500 TiAlN	384,20
Ф1855	ZPS Taper shank end mill, Ø63x180x366, Z8, HSSCo8, NR 425248.630	510,62
Ф1856	ZPS Taper shank end mill, Ø63x180x366, Z8, HSSCo8, TiAlN, NR 425248.630 TiAlN	577,64
Ф1857	Номер по каталогу производителя: 4402	
Ф1858	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo8, H 440248.100	26,08
Ф1859	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo8, TiAlN, H 440248.100 TiAlN	31,95
Ф1860	ZPS Taper shank end mill, Ø12x26x96, Z4, HSSCo8, H 440248.120	26,64
Ф1861	ZPS Taper shank end mill, Ø12x26x96, Z4, HSSCo8, TiAlN, H 440248.120 TiAlN	33,76
Ф1862	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo8, H 440248.140	33,45
Ф1863	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo8, TiAlN, H 440248.140 TiAlN	41,68
Ф1864	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo8, H 440248.160	38,06
Ф1865	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo8, TiAlN, H 440248.160 TiAlN	47,49
Ф1866	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo8, H 440248.180	44,30
Ф1867	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo8, TiAlN, H 440248.180 TiAlN	54,91
Ф1868	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo8, H 440248.200	48,11
Ф1869	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo8, TiAlN, H 440248.200 TiAlN	59,90
Ф1870	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo8, H 440248.220	53,35
Ф1871	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo8, TiAlN, H 440248.220 TiAlN	66,33
Ф1872	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo8, H 440248.250	66,58
Ф1873	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo8, TiAlN, H 440248.250 TiAlN	81,31
Ф1874	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo8, H 440248.280	71,07
Ф1875	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo8, TiAlN, H 440248.280 TiAlN	87,67
Ф1876	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo8, H 440248.300	76,38
Ф1877	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo8, TiAlN, H 440248.300 TiAlN	94,16
Ф1878	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo8, H 440248.320	86,86
Ф1879	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo8, TiAlN, H 440248.320 TiAlN	120,93
Ф1880	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo8, H 440248.360	103,58
Ф1881	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo8, TiAlN, H 440248.360 TiAlN	141,84
Ф1882	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo8, H 440248.400	124,49
Ф1883	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo8, TiAlN, H 440248.400 TiAlN	166,98
Ф1884	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo8, H 440248.450	156,81
Ф1885	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo8, TiAlN, H 440248.450 TiAlN	204,67
Ф1886	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo8, H 440248.500	190,26
Ф1887	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo8, TiAlN, H 440248.500 TiAlN	243,48
Ф1888	Номер по каталогу производителя: 4412	
Ф1889	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo8, H 441248.100	33,45
Ф1890	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo8, TiAlN, H 441248.100 TiAlN	39,31
Ф1891	ZPS Taper shank end mill, Ø12x53x123, Z4, HSSCo8, H 441248.120	34,20
Ф1892	ZPS Taper shank end mill, Ø12x53x123, Z4, HSSCo8, TiAlN, H 441248.120 TiAlN	41,31
Ф1893	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo8, H 441248.140	43,43
Ф1894	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo8, TiAlN, H 441248.140 TiAlN	51,67
Ф1895	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo8, H 441248.160	48,05
Ф1896	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo8, TiAlN, H 441248.160 TiAlN	57,47

Φ1897	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo8, H 441248.180	54,29
Φ1898	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo8, TiAlN, H 441248.180 TiAlN	64,96
Φ1899	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo8, H 441248.200	59,47
Φ1900	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo8, TiAlN, H 441248.200 TiAlN	80,81
Φ1901	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo8, H 441248.220	66,52
Φ1902	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo8, TiAlN, H 441248.220 TiAlN	89,92
Φ1903	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo8, H 441248.250	80,75
Φ1904	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo8, TiAlN, H 441248.250 TiAlN	107,33
Φ1905	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo8, H 441248.280	107,52
Φ1906	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo8, TiAlN, H 441248.280 TiAlN	137,34
Φ1907	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo8, H 441248.300	120,93
Φ1908	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo8, TiAlN, H 441248.300 TiAlN	152,88
Φ1909	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo8, H 441248.320	137,03
Φ1910	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo8, TiAlN, H 441248.320 TiAlN	171,10
Φ1911	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo8, H 441248.360	149,51
Φ1912	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo8, TiAlN, H 441248.360 TiAlN	187,76
Φ1913	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo8, H 441248.400	167,92
Φ1914	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo8, TiAlN, H 441248.400 TiAlN	210,48
Φ1915	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo8, H 441248.450	208,17
Φ1916	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo8, TiAlN, H 441248.450 TiAlN	256,03
Φ1917	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo8, H 441248.500	259,21
Φ1918	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo8, TiAlN, H 441248.500 TiAlN	312,37
Φ1919	Номер по каталогу производителя: 4422	
Φ1920	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo8 CB, N, H 442248.100	31,32
Φ1921	ZPS Taper shank end mill, Ø10x22x92, Z4, HSSCo8, TiAlN CB, N, H 442248.100 TiAlN	37,19
Φ1922	ZPS Taper shank end mill, Ø12x26x96, Z4, HSSCo8 CB, N 442248.120	31,95
Φ1923	ZPS Taper shank end mill, Ø12x26x96, Z4, HSSCo8, TiAlN CB, N 442248.120 TiAlN	39,06
Φ1924	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo8 CB, N 442248.140	39,50
Φ1925	ZPS Taper shank end mill, Ø14x26x111, Z4, HSSCo8, TiAlN CB, N 442248.140 TiAlN	47,74
Φ1926	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo8 CB, N 442248.160	44,99
Φ1927	ZPS Taper shank end mill, Ø16x32x117, Z4, HSSCo8, TiAlN CB, N 442248.160 TiAlN	54,48
Φ1928	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo8 CB, N 442248.180	52,35
Φ1929	ZPS Taper shank end mill, Ø18x32x117, Z4, HSSCo8, TiAlN CB, N 442248.180 TiAlN	62,96
Φ1930	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo8 CB, N 442248.200	56,85
Φ1931	ZPS Taper shank end mill, Ø20x38x123, Z4, HSSCo8, TiAlN CB, N 442248.200 TiAlN	68,64
Φ1932	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo8 CB, N 442248.220	64,90
Φ1933	ZPS Taper shank end mill, Ø22x38x123, Z5, HSSCo8, TiAlN CB, N 442248.220 TiAlN	77,81
Φ1934	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo8 CB, N 442248.250	78,75
Φ1935	ZPS Taper shank end mill, Ø25x45x147, Z5, HSSCo8, TiAlN CB, N 442248.250 TiAlN	93,48
Φ1936	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo8 CB, N 442248.280	84,05
Φ1937	ZPS Taper shank end mill, Ø28x45x147, Z5, HSSCo8, TiAlN CB, N 442248.280 TiAlN	100,65
Φ1938	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo8 CB, N 442248.300	90,29
Φ1939	ZPS Taper shank end mill, Ø30x45x147, Z6, HSSCo8, TiAlN CB, N 442248.300 TiAlN	108,01
Φ1940	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo8 CB, N 442248.320	101,84
Φ1941	ZPS Taper shank end mill, Ø32x53x178, Z6, HSSCo8, TiAlN CB, N 442248.320 TiAlN	135,91
Φ1942	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo8 CB, N 442248.360	128,48
Φ1943	ZPS Taper shank end mill, Ø36x53x178, Z6, HSSCo8, TiAlN CB, N 442248.360 TiAlN	166,73
Φ1944	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo8 CB, N 442248.400	157,50
Φ1945	ZPS Taper shank end mill, Ø40x63x188, Z6, HSSCo8, TiAlN CB, N 442248.400 TiAlN	200,05
Φ1946	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo8 CB, N 442248.450	198,31
Φ1947	ZPS Taper shank end mill, Ø45x63x188, Z6, HSSCo8, TiAlN CB, N 442248.450 TiAlN	246,23
Φ1948	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo8 CB, N 442248.500	240,74
Φ1949	ZPS Taper shank end mill, Ø50x75x233, Z6, HSSCo8, TiAlN CB, N 442248.500 TiAlN	293,90

Ф1950	Номер по каталогу производителя: 4432	
Ф1951	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo8 CB, N, H 443248.100	39,37
Ф1952	ZPS Taper shank end mill, Ø10x45x115, Z4, HSSCo8, TiAlN CB, N, H 443248.100 TiAlN	45,30
Ф1953	ZPS Taper shank end mill, Ø12x53x123, Z4, HSSCo8 CB, N 443248.120	40,31
Ф1954	ZPS Taper shank end mill, Ø12x53x123, Z4, HSSCo8, TiAlN CB, N 443248.120 TiAlN	47,36
Ф1955	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo8 CB, N 443248.140	49,61
Ф1956	ZPS Taper shank end mill, Ø14x53x138, Z4, HSSCo8, TiAlN CB, N 443248.140 TiAlN	57,84
Ф1957	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo8 CB, N 443248.160	56,22
Ф1958	ZPS Taper shank end mill, Ø16x63x148, Z4, HSSCo8, TiAlN CB, N 443248.160 TiAlN	65,64
Ф1959	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo8 CB, N 443248.180	65,46
Ф1960	ZPS Taper shank end mill, Ø18x63x148, Z4, HSSCo8, TiAlN CB, N 443248.180 TiAlN	76,07
Ф1961	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo8 CB, N 443248.200	71,01
Ф1962	ZPS Taper shank end mill, Ø20x75x160, Z4, HSSCo8, TiAlN CB, N 443248.200 TiAlN	92,29
Ф1963	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo8 CB, N 443248.220	84,74
Ф1964	ZPS Taper shank end mill, Ø22x75x160, Z5, HSSCo8, TiAlN CB, N 443248.220 TiAlN	108,14
Ф1965	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo8 CB, N 443248.250	99,59
Ф1966	ZPS Taper shank end mill, Ø25x90x192, Z5, HSSCo8, TiAlN CB, N 443248.250 TiAlN	126,17
Ф1967	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo8 CB, N 443248.280	132,66
Ф1968	ZPS Taper shank end mill, Ø28x90x192, Z5, HSSCo8, TiAlN CB, N 443248.280 TiAlN	162,49
Ф1969	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo8 CB, N 443248.300	149,20
Ф1970	ZPS Taper shank end mill, Ø30x90x192, Z6, HSSCo8, TiAlN CB, N 443248.300 TiAlN	181,08
Ф1971	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo8 CB, N 443248.320	162,55
Ф1972	ZPS Taper shank end mill, Ø32x106x231, Z6, HSSCo8, TiAlN CB, N 443248.320 TiAlN	196,62
Ф1973	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo8 CB, N 443248.360	180,90
Ф1974	ZPS Taper shank end mill, Ø36x106x231, Z6, HSSCo8, TiAlN CB, N 443248.360 TiAlN	219,15
Ф1975	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo8 CB, N 443248.400	199,24
Ф1976	ZPS Taper shank end mill, Ø40x125x250, Z6, HSSCo8, TiAlN CB, N 443248.400 TiAlN	241,80
Ф1977	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo8 CB, N 443248.450	274,31
Ф1978	ZPS Taper shank end mill, Ø45x125x250, Z6, HSSCo8, TiAlN CB, N 443248.450 TiAlN	322,23
Ф1979	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo8 CB, N 443248.500	355,06
Ф1980	ZPS Taper shank end mill, Ø50x150x308, Z6, HSSCo8, TiAlN CB, N 443248.500 TiAlN	408,28
Ф1981	Фрезы концевые с цилиндрическим хвостовиком	
Ф1982	Фрезы концевые цилиндрические	
Ф1983	DIN ≈1889	
Ф1984	Номер по каталогу производителя: 1215	
Ф1985	ZPS End mill, Ø40x125x205, Z6, DIN HSSCo8, N 121518.40032	213,03
Ф1986	ZPS End mill, Ø40x125x205, Z6, DIN HSSCo8, TiAlN, N 121518.40032 TiAlN	235,31
Ф1987	DIN 6527	
Ф1988	Номер по каталогу производителя: S1004	
Ф1989	ZPS End mill, Ø10x11x66, Z2, λ 30°, SC, AlTiN, N S100402.100	34,71
Ф1990	ZPS End mill, Ø10x11x66, Z2, λ 30°, SC, AlTiN, N S100412.100	34,71
Ф1991	ZPS End mill, Ø12x12x73, Z2, λ 30°, SC, AlTiN, N S100402.120	49,87
Ф1992	ZPS End mill, Ø12x12x73, Z2, λ 30°, SC, AlTiN, N S100412.120	49,87
Ф1993	ZPS End mill, Ø14x14x75, Z2, λ 30°, SC, AlTiN, N S100402.140	71,38
Ф1994	ZPS End mill, Ø14x14x75, Z2, λ 30°, SC, AlTiN, N S100412.140	71,38
Ф1995	ZPS End mill, Ø16x16x82, Z2, λ 30°, SC, AlTiN, N S100402.160	84,02
Ф1996	ZPS End mill, Ø16x16x82, Z2, λ 30°, SC, AlTiN, N S100412.160	84,02
Ф1997	ZPS End mill, Ø18x18x84, Z2, λ 30°, SC, AlTiN, N S100402.180	116,20
Ф1998	ZPS End mill, Ø18x18x84, Z2, λ 30°, SC, AlTiN, N S100412.180	116,20
Ф1999	ZPS End mill, Ø20x20x92, Z2, λ 30°, SC, AlTiN, N S100402.200	130,97
Ф2000	ZPS End mill, Ø20x20x92, Z2, λ 30°, SC, AlTiN, N S100412.200	130,97
Ф2001	ZPS End mill, Ø3,5x4x50, Z2, λ 30°, SC, AlTiN, N S100402.035	18,70
Ф2002	ZPS End mill, Ø3,5x4x50, Z2, λ 30°, SC, AlTiN, N S100412.035	18,70

Φ2003	ZPS End mill, Ø3x4x50, Z2, λ 30°, SC, AlTiN, N S100402.030	18,70
Φ2004	ZPS End mill, Ø3x4x50, Z2, λ 30°, SC, AlTiN, N S100412.030	18,70
Φ2005	ZPS End mill, Ø4,5x5x54, Z2, λ 30°, SC, AlTiN, N S100402.045	19,09
Φ2006	ZPS End mill, Ø4,5x5x54, Z2, λ 30°, SC, AlTiN, N S100412.045	19,09
Φ2007	ZPS End mill, Ø4x5x54, Z2, λ 30°, SC, AlTiN, N S100402.040	19,09
Φ2008	ZPS End mill, Ø4x5x54, Z2, λ 30°, SC, AlTiN, N S100412.040	19,09
Φ2009	ZPS End mill, Ø5x6x54, Z2, λ 30°, SC, AlTiN, N S100402.050	19,09
Φ2010	ZPS End mill, Ø5x6x54, Z2, λ 30°, SC, AlTiN, N S100412.050	19,09
Φ2011	ZPS End mill, Ø6x7x54, Z2, λ 30°, SC, AlTiN, N S100402.060	19,09
Φ2012	ZPS End mill, Ø6x7x54, Z2, λ 30°, SC, AlTiN, N S100412.060	19,09
Φ2013	ZPS End mill, Ø7x8x58, Z2, λ 30°, SC, AlTiN, N S100402.070	25,22
Φ2014	ZPS End mill, Ø7x8x58, Z2, λ 30°, SC, AlTiN, N S100412.070	25,22
Φ2015	ZPS End mill, Ø8x9x58, Z2, λ 30°, SC, AlTiN, N S100402.080	25,22
Φ2016	ZPS End mill, Ø8x9x58, Z2, λ 30°, SC, AlTiN, N S100412.080	25,22
Φ2017	ZPS End mill, Ø9x10x66, Z2, λ 30°, SC, AlTiN, N S100402.090	34,71
Φ2018	ZPS End mill, Ø9x10x66, Z2, λ 30°, SC, AlTiN, N S100412.090	34,71
Φ2019	Номер по каталогу производителя: S1014	
Φ2020	ZPS End mill, Ø10x19x72, Z2, λ 30°, SC, AlTiN, N S101402.100	38,13
Φ2021	ZPS End mill, Ø10x19x72, Z2, λ 30°, SC, AlTiN, N S101412.100	38,13
Φ2022	ZPS End mill, Ø12x22x83, Z2, λ 30°, SC, AlTiN, N S101402.120	56,44
Φ2023	ZPS End mill, Ø12x22x83, Z2, λ 30°, SC, AlTiN, N S101412.120	56,44
Φ2024	ZPS End mill, Ø14x22x83, Z2, λ 30°, SC, AlTiN, N S101402.140	78,34
Φ2025	ZPS End mill, Ø14x22x83, Z2, λ 30°, SC, AlTiN, N S101412.140	78,34
Φ2026	ZPS End mill, Ø16x26x92, Z2, λ 30°, SC, AlTiN, N S101402.160	95,75
Φ2027	ZPS End mill, Ø16x26x92, Z2, λ 30°, SC, AlTiN, N S101412.160	95,75
Φ2028	ZPS End mill, Ø18x26x92, Z2, λ 30°, SC, AlTiN, N S101402.180	121,59
Φ2029	ZPS End mill, Ø18x26x92, Z2, λ 30°, SC, AlTiN, N S101412.180	121,59
Φ2030	ZPS End mill, Ø20x32x104, Z2, λ 30°, SC, AlTiN, N S101402.200	149,55
Φ2031	ZPS End mill, Ø20x32x104, Z2, λ 30°, SC, AlTiN, N S101412.200	149,55
Φ2032	ZPS End mill, Ø3,5x7x57, Z2, λ 30°, SC, AlTiN, N S101402.035	21,40
Φ2033	ZPS End mill, Ø3,5x7x57, Z2, λ 30°, SC, AlTiN, N S101412.035	21,40
Φ2034	ZPS End mill, Ø3x7x57, Z2, λ 30°, SC, AlTiN, N S101402.030	21,40
Φ2035	ZPS End mill, Ø3x7x57, Z2, λ 30°, SC, AlTiN, N S101412.030	21,40
Φ2036	ZPS End mill, Ø4,5x8x57, Z2, λ 30°, SC, AlTiN, N S101402.045	21,40
Φ2037	ZPS End mill, Ø4,5x8x57, Z2, λ 30°, SC, AlTiN, N S101412.045	21,40
Φ2038	ZPS End mill, Ø4x8x57, Z2, λ 30°, SC, AlTiN, N S101402.040	21,40
Φ2039	ZPS End mill, Ø4x8x57, Z2, λ 30°, SC, AlTiN, N S101412.040	21,40
Φ2040	ZPS End mill, Ø5x10x57, Z2, λ 30°, SC, AlTiN, N S101402.050	21,40
Φ2041	ZPS End mill, Ø5x10x57, Z2, λ 30°, SC, AlTiN, N S101412.050	21,40
Φ2042	ZPS End mill, Ø6x10x57, Z2, λ 30°, SC, AlTiN, N S101402.060	21,40
Φ2043	ZPS End mill, Ø6x10x57, Z2, λ 30°, SC, AlTiN, N S101412.060	21,40
Φ2044	ZPS End mill, Ø7x13x63, Z2, λ 30°, SC, AlTiN, N S101402.070	26,56
Φ2045	ZPS End mill, Ø7x13x63, Z2, λ 30°, SC, AlTiN, N S101412.070	26,56
Φ2046	ZPS End mill, Ø8x16x63, Z2, λ 30°, SC, AlTiN, N S101402.080	26,56
Φ2047	ZPS End mill, Ø8x16x63, Z2, λ 30°, SC, AlTiN, N S101412.080	26,56
Φ2048	ZPS End mill, Ø9x16x72, Z2, λ 30°, SC, AlTiN, N S101402.090	42,79
Φ2049	ZPS End mill, Ø9x16x72, Z2, λ 30°, SC, AlTiN, N S101412.090	42,79
Φ2050	Номер по каталогу производителя: S1096	
Φ2051	ZPS End mill, Ø10x22x72, Z4, λ 20°, SC, AlTiN, HR S109602.100	54,42
Φ2052	ZPS End mill, Ø10x22x72, Z4, λ 20°, SC, AlTiN, HR S109612.100	54,42
Φ2053	ZPS End mill, Ø12x26x83, Z4, λ 20°, SC, AlTiN, HR S109602.120	77,00
Φ2054	ZPS End mill, Ø12x26x83, Z4, λ 20°, SC, AlTiN, HR S109612.120	77,00
Φ2055	ZPS End mill, Ø14x26x83, Z4, λ 20°, SC, AlTiN, HR S109602.140	97,38

Φ2056	ZPS End mill, Ø14x26x83, Z4, λ 20°, SC, AlTiN, HR S109612.140	97,38
Φ2057	ZPS End mill, Ø16x32x92, Z4, λ 20°, SC, AlTiN, HR S109602.160	124,51
Φ2058	ZPS End mill, Ø16x32x92, Z4, λ 20°, SC, AlTiN, HR S109612.160	124,51
Φ2059	ZPS End mill, Ø18x32x92, Z4, λ 20°, SC, AlTiN, HR S109602.180	146,63
Φ2060	ZPS End mill, Ø18x32x92, Z4, λ 20°, SC, AlTiN, HR S109612.180	146,63
Φ2061	ZPS End mill, Ø20x38x104, Z4, λ 20°, SC, AlTiN, HR S109602.200	184,15
Φ2062	ZPS End mill, Ø20x38x104, Z4, λ 20°, SC, AlTiN, HR S109612.200	184,15
Φ2063	ZPS End mill, Ø6x13x57, Z3, λ 20°, SC, AlTiN, HR S109602.060	25,67
Φ2064	ZPS End mill, Ø6x13x57, Z3, λ 20°, SC, AlTiN, HR S109612.060	25,67
Φ2065	ZPS End mill, Ø8x19x63, Z3, λ 20°, SC, AlTiN, HR S109602.080	36,17
Φ2066	ZPS End mill, Ø8x19x63, Z3, λ 20°, SC, AlTiN, HR S109612.080	36,17
Φ2067	Номер по каталогу производителя: S1136	
Φ2068	ZPS End mill, Ø10x22x72, Z4, λ 45°, SC, AlTiN CB, S113602.100	51,61
Φ2069	ZPS End mill, Ø10x22x72, Z4, λ 45°, SC, AlTiN CB, S113612.100	51,61
Φ2070	ZPS End mill, Ø12x26x83, Z4, λ 45°, SC, AlTiN CB, S113602.120	72,45
Φ2071	ZPS End mill, Ø12x26x83, Z4, λ 45°, SC, AlTiN CB, S113612.120	72,45
Φ2072	ZPS End mill, Ø14x26x83, Z4, λ 45°, SC, AlTiN CB, S113602.140	96,93
Φ2073	ZPS End mill, Ø14x26x83, Z4, λ 45°, SC, AlTiN CB, S113612.140	96,93
Φ2074	ZPS End mill, Ø16x32x92, Z4, λ 45°, SC, AlTiN CB, S113602.160	126,42
Φ2075	ZPS End mill, Ø16x32x92, Z4, λ 45°, SC, AlTiN CB, S113612.160	126,42
Φ2076	ZPS End mill, Ø18x32x92, Z4, λ 45°, SC, AlTiN CB, S113602.180	152,98
Φ2077	ZPS End mill, Ø18x32x92, Z4, λ 45°, SC, AlTiN CB, S113612.180	152,98
Φ2078	ZPS End mill, Ø20x38x104, Z4, λ 45°, SC, AlTiN CB, S113602.200	185,05
Φ2079	ZPS End mill, Ø20x38x104, Z4, λ 45°, SC, AlTiN CB, S113612.200	185,05
Φ2080	ZPS End mill, Ø4x11x57, Z4, λ 45°, SC, AlTiN CB, S113602.040	28,19
Φ2081	ZPS End mill, Ø4x11x57, Z4, λ 45°, SC, AlTiN CB, S113612.040	28,19
Φ2082	ZPS End mill, Ø5x13x57, Z4, λ 45°, SC, AlTiN CB, S113602.050	28,19
Φ2083	ZPS End mill, Ø5x13x57, Z4, λ 45°, SC, AlTiN CB, S113612.050	28,19
Φ2084	ZPS End mill, Ø6x13x57, Z4, λ 45°, SC, AlTiN CB, S113602.060	28,19
Φ2085	ZPS End mill, Ø6x13x57, Z4, λ 45°, SC, AlTiN CB, S113612.060	28,19
Φ2086	ZPS End mill, Ø8x19x63, Z4, λ 45°, SC, AlTiN CB, S113602.080	38,41
Φ2087	ZPS End mill, Ø8x19x63, Z4, λ 45°, SC, AlTiN CB, S113612.080	38,41
Φ2088	Номер по каталогу производителя: S1186	
Φ2089	ZPS End mill, Ø10x14x66, Z4, λ 45°, SC, AlCrN, HR S118602N.100	58,57
Φ2090	ZPS End mill, Ø10x14x66, Z4, λ 45°, SC, AlCrN, HR S118612N.100	58,57
Φ2091	ZPS End mill, Ø12x16x73, Z4, λ 45°, SC, AlCrN, HR S118602N.120	77,22
Φ2092	ZPS End mill, Ø12x16x73, Z4, λ 45°, SC, AlCrN, HR S118612N.120	77,22
Φ2093	ZPS End mill, Ø14x18x75, Z4, λ 45°, SC, AlCrN, HR S118602N.140	100,30
Φ2094	ZPS End mill, Ø14x18x75, Z4, λ 45°, SC, AlCrN, HR S118612N.140	100,30
Φ2095	ZPS End mill, Ø16x22x82, Z4, λ 45°, SC, AlCrN, HR S118602N.160	130,80
Φ2096	ZPS End mill, Ø16x22x82, Z4, λ 45°, SC, AlCrN, HR S118612N.160	130,80
Φ2097	ZPS End mill, Ø16x22x82, Z5, λ 45°, SC, AlCrN, HR S118602N.160Z5	130,80
Φ2098	ZPS End mill, Ø16x22x82, Z5, λ 45°, SC, AlCrN, HR S118612N.160Z5	130,80
Φ2099	ZPS End mill, Ø18x24x84, Z5, λ 45°, SC, AlCrN, HR S118602N.180	158,54
Φ2100	ZPS End mill, Ø18x24x84, Z5, λ 45°, SC, AlCrN, HR S118612N.180	158,54
Φ2101	ZPS End mill, Ø20x26x92, Z5, λ 45°, SC, AlCrN, HR S118602N.200	193,81
Φ2102	ZPS End mill, Ø20x26x92, Z5, λ 45°, SC, AlCrN, HR S118612N.200	193,81
Φ2103	ZPS End mill, Ø20x26x92, Z6, λ 45°, SC, AlCrN, HR S118602N.200Z6	193,81
Φ2104	ZPS End mill, Ø20x26x92, Z6, λ 45°, SC, AlCrN, HR S118612N.200Z6	193,81
Φ2105	ZPS End mill, Ø4x8x54, Z3, λ 45°, SC, AlCrN, HR S118602N.040	33,19
Φ2106	ZPS End mill, Ø4x8x54, Z3, λ 45°, SC, AlCrN, HR S118612N.040	33,19
Φ2107	ZPS End mill, Ø5x9x54, Z4, λ 45°, SC, AlCrN, HR S118602N.050	33,19
Φ2108	ZPS End mill, Ø5x9x54, Z4, λ 45°, SC, AlCrN, HR S118612N.050	33,19

Ф2109	ZPS End mill, Ø6x10x54, Z4, λ 45°, SC, AlCrN, HR S118602N.060	33,19
Ф2110	ZPS End mill, Ø6x10x54, Z4, λ 45°, SC, AlCrN, HR S118612N.060	33,19
Ф2111	ZPS End mill, Ø8x12x58, Z4, λ 45°, SC, AlCrN, HR S118602N.080	43,52
Ф2112	ZPS End mill, Ø8x12x58, Z4, λ 45°, SC, AlCrN, HR S118612N.080	43,52
Ф2113	Номер по каталогу производителя: S1196	
Ф2114	ZPS End mill, Ø10x22x72, Z4, λ 45°, SC, AlTiN, HR S119602.100	51,39
Ф2115	ZPS End mill, Ø10x22x72, Z4, λ 45°, SC, AlTiN, HR S119612.100	51,39
Ф2116	ZPS End mill, Ø12x26x83, Z4, λ 45°, SC, AlTiN, HR S119602.120	71,88
Ф2117	ZPS End mill, Ø12x26x83, Z4, λ 45°, SC, AlTiN, HR S119612.120	71,88
Ф2118	ZPS End mill, Ø14x26x83, Z4, λ 45°, SC, AlTiN, HR S119602.140	96,71
Ф2119	ZPS End mill, Ø14x26x83, Z4, λ 45°, SC, AlTiN, HR S119612.140	96,71
Ф2120	ZPS End mill, Ø16x32x92, Z4, λ 45°, SC, AlTiN, HR S119602.160	124,79
Ф2121	ZPS End mill, Ø16x32x92, Z4, λ 45°, SC, AlTiN, HR S119612.160	124,79
Ф2122	ZPS End mill, Ø16x32x92, Z5, λ 45°, SC, AlTiN, HR S119602.160	124,79
Ф2123	ZPS End mill, Ø16x32x92, Z5, λ 45°, SC, AlTiN, HR S119612.160	124,79
Ф2124	ZPS End mill, Ø18x32x92, Z5, λ 45°, SC, AlTiN, HR S119602.180	152,47
Ф2125	ZPS End mill, Ø18x32x92, Z5, λ 45°, SC, AlTiN, HR S119612.180	152,47
Ф2126	ZPS End mill, Ø20x38x104, Z5, λ 45°, SC, AlTiN, HR S119602.200	171,06
Ф2127	ZPS End mill, Ø20x38x104, Z5, λ 45°, SC, AlTiN, HR S119612.200	171,06
Ф2128	ZPS End mill, Ø20x38x104, Z6, λ 45°, SC, AlTiN, HR S119602.200	171,06
Ф2129	ZPS End mill, Ø20x38x104, Z6, λ 45°, SC, AlTiN, HR S119612.200Z6	171,06
Ф2130	ZPS End mill, Ø4x11x57, Z3, λ 45°, SC, AlTiN, HR S119602.040	26,56
Ф2131	ZPS End mill, Ø4x11x57, Z3, λ 45°, SC, AlTiN, HR S119612.040	26,56
Ф2132	ZPS End mill, Ø5x13x57, Z4, λ 45°, SC, AlTiN, HR S119602.050	26,56
Ф2133	ZPS End mill, Ø5x13x57, Z4, λ 45°, SC, AlTiN, HR S119612.050	26,56
Ф2134	ZPS End mill, Ø6x13x57, Z4, λ 45°, SC, AlTiN, HR S119602.060	26,56
Ф2135	ZPS End mill, Ø6x13x57, Z4, λ 45°, SC, AlTiN, HR S119612.060	26,56
Ф2136	ZPS End mill, Ø8x19x63, Z4, λ 45°, SC, AlTiN, HR S119602.080	37,80
Ф2137	ZPS End mill, Ø8x19x63, Z4, λ 45°, SC, AlTiN, HR S119612.080	37,80
Ф2138	Номер по каталогу производителя: S1204	
Ф2139	ZPS End mill, Ø10x11x66, Z3, λ 30°, SC, AlTiN, N S120402.100	34,88
Ф2140	ZPS End mill, Ø10x11x66, Z3, λ 30°, SC, AlTiN, N S120412.100	34,88
Ф2141	ZPS End mill, Ø12x12x73, Z3, λ 30°, SC, AlTiN, N S120402.120	49,87
Ф2142	ZPS End mill, Ø12x12x73, Z3, λ 30°, SC, AlTiN, N S120412.120	49,87
Ф2143	ZPS End mill, Ø14x14x75, Z3, λ 30°, SC, AlTiN, N S120402.140	71,38
Ф2144	ZPS End mill, Ø14x14x75, Z3, λ 30°, SC, AlTiN, N S120412.140	71,38
Ф2145	ZPS End mill, Ø16x16x82, Z3, λ 30°, SC, AlTiN, N S120402.160	84,02
Ф2146	ZPS End mill, Ø16x16x82, Z3, λ 30°, SC, AlTiN, N S120412.160	84,02
Ф2147	ZPS End mill, Ø18x18x84, Z3, λ 30°, SC, AlTiN, N S120402.180	116,20
Ф2148	ZPS End mill, Ø18x18x84, Z3, λ 30°, SC, AlTiN, N S120412.180	116,20
Ф2149	ZPS End mill, Ø20x20x92, Z3, λ 30°, SC, AlTiN, N S120402.200	130,85
Ф2150	ZPS End mill, Ø20x20x92, Z3, λ 30°, SC, AlTiN, N S120412.200	130,85
Ф2151	ZPS End mill, Ø3,5x4x50, Z3, λ 30°, SC, AlTiN, N S120402.035	19,09
Ф2152	ZPS End mill, Ø3,5x4x50, Z3, λ 30°, SC, AlTiN, N S120412.035	19,09
Ф2153	ZPS End mill, Ø3x4x50, Z3, λ 30°, SC, AlTiN, N S120402.030	19,09
Ф2154	ZPS End mill, Ø3x4x50, Z3, λ 30°, SC, AlTiN, N S120412.030	19,09
Ф2155	ZPS End mill, Ø4,5x5x54, Z3, λ 30°, SC, AlTiN, N S120402.045	19,49
Ф2156	ZPS End mill, Ø4,5x5x54, Z3, λ 30°, SC, AlTiN, N S120412.045	19,49
Ф2157	ZPS End mill, Ø4x5x54, Z3, λ 30°, SC, AlTiN, N S120402.040	19,49
Ф2158	ZPS End mill, Ø4x5x54, Z3, λ 30°, SC, AlTiN, N S120412.040	19,49
Ф2159	ZPS End mill, Ø5x6x54, Z3, λ 30°, SC, AlTiN, N S120402.050	19,49
Ф2160	ZPS End mill, Ø5x6x54, Z3, λ 30°, SC, AlTiN, N S120412.050	19,49
Ф2161	ZPS End mill, Ø6x7x54, Z3, λ 30°, SC, AlTiN, N S120402.060	19,49

Ф2162	ZPS End mill, Ø6x7x54, Z3, λ 30°, SC, AlTiN, N S120412.060	19,49
Ф2163	ZPS End mill, Ø8x9x58, Z3, λ 30°, SC, AlTiN, N S120402.080	25,33
Ф2164	ZPS End mill, Ø8x9x58, Z3, λ 30°, SC, AlTiN, N S120412.080	25,33
Ф2165	Номер по каталогу производителя: S1206	
Ф2166	ZPS End mill, Ø10x14x66, Z4, λ 30°, SC, AlTiN, N S120602.100	38,41
Ф2167	ZPS End mill, Ø10x14x66, Z4, λ 30°, SC, AlTiN, N S120612.100	38,41
Ф2168	ZPS End mill, Ø12x16x73, Z4, λ 30°, SC, AlTiN, N S120602.120	55,15
Ф2169	ZPS End mill, Ø12x16x73, Z4, λ 30°, SC, AlTiN, N S120612.120	55,15
Ф2170	ZPS End mill, Ø14x18x75, Z4, λ 30°, SC, AlTiN, N S120602.140	74,30
Ф2171	ZPS End mill, Ø14x18x75, Z4, λ 30°, SC, AlTiN, N S120612.140	74,30
Ф2172	ZPS End mill, Ø16x22x82, Z4, λ 30°, SC, AlTiN, N S120602.160	93,62
Ф2173	ZPS End mill, Ø16x22x82, Z4, λ 30°, SC, AlTiN, N S120612.160	93,62
Ф2174	ZPS End mill, Ø18x24x84, Z4, λ 30°, SC, AlTiN, N S120602.180	120,69
Ф2175	ZPS End mill, Ø18x24x84, Z4, λ 30°, SC, AlTiN, N S120612.180	120,69
Ф2176	ZPS End mill, Ø20x26x92, Z4, λ 30°, SC, AlTiN, N S120602.200	141,75
Ф2177	ZPS End mill, Ø20x26x92, Z4, λ 30°, SC, AlTiN, N S120612.200	141,75
Ф2178	ZPS End mill, Ø3,5x6x50, Z4, λ 30°, SC, AlTiN, N S120602.035	22,13
Ф2179	ZPS End mill, Ø3,5x6x50, Z4, λ 30°, SC, AlTiN, N S120612.035	22,13
Ф2180	ZPS End mill, Ø3x5x50, Z4, λ 30°, SC, AlTiN, N S120602.030	22,13
Ф2181	ZPS End mill, Ø3x5x50, Z4, λ 30°, SC, AlTiN, N S120612.030	22,13
Ф2182	ZPS End mill, Ø4,5x8x54, Z4, λ 30°, SC, AlTiN, N S120602.045	22,58
Ф2183	ZPS End mill, Ø4,5x8x54, Z4, λ 30°, SC, AlTiN, N S120612.045	22,58
Ф2184	ZPS End mill, Ø4x8x54, Z4, λ 30°, SC, AlTiN, N S120602.040	22,58
Ф2185	ZPS End mill, Ø4x8x54, Z4, λ 30°, SC, AlTiN, N S120612.040	22,58
Ф2186	ZPS End mill, Ø5x9x54, Z4, λ 30°, SC, AlTiN, N S120602.050	22,58
Ф2187	ZPS End mill, Ø5x9x54, Z4, λ 30°, SC, AlTiN, N S120612.050	22,58
Ф2188	ZPS End mill, Ø6x10x54, Z4, λ 30°, SC, AlTiN, N S120602.060	22,58
Ф2189	ZPS End mill, Ø6x10x54, Z4, λ 30°, SC, AlTiN, N S120612.060	22,58
Ф2190	ZPS End mill, Ø8x12x58, Z4, λ 30°, SC, AlTiN, N S120602.080	28,19
Ф2191	ZPS End mill, Ø8x12x58, Z4, λ 30°, SC, AlTiN, N S120612.080	28,19
Ф2192	Номер по каталогу производителя: S1214	
Ф2193	ZPS End mill, Ø10x19x72, Z3, λ 30°, SC, AlTiN, N S121402.100	38,41
Ф2194	ZPS End mill, Ø10x19x72, Z3, λ 30°, SC, AlTiN, N S121412.100	38,41
Ф2195	ZPS End mill, Ø12x22x83, Z3, λ 30°, SC, AlTiN, N S121402.120	57,06
Ф2196	ZPS End mill, Ø12x22x83, Z3, λ 30°, SC, AlTiN, N S121412.120	57,06
Ф2197	ZPS End mill, Ø14x22x83, Z3, λ 30°, SC, AlTiN, N S121402.140	79,07
Ф2198	ZPS End mill, Ø14x22x83, Z3, λ 30°, SC, AlTiN, N S121412.140	79,07
Ф2199	ZPS End mill, Ø16x26x92, Z3, λ 30°, SC, AlTiN, N S121402.160	96,20
Ф2200	ZPS End mill, Ø16x26x92, Z3, λ 30°, SC, AlTiN, N S121412.160	96,20
Ф2201	ZPS End mill, Ø18x26x92, Z3, λ 30°, SC, AlTiN, N S121402.180	126,25
Ф2202	ZPS End mill, Ø18x26x92, Z3, λ 30°, SC, AlTiN, N S121412.180	126,25
Ф2203	ZPS End mill, Ø20x32x104, Z3, λ 30°, SC, AlTiN, N S121402.200	149,55
Ф2204	ZPS End mill, Ø20x32x104, Z3, λ 30°, SC, AlTiN, N S121412.200	149,55
Ф2205	ZPS End mill, Ø3,5x7x57, Z3, λ 30°, SC, AlTiN, N S121402.035	21,90
Ф2206	ZPS End mill, Ø3,5x7x57, Z3, λ 30°, SC, AlTiN, N S121412.035	21,90
Ф2207	ZPS End mill, Ø3x7x57, Z3, λ 30°, SC, AlTiN, N S121402.030	21,90
Ф2208	ZPS End mill, Ø3x7x57, Z3, λ 30°, SC, AlTiN, N S121412.030	21,90
Ф2209	ZPS End mill, Ø4,5x8x57, Z3, λ 30°, SC, AlTiN, N S121402.045	21,90
Ф2210	ZPS End mill, Ø4,5x8x57, Z3, λ 30°, SC, AlTiN, N S121412.045	21,90
Ф2211	ZPS End mill, Ø4x8x57, Z3, λ 30°, SC, AlTiN, N S121402.040	21,90
Ф2212	ZPS End mill, Ø4x8x57, Z3, λ 30°, SC, AlTiN, N S121412.040	21,90
Ф2213	ZPS End mill, Ø5x10x57, Z3, λ 30°, SC, AlTiN, N S121402.050	21,90
Ф2214	ZPS End mill, Ø5x10x57, Z3, λ 30°, SC, AlTiN, N S121412.050	21,90

Ф2215	ZPS End mill, Ø6x10x57, Z3, λ 30°, SC, AlTiN, N S121402.060	21,90
Ф2216	ZPS End mill, Ø6x10x57, Z3, λ 30°, SC, AlTiN, N S121412.060	21,90
Ф2217	ZPS End mill, Ø8x16x63, Z3, λ 30°, SC, AlTiN, N S121402.080	27,91
Ф2218	ZPS End mill, Ø8x16x63, Z3, λ 30°, SC, AlTiN, N S121412.080	27,91
Ф2219	Номер по каталогу производителя: S1216	
Ф2220	ZPS End mill, Ø10x22x72, Z4, λ 30°, SC, AlTiN, N S121602.100	42,29
Ф2221	ZPS End mill, Ø10x22x72, Z4, λ 30°, SC, AlTiN, N S121612.100	42,29
Ф2222	ZPS End mill, Ø12x26x83, Z4, λ 30°, SC, AlTiN, N S121602.120	60,04
Ф2223	ZPS End mill, Ø12x26x83, Z4, λ 30°, SC, AlTiN, N S121612.120	60,04
Ф2224	ZPS End mill, Ø14x26x83, Z4, λ 30°, SC, AlTiN, N S121602.140	82,27
Ф2225	ZPS End mill, Ø14x26x83, Z4, λ 30°, SC, AlTiN, N S121612.140	82,27
Ф2226	ZPS End mill, Ø16x32x92, Z4, λ 30°, SC, AlTiN, N S121602.160	102,27
Ф2227	ZPS End mill, Ø16x32x92, Z4, λ 30°, SC, AlTiN, N S121612.160	102,27
Ф2228	ZPS End mill, Ø18x32x92, Z4, λ 30°, SC, AlTiN, N S121602.180	132,93
Ф2229	ZPS End mill, Ø18x32x92, Z4, λ 30°, SC, AlTiN, N S121612.180	132,93
Ф2230	ZPS End mill, Ø20x38x104, Z4, λ 30°, SC, AlTiN, N S121602.200	162,36
Ф2231	ZPS End mill, Ø20x38x104, Z4, λ 30°, SC, AlTiN, N S121612.200	162,36
Ф2232	ZPS End mill, Ø3,5x10x57, Z4, λ 30°, SC, AlTiN, N S121602.035	23,64
Ф2233	ZPS End mill, Ø3,5x10x57, Z4, λ 30°, SC, AlTiN, N S121612.035	23,64
Ф2234	ZPS End mill, Ø3x8x57, Z4, λ 30°, SC, AlTiN, N S121602.030	23,64
Ф2235	ZPS End mill, Ø3x8x57, Z4, λ 30°, SC, AlTiN, N S121612.030	23,64
Ф2236	ZPS End mill, Ø4,5x11x57, Z4, λ 30°, SC, AlTiN, N S121602.045	23,64
Ф2237	ZPS End mill, Ø4,5x11x57, Z4, λ 30°, SC, AlTiN, N S121612.045	23,64
Ф2238	ZPS End mill, Ø4x11x57, Z4, λ 30°, SC, AlTiN, N S121602.040	23,64
Ф2239	ZPS End mill, Ø4x11x57, Z4, λ 30°, SC, AlTiN, N S121612.040	23,64
Ф2240	ZPS End mill, Ø5x13x57, Z4, λ 30°, SC, AlTiN, N S121602.050	23,64
Ф2241	ZPS End mill, Ø5x13x57, Z4, λ 30°, SC, AlTiN, N S121612.050	23,64
Ф2242	ZPS End mill, Ø6x13x57, Z4, λ 30°, SC, AlTiN, N S121602.060	23,64
Ф2243	ZPS End mill, Ø6x13x57, Z4, λ 30°, SC, AlTiN, N S121612.060	23,64
Ф2244	ZPS End mill, Ø8x19x63, Z4, λ 30°, SC, AlTiN, N S121602.080	29,48
Ф2245	ZPS End mill, Ø8x19x63, Z4, λ 30°, SC, AlTiN, N S121612.080	29,48
Ф2246	Номер по каталогу производителя: S1316	
Ф2247	ZPS End mill, Ø10x22x72, Z6, λ 45°, SC, AlTiN, H S131602.100	48,19
Ф2248	ZPS End mill, Ø10x22x72, Z6, λ 45°, SC, AlTiN, H S131612.100	48,19
Ф2249	ZPS End mill, Ø12x26x83, Z6, λ 45°, SC, AlTiN, H S131602.120	68,46
Ф2250	ZPS End mill, Ø12x26x83, Z6, λ 45°, SC, AlTiN, H S131612.120	68,46
Ф2251	ZPS End mill, Ø14x26x83, Z6, λ 45°, SC, AlTiN, H S131602.140	85,53
Ф2252	ZPS End mill, Ø14x26x83, Z6, λ 45°, SC, AlTiN, H S131612.140	85,53
Ф2253	ZPS End mill, Ø16x32x92, Z6, λ 45°, SC, AlTiN, H S131602.160	115,13
Ф2254	ZPS End mill, Ø16x32x92, Z6, λ 45°, SC, AlTiN, H S131612.160	115,13
Ф2255	ZPS End mill, Ø18x32x92, Z8, λ 45°, SC, AlTiN, H S131602.180	144,28
Ф2256	ZPS End mill, Ø18x32x92, Z8, λ 45°, SC, AlTiN, H S131612.180	144,28
Ф2257	ZPS End mill, Ø20x38x104, Z8, λ 45°, SC, AlTiN, H S131602.200	172,13
Ф2258	ZPS End mill, Ø20x38x104, Z8, λ 45°, SC, AlTiN, H S131612.200	172,13
Ф2259	ZPS End mill, Ø6x13x57, Z6, λ 45°, SC, AlTiN, H S131602.060	25,89
Ф2260	ZPS End mill, Ø6x13x57, Z6, λ 45°, SC, AlTiN, H S131612.060	25,89
Ф2261	ZPS End mill, Ø8x19x63, Z6, λ 45°, SC, AlTiN, H S131602.080	35,72
Ф2262	ZPS End mill, Ø8x19x63, Z6, λ 45°, SC, AlTiN, H S131612.080	35,72
Ф2263	Номер по каталогу производителя: S1404	
Ф2264	ZPS End mill, Ø10x11x66, Z3, λ 45°, SC, AlTiN, N S140402.100	34,88
Ф2265	ZPS End mill, Ø10x11x66, Z3, λ 45°, SC, AlTiN, N S140412.100	34,88
Ф2266	ZPS End mill, Ø12x12x73, Z3, λ 45°, SC, AlTiN, N S140402.120	49,87
Ф2267	ZPS End mill, Ø12x12x73, Z3, λ 45°, SC, AlTiN, N S140412.120	49,87

Φ2268	ZPS End mill, Ø14x14x75, Z3, λ 45°, SC, AlTiN, N S140402.140	71,38
Φ2269	ZPS End mill, Ø14x14x75, Z3, λ 45°, SC, AlTiN, N S140412.140	71,38
Φ2270	ZPS End mill, Ø16x16x82, Z3, λ 45°, SC, AlTiN, N S140402.160	84,02
Φ2271	ZPS End mill, Ø16x16x82, Z3, λ 45°, SC, AlTiN, N S140412.160	84,02
Φ2272	ZPS End mill, Ø18x18x84, Z3, λ 45°, SC, AlTiN, N S140402.180	116,20
Φ2273	ZPS End mill, Ø18x18x84, Z3, λ 45°, SC, AlTiN, N S140412.180	116,20
Φ2274	ZPS End mill, Ø20x20x92, Z3, λ 45°, SC, AlTiN, N S140402.200	130,85
Φ2275	ZPS End mill, Ø20x20x92, Z3, λ 45°, SC, AlTiN, N S140412.200	130,85
Φ2276	ZPS End mill, Ø3,5x4x50, Z3, λ 45°, SC, AlTiN, N S140402.035	19,09
Φ2277	ZPS End mill, Ø3,5x4x50, Z3, λ 45°, SC, AlTiN, N S140412.035	19,09
Φ2278	ZPS End mill, Ø3x4x50, Z3, λ 45°, SC, AlTiN, N S140402.030	19,09
Φ2279	ZPS End mill, Ø3x4x50, Z3, λ 45°, SC, AlTiN, N S140412.030	19,09
Φ2280	ZPS End mill, Ø4,5x5x54, Z3, λ 45°, SC, AlTiN, N S140402.045	19,49
Φ2281	ZPS End mill, Ø4,5x5x54, Z3, λ 45°, SC, AlTiN, N S140412.045	19,49
Φ2282	ZPS End mill, Ø4x5x54, Z3, λ 45°, SC, AlTiN, N S140402.040	19,49
Φ2283	ZPS End mill, Ø4x5x54, Z3, λ 45°, SC, AlTiN, N S140412.040	19,49
Φ2284	ZPS End mill, Ø5x6x54, Z3, λ 45°, SC, AlTiN, N S140402.050	19,49
Φ2285	ZPS End mill, Ø5x6x54, Z3, λ 45°, SC, AlTiN, N S140412.050	19,49
Φ2286	ZPS End mill, Ø6x7x54, Z3, λ 45°, SC, AlTiN, N S140402.060	19,49
Φ2287	ZPS End mill, Ø6x7x54, Z3, λ 45°, SC, AlTiN, N S140412.060	19,49
Φ2288	ZPS End mill, Ø8x9x58, Z3, λ 45°, SC, AlTiN, N S140402.080	25,33
Φ2289	ZPS End mill, Ø8x9x58, Z3, λ 45°, SC, AlTiN, N S140412.080	25,33
Φ2290	Номер по каталогу производителя: S1406	
Φ2291	ZPS End mill, Ø10x14x66, Z4, λ 35°-38°, SC, AlCrN, N S140602N.100	54,31
Φ2292	ZPS End mill, Ø10x14x66, Z4, λ 35°-38°, SC, AlCrN, N S140612N.100	54,31
Φ2293	ZPS End mill, Ø12x16x73, Z4, λ 35°-38°, SC, AlCrN, N S140602N.120	68,52
Φ2294	ZPS End mill, Ø12x16x73, Z4, λ 35°-38°, SC, AlCrN, N S140612N.120	68,52
Φ2295	ZPS End mill, Ø14x18x75, Z4, λ 35°-38°, SC, AlCrN, N S140602N.140	93,73
Φ2296	ZPS End mill, Ø14x18x75, Z4, λ 35°-38°, SC, AlCrN, N S140612N.140	93,73
Φ2297	ZPS End mill, Ø16x22x82, Z4, λ 35°-38°, SC, AlCrN, N S140602N.160	112,15
Φ2298	ZPS End mill, Ø16x22x82, Z4, λ 35°-38°, SC, AlCrN, N S140612N.160	112,15
Φ2299	ZPS End mill, Ø18x24x84, Z4, λ 35°-38°, SC, AlCrN, N S140602N.180	147,08
Φ2300	ZPS End mill, Ø18x24x84, Z4, λ 35°-38°, SC, AlCrN, N S140612N.180	147,08
Φ2301	ZPS End mill, Ø20x26x92, Z4, λ 35°-38°, SC, AlCrN, N S140602N.200	163,37
Φ2302	ZPS End mill, Ø20x26x92, Z4, λ 35°-38°, SC, AlCrN, N S140612N.200	163,37
Φ2303	ZPS End mill, Ø3,5x6x50, Z4, λ 35°-38°, SC, AlCrN, N S140602N.035	28,25
Φ2304	ZPS End mill, Ø3,5x6x50, Z4, λ 35°-38°, SC, AlCrN, N S140612N.035	28,25
Φ2305	ZPS End mill, Ø3x5x50, Z4, λ 35°-38°, SC, AlCrN, N S140602N.030	28,25
Φ2306	ZPS End mill, Ø3x5x50, Z4, λ 35°-38°, SC, AlCrN, N S140612N.030	28,25
Φ2307	ZPS End mill, Ø4,5x8x54, Z4, λ 35°-38°, SC, AlCrN, N S140602N.045	28,70
Φ2308	ZPS End mill, Ø4,5x8x54, Z4, λ 35°-38°, SC, AlCrN, N S140612N.045	28,70
Φ2309	ZPS End mill, Ø4x8x54, Z4, λ 35°-38°, SC, AlCrN, N S140602N.040	28,70
Φ2310	ZPS End mill, Ø4x8x54, Z4, λ 35°-38°, SC, AlCrN, N S140612N.040	28,70
Φ2311	ZPS End mill, Ø5x9x54, Z4, λ 35°-38°, SC, AlCrN, N S140602N.050	28,70
Φ2312	ZPS End mill, Ø5x9x54, Z4, λ 35°-38°, SC, AlCrN, N S140612N.050	28,70
Φ2313	ZPS End mill, Ø6x10x54, Z4, λ 35°-38°, SC, AlCrN, N S140602N.060	28,70
Φ2314	ZPS End mill, Ø6x10x54, Z4, λ 35°-38°, SC, AlCrN, N S140612N.060	28,70
Φ2315	ZPS End mill, Ø8x12x58, Z4, λ 35°-38°, SC, AlCrN, N S140602N.080	36,73
Φ2316	ZPS End mill, Ø8x12x58, Z4, λ 35°-38°, SC, AlCrN, N S140612N.080	36,73
Φ2317	Номер по каталогу производителя: S1414	
Φ2318	ZPS End mill, Ø10x19x72, Z3, λ 45°, SC, AlTiN, N S141402.100	38,41
Φ2319	ZPS End mill, Ø10x19x72, Z3, λ 45°, SC, AlTiN, N S141412.100	38,41
Φ2320	ZPS End mill, Ø12x22x83, Z3, λ 45°, SC, AlTiN, N S141402.120	57,06

Ф2321	ZPS End mill, Ø12x22x83, Z3, λ 45°, SC, AlTiN, N S141412.120	57,06
Ф2322	ZPS End mill, Ø14x22x83, Z3, λ 45°, SC, AlTiN, N S141402.140	79,07
Ф2323	ZPS End mill, Ø14x22x83, Z3, λ 45°, SC, AlTiN, N S141412.140	79,07
Ф2324	ZPS End mill, Ø16x26x92, Z3, λ 45°, SC, AlTiN, N S141402.160	96,20
Ф2325	ZPS End mill, Ø16x26x92, Z3, λ 45°, SC, AlTiN, N S141412.160	96,20
Ф2326	ZPS End mill, Ø18x26x92, Z3, λ 45°, SC, AlTiN, N S141402.180	126,25
Ф2327	ZPS End mill, Ø18x26x92, Z3, λ 45°, SC, AlTiN, N S141412.180	126,25
Ф2328	ZPS End mill, Ø20x32x104, Z3, λ 45°, SC, AlTiN, N S141402.200	149,55
Ф2329	ZPS End mill, Ø20x32x104, Z3, λ 45°, SC, AlTiN, N S141412.200	149,55
Ф2330	ZPS End mill, Ø3,5x7x57, Z3, λ 45°, SC, AlTiN, N S141402.035	21,90
Ф2331	ZPS End mill, Ø3,5x7x57, Z3, λ 45°, SC, AlTiN, N S141412.035	21,90
Ф2332	ZPS End mill, Ø3x7x57, Z3, λ 45°, SC, AlTiN, N S141402.030	21,90
Ф2333	ZPS End mill, Ø3x7x57, Z3, λ 45°, SC, AlTiN, N S141412.030	21,90
Ф2334	ZPS End mill, Ø4,5x8x57, Z3, λ 45°, SC, AlTiN, N S141402.045	21,90
Ф2335	ZPS End mill, Ø4,5x8x57, Z3, λ 45°, SC, AlTiN, N S141412.045	21,90
Ф2336	ZPS End mill, Ø4x8x57, Z3, λ 45°, SC, AlTiN, N S141402.040	21,90
Ф2337	ZPS End mill, Ø4x8x57, Z3, λ 45°, SC, AlTiN, N S141412.040	21,90
Ф2338	ZPS End mill, Ø5x10x57, Z3, λ 45°, SC, AlTiN, N S141402.050	21,90
Ф2339	ZPS End mill, Ø5x10x57, Z3, λ 45°, SC, AlTiN, N S141412.050	21,90
Ф2340	ZPS End mill, Ø6x10x57, Z3, λ 45°, SC, AlTiN, N S141402.060	21,90
Ф2341	ZPS End mill, Ø6x10x57, Z3, λ 45°, SC, AlTiN, N S141412.060	21,90
Ф2342	ZPS End mill, Ø8x16x63, Z3, λ 45°, SC, AlTiN, N S141402.080	27,91
Ф2343	ZPS End mill, Ø8x16x63, Z3, λ 45°, SC, AlTiN, N S141412.080	27,91
Ф2344	Номер по каталогу производителя: S1416	
Ф2345	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141602N.100	60,32
Ф2346	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141602R.10005	68,52
Ф2347	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141602R.10010	68,52
Ф2348	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141602R.10020	68,52
Ф2349	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141612N.100	60,32
Ф2350	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141612R.10005	68,52
Ф2351	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141612R.10010	68,52
Ф2352	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlCrN, N S141612R.10020	68,52
Ф2353	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlTiN, N S141602X.100	49,87
Ф2354	ZPS End mill, Ø10x22x72, Z4, λ 35°-38°, SC, AlTiN, N S141612X.100	49,87
Ф2355	ZPS End mill, Ø10x22x72, Z4, λ 36°-38°, SC, AlTiN, N S141602D.100	64,25
Ф2356	ZPS End mill, Ø10x22x72, Z4, λ 36°-38°, SC, AlTiN, N S141612D.100	64,25
Ф2357	ZPS End mill, Ø11, 7x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141602D.117	84,24
Ф2358	ZPS End mill, Ø11, 7x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141612D.117	84,24
Ф2359	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141602N.120	75,31
Ф2360	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141602R.12005	88,56
Ф2361	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141602R.12010	88,56
Ф2362	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141602R.12020	95,98
Ф2363	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141612N.120	75,31
Ф2364	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141612R.12005	88,56
Ф2365	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141612R.12010	88,56
Ф2366	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141612R.12020	95,98
Ф2367	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlTiN, N S141602X.120	65,88
Ф2368	ZPS End mill, Ø12x26x83, Z4, λ 35°-38°, SC, AlTiN, N S141612X.120	65,88
Ф2369	ZPS End mill, Ø12x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141602D.120	84,24
Ф2370	ZPS End mill, Ø12x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141612D.120	84,24
Ф2371	ZPS End mill, Ø13, 7x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141602D.137	108,39
Ф2372	ZPS End mill, Ø13, 7x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141612D.137	108,39
Ф2373	ZPS End mill, Ø14x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141602N.140	104,12

Φ2374	ZPS End mill, Ø14x26x83, Z4, λ 35°-38°, SC, AlCrN, N S141612N.140	104,12
Φ2375	ZPS End mill, Ø14x26x83, Z4, λ 35°-38°, SC, AlTiN, N S141602X.140	91,20
Φ2376	ZPS End mill, Ø14x26x83, Z4, λ 35°-38°, SC, AlTiN, N S141612X.140	91,20
Φ2377	ZPS End mill, Ø14x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141602D.140	108,39
Φ2378	ZPS End mill, Ø14x26x83, Z4, λ 36°-38°, SC, AlTiN, N S141612D.140	108,39
Φ2379	ZPS End mill, Ø15, 6x32x92, Z4, λ 36°-38°, SC, AlTiN, N S141602D.156	137,03
Φ2380	ZPS End mill, Ø15, 6x32x92, Z4, λ 36°-38°, SC, AlTiN, N S141612D.156	137,03
Φ2381	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141602N.160	123,22
Φ2382	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141602R.16005	140,74
Φ2383	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141602R.16010	140,74
Φ2384	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141602R.16020	144,33
Φ2385	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141612N.160	123,22
Φ2386	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141612R.16005	140,74
Φ2387	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141612R.16010	140,74
Φ2388	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141612R.16020	144,33
Φ2389	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlTiN, N S141602X.160	107,88
Φ2390	ZPS End mill, Ø16x32x92, Z4, λ 35°-38°, SC, AlTiN, N S141612X.160	107,88
Φ2391	ZPS End mill, Ø16x32x92, Z4, λ 36°-38°, SC, AlTiN, N S141602D.160	137,03
Φ2392	ZPS End mill, Ø16x32x92, Z4, λ 36°-38°, SC, AlTiN, N S141612D.160	137,03
Φ2393	ZPS End mill, Ø18x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141602N.180	161,63
Φ2394	ZPS End mill, Ø18x32x92, Z4, λ 35°-38°, SC, AlCrN, N S141612N.180	161,63
Φ2395	ZPS End mill, Ø18x32x92, Z4, λ 35°-38°, SC, AlTiN, N S141602X.180	149,33
Φ2396	ZPS End mill, Ø18x32x92, Z4, λ 35°-38°, SC, AlTiN, N S141612X.180	149,33
Φ2397	ZPS End mill, Ø19,5x38x104, Z4, λ 36°-38°, SC, AlTiN, N S141602D.195	208,30
Φ2398	ZPS End mill, Ø19,5x38x104, Z4, λ 36°-38°, SC, AlTiN, N S141612D.195	208,30
Φ2399	ZPS End mill, Ø20x38x104, Z4, λ 35°-38°, SC, AlCrN, N S141602N.200	187,80
Φ2400	ZPS End mill, Ø20x38x104, Z4, λ 35°-38°, SC, AlCrN, N S141612N.200	187,80
Φ2401	ZPS End mill, Ø20x38x104, Z4, λ 35°-38°, SC, AlTiN, N S141602X.200	173,48
Φ2402	ZPS End mill, Ø20x38x104, Z4, λ 35°-38°, SC, AlTiN, N S141612X.200	173,48
Φ2403	ZPS End mill, Ø20x38x104, Z4, λ 36°-38°, SC, AlTiN, N S141602D.200	208,30
Φ2404	ZPS End mill, Ø20x38x104, Z4, λ 36°-38°, SC, AlTiN, N S141612D.200	208,30
Φ2405	ZPS End mill, Ø3,5x10x57, Z4, λ 35°-38°, SC, AlCrN, N S141602N.035	30,72
Φ2406	ZPS End mill, Ø3,5x10x57, Z4, λ 35°-38°, SC, AlCrN, N S141612N.035	30,72
Φ2407	ZPS End mill, Ø3,5x10x57, Z4, λ 35°-38°, SC, AlTiN, N S141602X.035	23,87
Φ2408	ZPS End mill, Ø3,5x10x57, Z4, λ 35°-38°, SC, AlTiN, N S141612X.035	23,87
Φ2409	ZPS End mill, Ø3x8x57, Z4, λ 35°-38°, SC, AlCrN, N S141602N.030	30,72
Φ2410	ZPS End mill, Ø3x8x57, Z4, λ 35°-38°, SC, AlCrN, N S141612N.030	30,72
Φ2411	ZPS End mill, Ø3x8x57, Z4, λ 35°-38°, SC, AlTiN, N S141602X.030	23,87
Φ2412	ZPS End mill, Ø3x8x57, Z4, λ 35°-38°, SC, AlTiN, N S141612X.030	23,87
Φ2413	ZPS End mill, Ø4,5x11x57, Z4, λ 35°-38°, SC, AlCrN, N S141602N.045	30,72
Φ2414	ZPS End mill, Ø4,5x11x57, Z4, λ 35°-38°, SC, AlCrN, N S141612N.045	30,72
Φ2415	ZPS End mill, Ø4,5x11x57, Z4, λ 35°-38°, SC, AlTiN, N S141602X.045	23,87
Φ2416	ZPS End mill, Ø4,5x11x57, Z4, λ 35°-38°, SC, AlTiN, N S141612X.045	23,87
Φ2417	ZPS End mill, Ø4x11x57, Z4, λ 35°-38°, SC, AlCrN, N S141602N.040	30,72
Φ2418	ZPS End mill, Ø4x11x57, Z4, λ 35°-38°, SC, AlCrN, N S141612N.040	30,72
Φ2419	ZPS End mill, Ø4x11x57, Z4, λ 35°-38°, SC, AlTiN, N S141602X.040	23,87
Φ2420	ZPS End mill, Ø4x11x57, Z4, λ 35°-38°, SC, AlTiN, N S141612X.040	23,87
Φ2421	ZPS End mill, Ø5, 7x13x57, Z4, λ 36°-38°, SC, AlTiN, N S141602D.057	33,81
Φ2422	ZPS End mill, Ø5, 7x13x57, Z4, λ 36°-38°, SC, AlTiN, N S141612D.057	33,81
Φ2423	ZPS End mill, Ø5x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141602N.050	30,72
Φ2424	ZPS End mill, Ø5x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141612N.050	30,72
Φ2425	ZPS End mill, Ø5x13x57, Z4, λ 35°-38°, SC, AlTiN, N S141602X.050	23,87
Φ2426	ZPS End mill, Ø5x13x57, Z4, λ 35°-38°, SC, AlTiN, N S141612X.050	23,87

Φ2427	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141602N.060	30,72
Φ2428	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141602R.06005	35,27
Φ2429	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141602R.06010	35,27
Φ2430	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141612N.060	30,72
Φ2431	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141612R.06005	35,27
Φ2432	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlCrN, N S141612R.06010	35,27
Φ2433	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlTiN, N S141602X.060	23,87
Φ2434	ZPS End mill, Ø6x13x57, Z4, λ 35°-38°, SC, AlTiN, N S141612X.060	23,87
Φ2435	ZPS End mill, Ø6x13x57, Z4, λ 36°-38°, SC, AlTiN, N S141602D.060	33,81
Φ2436	ZPS End mill, Ø6x13x57, Z4, λ 36°-38°, SC, AlTiN, N S141612D.060	33,81
Φ2437	ZPS End mill, Ø7, 7x19x63, Z4, λ 36°-38°, SC, AlTiN, N S141602D.077	42,91
Φ2438	ZPS End mill, Ø7, 7x19x63, Z4, λ 36°-38°, SC, AlTiN, N S141612D.077	42,91
Φ2439	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlCrN, N S141602N.080	38,64
Φ2440	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlCrN, N S141602R.08005	45,49
Φ2441	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlCrN, N S141602R.08010	45,49
Φ2442	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlCrN, N S141612N.080	38,64
Φ2443	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlCrN, N S141612R.08005	45,49
Φ2444	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlCrN, N S141612R.08010	45,49
Φ2445	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlTiN, N S141602X.080	31,90
Φ2446	ZPS End mill, Ø8x19x63, Z4, λ 35°-38°, SC, AlTiN, N S141612X.080	31,90
Φ2447	ZPS End mill, Ø8x19x63, Z4, λ 36°-38°, SC, AlTiN, N S141602D.080	42,91
Φ2448	ZPS End mill, Ø8x19x63, Z4, λ 36°-38°, SC, AlTiN, N S141612D.080	42,91
Φ2449	ZPS End mill, Ø9, 7x22x72, Z4, λ 36°-38°, SC, AlTiN, N S141602D.097	64,25
Φ2450	ZPS End mill, Ø9, 7x22x72, Z4, λ 36°-38°, SC, AlTiN, N S141612D.097	64,25
Φ2451	Номер по каталогу производителя: S1516	
Φ2452	ZPS End mill, Ø10x22x72, Z4, λ 40°-42°, SC, AlCrN, N S151602.100	66,83
Φ2453	ZPS End mill, Ø10x22x72, Z4, λ 40°-42°, SC, AlCrN, N S151612.100	66,83
Φ2454	ZPS End mill, Ø12x26x83, Z4, λ 40°-42°, SC, AlCrN, N S151602.120	91,32
Φ2455	ZPS End mill, Ø12x26x83, Z4, λ 40°-42°, SC, AlCrN, N S151612.120	91,32
Φ2456	ZPS End mill, Ø14x26x83, Z4, λ 40°-42°, SC, AlCrN, N S151602.140	110,35
Φ2457	ZPS End mill, Ø14x26x83, Z4, λ 40°-42°, SC, AlCrN, N S151612.140	110,35
Φ2458	ZPS End mill, Ø16x32x92, Z4, λ 40°-42°, SC, AlCrN, N S151602.160	147,76
Φ2459	ZPS End mill, Ø16x32x92, Z4, λ 40°-42°, SC, AlCrN, N S151612.160	147,76
Φ2460	ZPS End mill, Ø18x32x92, Z4, λ 40°-42°, SC, AlCrN, N S151602.180	176,45
Φ2461	ZPS End mill, Ø18x32x92, Z4, λ 40°-42°, SC, AlCrN, N S151612.180	176,45
Φ2462	ZPS End mill, Ø20x38x104, Z4, λ 40°-42°, SC, AlCrN, N S151602.200	224,30
Φ2463	ZPS End mill, Ø20x38x104, Z4, λ 40°-42°, SC, AlCrN, N S151612.200	224,30
Φ2464	ZPS End mill, Ø3,5x10x57, Z4, λ 40°-42°, SC, AlCrN, N S151602.035	36,22
Φ2465	ZPS End mill, Ø3,5x10x57, Z4, λ 40°-42°, SC, AlCrN, N S151612.035	36,22
Φ2466	ZPS End mill, Ø3x8x57, Z4, λ 40°-42°, SC, AlCrN, N S151602.030	36,22
Φ2467	ZPS End mill, Ø3x8x57, Z4, λ 40°-42°, SC, AlCrN, N S151612.030	36,22
Φ2468	ZPS End mill, Ø4,5x11x57, Z4, λ 40°-42°, SC, AlCrN, N S151602.045	36,22
Φ2469	ZPS End mill, Ø4,5x11x57, Z4, λ 40°-42°, SC, AlCrN, N S151612.045	36,22
Φ2470	ZPS End mill, Ø4x11x57, Z4, λ 40°-42°, SC, AlCrN, N S151602.040	36,22
Φ2471	ZPS End mill, Ø4x11x57, Z4, λ 40°-42°, SC, AlCrN, N S151612.040	36,22
Φ2472	ZPS End mill, Ø5x13x57, Z4, λ 40°-42°, SC, AlCrN, N S151602.050	36,22
Φ2473	ZPS End mill, Ø5x13x57, Z4, λ 40°-42°, SC, AlCrN, N S151612.050	36,22
Φ2474	ZPS End mill, Ø6x13x57, Z4, λ 40°-42°, SC, AlCrN, N S151602.060	36,22
Φ2475	ZPS End mill, Ø6x13x57, Z4, λ 40°-42°, SC, AlCrN, N S151612.060	36,22
Φ2476	ZPS End mill, Ø8x19x63, Z4, λ 40°-42°, SC, AlCrN, N S151602.080	46,28
Φ2477	ZPS End mill, Ø8x19x63, Z4, λ 40°-42°, SC, AlCrN, N S151612.080	46,28
Φ2478	Номер по каталогу производителя: S1517	
Φ2479	ZPS End mill, Ø10x22x72, Z6, λ 45°, SC, AlCrN HPC S151702.100	56,95

Φ2480	ZPS End mill, Ø10x22x72, Z6, λ 45°, SC, AlCrN HPC S151712.100	56,95
Φ2481	ZPS End mill, Ø12x26x83, Z6, λ 45°, SC, AlCrN HPC S151702.120	80,87
Φ2482	ZPS End mill, Ø12x26x83, Z6, λ 45°, SC, AlCrN HPC S151712.120	80,87
Φ2483	ZPS End mill, Ø16x32x92, Z6, λ 45°, SC, AlCrN HPC S151702.160	136,02
Φ2484	ZPS End mill, Ø16x32x92, Z6, λ 45°, SC, AlCrN HPC S151712.160	136,02
Φ2485	ZPS End mill, Ø20x38x104, Z8, λ 45°, SC, AlCrN HPC S151702.200	203,41
Φ2486	ZPS End mill, Ø20x38x104, Z8, λ 45°, SC, AlCrN HPC S151712.200	203,41
Φ2487	ZPS End mill, Ø6x13x57, Z6, λ 45°, SC, AlCrN HPC S151702.060	30,61
Φ2488	ZPS End mill, Ø6x13x57, Z6, λ 45°, SC, AlCrN HPC S151712.060	30,61
Φ2489	ZPS End mill, Ø8x19x63, Z6, λ 45°, SC, AlCrN HPC S151702.080	42,29
Φ2490	ZPS End mill, Ø8x19x63, Z6, λ 45°, SC, AlCrN HPC S151712.080	42,29
Φ2491	DIN 844	
Φ2492	Номер по каталогу производителя: 1004	
Φ2493	ZPS End mill, Ø10x14x80, Z1, HSSCo5, W 100405.100	13,17
Φ2494	ZPS End mill, Ø10x14x80, Z1, HSSCo5, ZrN, W 100405.100 ZrN	22,90
Φ2495	ZPS End mill, Ø12x14x80, Z1, HSSCo5, W 100405.120	16,79
Φ2496	ZPS End mill, Ø12x14x80, Z1, HSSCo5, ZrN, W 100405.120 ZrN	26,58
Φ2497	ZPS End mill, Ø3x12x60, Z1, HSSCo5, W 100405.030	9,17
Φ2498	ZPS End mill, Ø3x12x60, Z1, HSSCo5, ZrN, W 100405.030 ZrN	12,04
Φ2499	ZPS End mill, Ø4x12x60, Z1, HSSCo5, W 100405.040	9,17
Φ2500	ZPS End mill, Ø4x12x60, Z1, HSSCo5, ZrN, W 100405.040 ZrN	12,98
Φ2501	ZPS End mill, Ø5x14x60, Z1, HSSCo5, W 100405.050	9,17
Φ2502	ZPS End mill, Ø5x14x60, Z1, HSSCo5, ZrN, W 100405.050 ZrN	13,92
Φ2503	ZPS End mill, Ø6x14x60, Z1, HSSCo5, W 100405.060	9,17
Φ2504	ZPS End mill, Ø6x14x60, Z1, HSSCo5, ZrN, W 100405.060 ZrN	14,79
Φ2505	ZPS End mill, Ø7x14x60, Z1, HSSCo5, W 100405.070	10,61
Φ2506	ZPS End mill, Ø7x14x60, Z1, HSSCo5, ZrN, W 100405.070 ZrN	17,22
Φ2507	ZPS End mill, Ø8x14x80, Z1, HSSCo5, W 100405.080	10,36
Φ2508	ZPS End mill, Ø8x14x80, Z1, HSSCo5, ZrN, W 100405.080 ZrN	18,16
Φ2509	ZPS End mill, Ø9x14x80, Z1, HSSCo5, W 100405.090	12,67
Φ2510	ZPS End mill, Ø9x14x80, Z1, HSSCo6, ZrN, W 100405.090 ZrN	21,40
Φ2511	Номер по каталогу производителя: 1014	
Φ2512	ZPS End mill, Ø4x16x80, Z1, HSSCo5, W 101405.040	14,29
Φ2513	ZPS End mill, Ø4x16x80, Z1, HSSCo5, ZrN, W 101405.040 ZrN	18,03
Φ2514	ZPS End mill, Ø5x16x120, Z1, HSSCo5, W 101405.050120	21,84
Φ2515	ZPS End mill, Ø5x16x120, Z1, HSSCo5, ZrN, W 101405.050120 ZrN	26,52
Φ2516	ZPS End mill, Ø5x16x80, Z1, HSSCo5, W 101405.050	14,29
Φ2517	ZPS End mill, Ø5x16x80, Z1, HSSCo5, ZrN, W 101405.050 ZrN	18,97
Φ2518	ZPS End mill, Ø6x16x90, Z1, HSSCo5, W 101405.060	14,29
Φ2519	ZPS End mill, Ø6x16x90, Z1, HSSCo5, ZrN, W 101405.060 ZrN	19,91
Φ2520	ZPS End mill, Ø8x16x120, Z1, HSSCo5, W 101405.080120	29,70
Φ2521	ZPS End mill, Ø8x16x120, Z1, HSSCo5, ZrN, W 101405.080120 ZrN	37,25
Φ2522	ZPS End mill, Ø8x30x100, Z1, HSSCo5, W 101405.080	21,59
Φ2523	ZPS End mill, Ø8x30x100, Z1, HSSCo5, ZrN, W 101405.080 ZrN	29,14
Φ2524	Номер по каталогу производителя: 1044	
Φ2525	ZPS End mill, Ø10x22x72, Z3, HSSCo8, NR-F 104418P.100	22,78
Φ2526	ZPS End mill, Ø10x22x72, Z3, HSSCo8, TiALN, NR-F 104418P.100 TiALN	28,20
Φ2527	ZPS End mill, Ø12x26x83, Z3, HSSCo8, NR-F 104418P.120	26,71
Φ2528	ZPS End mill, Ø12x26x83, Z3, HSSCo8, TiALN, NR-F 104418P.120 TiALN	33,32
Φ2529	ZPS End mill, Ø14x26x83, Z3, HSSCo8, NR-F 104418P.140	31,82
Φ2530	ZPS End mill, Ø14x26x83, Z3, HSSCo8, TiALN, NR-F 104418P.140 TiALN	39,37
Φ2531	ZPS End mill, Ø16x32x92, Z3, HSSCo8, NR-F 104418P.160	35,82
Φ2532	ZPS End mill, Ø16x32x92, Z3, HSSCo8, TiALN, NR-F 104418P.160 TiALN	44,49

Φ2533	ZPS End mill, Ø18x32x92, Z3, HSSCo8, NR-F 104418P.180	42,81
Φ2534	ZPS End mill, Ø18x32x92, Z3, HSSCo8, TiALN, NR-F 104418P.180 TiALN	52,60
Φ2535	ZPS End mill, Ø20x38x104, Z3, HSSCo8, NR-F 104418P.200	53,10
Φ2536	ZPS End mill, Ø20x38x104, Z3, HSSCo8, TiALN, NR-F 104418P.200 TiALN	63,90
Φ2537	ZPS End mill, Ø22x38x104, Z3, HSSCo8, NR-F 104418P.220	65,33
Φ2538	ZPS End mill, Ø22x38x104, Z3, HSSCo8, TiALN, NR-F 104418P.220 TiALN	77,31
Φ2539	ZPS End mill, Ø24x45x121, Z3, HSSCo8, NR-F 104418P.240	78,87
Φ2540	ZPS End mill, Ø24x45x121, Z3, HSSCo8, TiALN, NR-F 104418P.240 TiALN	91,98
Φ2541	ZPS End mill, Ø25x45x121, Z3, HSSCo8, NR-F 104418P.250	80,87
Φ2542	ZPS End mill, Ø25x45x121, Z3, HSSCo8, TiALN, NR-F 104418P.250 TiALN	94,47
Φ2543	ZPS End mill, Ø26x45x121, Z3, HSSCo8, NR-F 104418P.260	93,66
Φ2544	ZPS End mill, Ø26x45x121, Z3, HSSCo8, TiALN, NR-F 104418P.260 TiALN	107,76
Φ2545	ZPS End mill, Ø28x45x121, Z3, HSSCo8, NR-F 104418P.280	95,47
Φ2546	ZPS End mill, Ø28x45x121, Z3, HSSCo8, TiALN, NR-F 104418P.280 TiALN	110,64
Φ2547	ZPS End mill, Ø30x45x121, Z3, HSSCo8, NR-F 104418P.300	103,15
Φ2548	ZPS End mill, Ø30x45x121, Z3, HSSCo8, TiALN, NR-F 104418P.300 TiALN	119,43
Φ2549	ZPS End mill, Ø32x53x133, Z3, HSSCo8, NR-F 104418P.320	113,01
Φ2550	ZPS End mill, Ø32x53x133, Z3, HSSCo8, TiALN, NR-F 104418P.320 TiALN	130,35
Φ2551	ZPS End mill, Ø6x13x57, Z3, HSSCo8, NR-F 104418P.060	17,22
Φ2552	ZPS End mill, Ø6x13x57, Z3, HSSCo8, TiALN, NR-F 104418P.060 TiALN	20,47
Φ2553	ZPS End mill, Ø8x19x69, Z3, HSSCo8, NR-F 104418P.080	18,97
Φ2554	ZPS End mill, Ø8x19x69, Z3, HSSCo8, TiALN, NR-F 104418P.080 TiALN	23,28
Φ2555	ZPS End mill, Ø9x19x69, Z3, HSSCo8, NR-F 104418P.090	20,09
Φ2556	ZPS End mill, Ø9x19x69, Z3, HSSCo8, TiALN, NR-F 104418P.090 TiALN	25,02
Φ2557	Номер по каталогу производителя: 1054	
Φ2558	ZPS End mill, Ø10x45x95, Z3, HSSCo8, NR-F 105408P.100	25,58
Φ2559	ZPS End mill, Ø10x45x95, Z3, HSSCo8, NR-F 105418P.100	26,27
Φ2560	ZPS End mill, Ø10x45x95, Z3, HSSCo8, TiALN, NR-F 105408P.100 TiALN	31,01
Φ2561	ZPS End mill, Ø10x45x95, Z3, HSSCo8, TiALN, NR-F 105418P.100 TiALN	31,76
Φ2562	ZPS End mill, Ø12x53x110, Z3, HSSCo8, NR-F 105408P.120	29,95
Φ2563	ZPS End mill, Ø12x53x110, Z3, HSSCo8, NR-F 105418P.120	30,76
Φ2564	ZPS End mill, Ø12x53x110, Z3, HSSCo8, TiALN, NR-F 105408P.120 TiALN	36,57
Φ2565	ZPS End mill, Ø12x53x110, Z3, HSSCo8, TiALN, NR-F 105418P.120 TiALN	37,38
Φ2566	ZPS End mill, Ø14x53x110, Z3, HSSCo8, NR-F 105408P.140	35,82
Φ2567	ZPS End mill, Ø14x53x110, Z3, HSSCo8, NR-F 105418P.140	36,63
Φ2568	ZPS End mill, Ø14x53x110, Z3, HSSCo8, TiALN, NR-F 105408P.140 TiALN	43,43
Φ2569	ZPS End mill, Ø14x53x110, Z3, HSSCo8, TiALN, NR-F 105418P.140 TiALN	44,30
Φ2570	ZPS End mill, Ø16x63x123, Z3, HSSCo8, NR-F 105408P.160	42,62
Φ2571	ZPS End mill, Ø16x63x123, Z3, HSSCo8, NR-F 105418P.160	43,62
Φ2572	ZPS End mill, Ø16x63x123, Z3, HSSCo8, TiALN, NR-F 105408P.160 TiALN	51,36
Φ2573	ZPS End mill, Ø16x63x123, Z3, HSSCo8, TiALN, NR-F 105418P.160 TiALN	52,35
Φ2574	ZPS End mill, Ø18x63x123, Z3, HSSCo8, NR-F 105408P.180	51,04
Φ2575	ZPS End mill, Ø18x63x123, Z3, HSSCo8, NR-F 105418P.180	52,10
Φ2576	ZPS End mill, Ø18x63x123, Z3, HSSCo8, TiALN, NR-F 105408P.180 TiALN	60,90
Φ2577	ZPS End mill, Ø18x63x123, Z3, HSSCo8, TiALN, NR-F 105418P.180 TiALN	61,96
Φ2578	ZPS End mill, Ø20x75x141, Z3, HSSCo8, NR-F 105408P.200	63,34
Φ2579	ZPS End mill, Ø20x75x141, Z3, HSSCo8, NR-F 105418P.200	64,58
Φ2580	ZPS End mill, Ø20x75x141, Z3, HSSCo8, TiALN, NR-F 105408P.200 TiALN	74,19
Φ2581	ZPS End mill, Ø20x75x141, Z3, HSSCo8, TiALN, NR-F 105418P.200 TiALN	75,44
Φ2582	ZPS End mill, Ø22x75x141, Z3, HSSCo8, NR-F 105408P.220	90,98
Φ2583	ZPS End mill, Ø22x75x141, Z3, HSSCo8, NR-F 105418P.220	92,54
Φ2584	ZPS End mill, Ø22x75x141, Z3, HSSCo8, TiALN, NR-F 105408P.220 TiALN	102,90
Φ2585	ZPS End mill, Ø22x75x141, Z3, HSSCo8, TiALN, NR-F 105418P.220 TiALN	104,52

Φ2586	ZPS End mill, Ø24x90x166, Z3, HSSCo8, NR-F 105408P.240	103,58
Φ2587	ZPS End mill, Ø24x90x166, Z3, HSSCo8, NR-F 105418P.240	105,27
Φ2588	ZPS End mill, Ø24x90x166, Z3, HSSCo8, TiALN, NR-F 105408P.240 TiAIN	116,63
Φ2589	ZPS End mill, Ø24x90x166, Z3, HSSCo8, TiALN, NR-F 105418P.240 TiAIN	118,37
Φ2590	ZPS End mill, Ø25x90x166, Z3, HSSCo8, NR-F 105408P.250	106,45
Φ2591	ZPS End mill, Ø25x90x166, Z3, HSSCo8, NR-F 105418P.250	108,08
Φ2592	ZPS End mill, Ø25x90x166, Z3, HSSCo8, TiALN, NR-F 105408P.250 TiAIN	120,00
Φ2593	ZPS End mill, Ø25x90x166, Z3, HSSCo8, TiALN, NR-F 105418P.250 TiAIN	121,74
Φ2594	ZPS End mill, Ø26x90x166, Z3, HSSCo8, NR-F 105408P.260	122,12
Φ2595	ZPS End mill, Ø26x90x166, Z3, HSSCo8, NR-F 105418P.260	123,99
Φ2596	ZPS End mill, Ø26x90x166, Z3, HSSCo8, TiALN, NR-F 105408P.260 TiAIN	136,28
Φ2597	ZPS End mill, Ø26x90x166, Z3, HSSCo8, TiALN, NR-F 105418P.260 TiAIN	138,15
Φ2598	ZPS End mill, Ø28x90x166, Z3, HSSCo8, NR-F 105408P.280	129,17
Φ2599	ZPS End mill, Ø28x90x166, Z3, HSSCo8, NR-F 105418P.280	131,04
Φ2600	ZPS End mill, Ø28x90x166, Z3, HSSCo8, TiALN, NR-F 105408P.280 TiAIN	144,33
Φ2601	ZPS End mill, Ø28x90x166, Z3, HSSCo8, TiALN, NR-F 105418P.280 TiAIN	146,33
Φ2602	ZPS End mill, Ø30x90x166, Z3, HSSCo8, NR-F 105408P.300	146,33
Φ2603	ZPS End mill, Ø30x90x166, Z3, HSSCo8, NR-F 105418P.300	148,45
Φ2604	ZPS End mill, Ø30x90x166, Z3, HSSCo8, TiALN, NR-F 105408P.300 TiAIN	162,61
Φ2605	ZPS End mill, Ø30x90x166, Z3, HSSCo8, TiALN, NR-F 105418P.300 TiAIN	164,86
Φ2606	ZPS End mill, Ø32x106x186, Z3, HSSCo8, NR-F 105408P.320	161,55
Φ2607	ZPS End mill, Ø32x106x186, Z3, HSSCo8, NR-F 105418P.320	163,80
Φ2608	ZPS End mill, Ø32x106x186, Z3, HSSCo8, TiALN, NR-F 105408P.320 TiAIN	178,90
Φ2609	ZPS End mill, Ø32x106x186, Z3, HSSCo8, TiALN, NR-F 105418P.320 TiAIN	181,27
Φ2610	ZPS End mill, Ø6x24x68, Z3, HSSCo8, NR-F 105408P.060	20,40
Φ2611	ZPS End mill, Ø6x24x68, Z3, HSSCo8, NR-F 105418P.060	20,90
Φ2612	ZPS End mill, Ø6x24x68, Z3, HSSCo8, TiALN, NR-F 105408P.060 TiAIN	23,65
Φ2613	ZPS End mill, Ø6x24x68, Z3, HSSCo8, TiALN, NR-F 105418P.060 TiAIN	24,21
Φ2614	ZPS End mill, Ø8x38x88, Z3, HSSCo8, NR-F 105408P.080	24,21
Φ2615	ZPS End mill, Ø8x38x88, Z3, HSSCo8, NR-F 105418P.080	24,90
Φ2616	ZPS End mill, Ø8x38x88, Z3, HSSCo8, TiALN, NR-F 105408P.080 TiAIN	28,64
Φ2617	ZPS End mill, Ø8x38x88, Z3, HSSCo8, TiALN, NR-F 105418P.080 TiAIN	29,27
Φ2618	Номер по каталогу производителя: 1104	
Φ2619	ZPS End mill, Ø10x22x72, Z3, HSSCo8, TiAIN , W 110418.100 TiAIN	18,35
Φ2620	ZPS End mill, Ø10x22x72, Z3, HSSCo8, W 110418.100	12,67
Φ2621	ZPS End mill, Ø10x22x72, Z3, HSSCo8, ZrN, W 110418.100 ZrN	22,78
Φ2622	ZPS End mill, Ø12x26x83, Z3, HSSCo8, TiAIN , W 110418.120 TiAIN	22,03
Φ2623	ZPS End mill, Ø12x26x83, Z3, HSSCo8, W 110418.120	15,16
Φ2624	ZPS End mill, Ø12x26x83, Z3, HSSCo8, ZrN, W 110418.120 ZrN	27,33
Φ2625	ZPS End mill, Ø14x26x83, Z3, HSSCo8, TiAIN , W 110418.140 TiAIN	25,71
Φ2626	ZPS End mill, Ø14x26x83, Z3, HSSCo8, W 110418.140	17,72
Φ2627	ZPS End mill, Ø14x26x83, Z3, HSSCo8, ZrN, W 110418.140 ZrN	31,82
Φ2628	ZPS End mill, Ø15x26x83, Z3, HSSCo8, TiAIN , W 110418.150 TiAIN	30,76
Φ2629	ZPS End mill, Ø15x26x83, Z3, HSSCo8, W 110418.150	21,84
Φ2630	ZPS End mill, Ø15x26x83, Z3, HSSCo8, ZrN, W 110418.150 ZrN	37,75
Φ2631	ZPS End mill, Ø16x32x92, Z3, HSSCo8, TiAIN , W 110418.160 TiAIN	31,20
Φ2632	ZPS End mill, Ø16x32x92, Z3, HSSCo8, W 110418.160	22,09
Φ2633	ZPS End mill, Ø16x32x92, Z3, HSSCo8, ZrN, W 110418.160 ZrN	38,25
Φ2634	ZPS End mill, Ø18x32x92, Z3, HSSCo8, TiAIN , W 110418.180 TiAIN	37,50
Φ2635	ZPS End mill, Ø18x32x92, Z3, HSSCo8, W 110418.180	27,27
Φ2636	ZPS End mill, Ø18x32x92, Z3, HSSCo8, ZrN, W 110418.180 ZrN	45,49
Φ2637	ZPS End mill, Ø20x38x92, Z3, HSSCo8, TiAIN , W 110418.200 TiAIN	45,36
Φ2638	ZPS End mill, Ø20x38x92, Z3, HSSCo8, W 110418.200	33,95

Φ2639	ZPS End mill, Ø20x38x92, Z3, HSSCo8, ZrN, W 110418.200 ZrN	54,16
Φ2640	ZPS End mill, Ø2x7x51, Z3, HSSCo8, TiAlN , W 110418.020 TiAlN	9,48
Φ2641	ZPS End mill, Ø2x7x51, Z3, HSSCo8, W 110418.020	8,36
Φ2642	ZPS End mill, Ø2x7x51, Z3, HSSCo8, ZrN, W 110418.020 ZrN	10,30
Φ2643	ZPS End mill, Ø3x8x52, Z3, HSSCo8, TiAlN , W 110418.030 TiAlN	9,98
Φ2644	ZPS End mill, Ø3x8x52, Z3, HSSCo8, W 110418.030	8,36
Φ2645	ZPS End mill, Ø3x8x52, Z3, HSSCo8, ZrN, W 110418.030 ZrN	11,29
Φ2646	ZPS End mill, Ø4,5x11x55, Z3, HSSCo8, TiAlN , W 110418.045 TiAlN	10,80
Φ2647	ZPS End mill, Ø4,5x11x55, Z3, HSSCo8, W 110418.045	8,36
Φ2648	ZPS End mill, Ø4,5x11x55, Z3, HSSCo8, ZrN, W 110418.045 ZrN	12,73
Φ2649	ZPS End mill, Ø4x11x55, Z3, HSSCo8, TiAlN , W 110418.040 TiAlN	10,48
Φ2650	ZPS End mill, Ø4x11x55, Z3, HSSCo8, W 110418.040	8,36
Φ2651	ZPS End mill, Ø4x11x55, Z3, HSSCo8, ZrN, W 110418.040 ZrN	12,23
Φ2652	ZPS End mill, Ø5x13x57, Z3, HSSCo8, TiAlN , W 110418.050 TiAlN	11,11
Φ2653	ZPS End mill, Ø5x13x57, Z3, HSSCo8, W 110418.050	8,36
Φ2654	ZPS End mill, Ø5x13x57, Z3, HSSCo8, ZrN, W 110418.050 ZrN	13,23
Φ2655	ZPS End mill, Ø6x13x57, Z3, HSSCo8, TiAlN , W 110418.060 TiAlN	12,04
Φ2656	ZPS End mill, Ø6x13x57, Z3, HSSCo8, W 110418.060	8,80
Φ2657	ZPS End mill, Ø6x13x57, Z3, HSSCo8, ZrN, W 110418.060 ZrN	14,66
Φ2658	ZPS End mill, Ø7x16x66, Z3, HSSCo8, TiAlN , W 110418.070 TiAlN	15,60
Φ2659	ZPS End mill, Ø7x16x66, Z3, HSSCo8, W 110418.070	11,54
Φ2660	ZPS End mill, Ø7x16x66, Z3, HSSCo8, ZrN, W 110418.070 ZrN	18,78
Φ2661	ZPS End mill, Ø8x19x69, Z3, HSSCo8, TiAlN , W 110418.080 TiAlN	15,91
Φ2662	ZPS End mill, Ø8x19x69, Z3, HSSCo8, W 110418.080	11,36
Φ2663	ZPS End mill, Ø8x19x69, Z3, HSSCo8, ZrN, W 110418.080 ZrN	19,47
Φ2664	ZPS End mill, Ø9x19x69, Z3, HSSCo8, TiAlN , W 110418.090 TiAlN	17,85
Φ2665	ZPS End mill, Ø9x19x69, Z3, HSSCo8, W 110418.090	12,67
Φ2666	ZPS End mill, Ø9x19x69, Z3, HSSCo8, ZrN, W 110418.090 ZrN	21,84
Φ2667	Номер по каталогу производителя: 1114	
Φ2668	ZPS End mill, Ø10x45x95, Z3, HSSCo8, TiAlN , W 111418.100 TiAlN	21,84
Φ2669	ZPS End mill, Ø10x45x95, Z3, HSSCo8, W 111418.100	16,16
Φ2670	ZPS End mill, Ø10x45x95, Z3, HSSCo8, ZrN, W 111418.100 ZrN	26,15
Φ2671	ZPS End mill, Ø12x53x110, Z3, HSSCo8, TiAlN , W 111418.120 TiAlN	27,08
Φ2672	ZPS End mill, Ø12x53x110, Z3, HSSCo8, W 111418.120	20,34
Φ2673	ZPS End mill, Ø12x53x110, Z3, HSSCo8, ZrN, W 111418.120 ZrN	32,32
Φ2674	ZPS End mill, Ø14x53x110, Z3, HSSCo8, TiAlN , W 111418.140 TiAlN	31,64
Φ2675	ZPS End mill, Ø14x53x110, Z3, HSSCo8, W 111418.140	23,71
Φ2676	ZPS End mill, Ø14x53x110, Z3, HSSCo8, ZrN, W 111418.140 ZrN	37,69
Φ2677	ZPS End mill, Ø15x53x110, Z3, HSSCo8, TiAlN , W 111418.150 TiAlN	37,32
Φ2678	ZPS End mill, Ø15x53x110, Z3, HSSCo8, W 111418.150	28,33
Φ2679	ZPS End mill, Ø15x53x110, Z3, HSSCo8, ZrN, W 111418.150 ZrN	44,30
Φ2680	ZPS End mill, Ø16x63x123, Z3, HSSCo8, TiAlN , W 111418.160 TiAlN	37,32
Φ2681	ZPS End mill, Ø16x63x123, Z3, HSSCo8, W 111418.160	28,33
Φ2682	ZPS End mill, Ø16x63x123, Z3, HSSCo8, ZrN, W 111418.160 ZrN	44,30
Φ2683	ZPS End mill, Ø18x63x123, Z3, HSSCo8, TiAlN , W 111418.180 TiAlN	43,74
Φ2684	ZPS End mill, Ø18x63x123, Z3, HSSCo8, W 111418.180	33,57
Φ2685	ZPS End mill, Ø18x63x123, Z3, HSSCo8, ZrN, W 111418.180 ZrN	51,60
Φ2686	ZPS End mill, Ø20x75x141, Z3, HSSCo8, TiAlN , W 111418.200 TiAlN	53,16
Φ2687	ZPS End mill, Ø20x75x141, Z3, HSSCo8, W 111418.200	41,93
Φ2688	ZPS End mill, Ø20x75x141, Z3, HSSCo8, ZrN, W 111418.200 ZrN	61,90
Φ2689	ZPS End mill, Ø25x90x166, Z3, HSSCo8, TiAlN , W 111418.250 TiAlN	87,17
Φ2690	ZPS End mill, Ø25x90x166, Z3, HSSCo8, W 111418.250	73,07
Φ2691	ZPS End mill, Ø25x90x166, Z3, HSSCo8, ZrN, W 111418.250 ZrN	98,09

Ф2692	ZPS End mill, Ø30x90x166, Z3, HSSCo8, TiAlN , W 111418.300 TiAlN	119,25
Ф2693	ZPS End mill, Ø30x90x166, Z3, HSSCo8, W 111418.300	102,40
Ф2694	ZPS End mill, Ø30x90x166, Z3, HSSCo8, ZrN, W 111418.300 ZrN	132,35
Ф2695	ZPS End mill, Ø6x24x68, Z3, HSSCo8, TiAlN , W 111418.060 TiAlN	15,16
Ф2696	ZPS End mill, Ø6x24x68, Z3, HSSCo8, W 111418.060	11,79
Ф2697	ZPS End mill, Ø6x24x68, Z3, HSSCo8, ZrN, W 111418.060 ZrN	17,78
Ф2698	ZPS End mill, Ø7x30x80, Z3, HSSCo8, TiAlN , W 111418.070 TiAlN	18,97
Ф2699	ZPS End mill, Ø7x30x80, Z3, HSSCo8, W 111418.070	14,98
Ф2700	ZPS End mill, Ø7x30x80, Z3, HSSCo8, ZrN, W 111418.070 ZrN	22,09
Ф2701	ZPS End mill, Ø8x38x88, Z3, HSSCo8, TiAlN , W 111418.080 TiAlN	19,22
Ф2702	ZPS End mill, Ø8x38x88, Z3, HSSCo8, W 111418.080	14,66
Ф2703	ZPS End mill, Ø8x38x88, Z3, HSSCo8, ZrN, W 111418.080 ZrN	22,71
Ф2704	ZPS End mill, Ø9x38x88, Z3, HSSCo8, TiAlN , W 111418.090 TiAlN	21,28
Ф2705	ZPS End mill, Ø9x38x88, Z3, HSSCo8, W 111418.090	16,16
Ф2706	ZPS End mill, Ø9x38x88, Z3, HSSCo8, ZrN, W 111418.090 ZrN	25,15
Ф2707	Номер по каталогу производителя: 1144	
Ф2708	ZPS End mill, Ø10x22x72, Z3, HSSCo8, WR 114418.100	25,90
Ф2709	ZPS End mill, Ø10x22x72, Z3, HSSCo8, ZrN, WR 114418.100 ZrN	34,13
Ф2710	ZPS End mill, Ø12x26x83, Z3, HSSCo8, WR 114418.120	30,39
Ф2711	ZPS End mill, Ø12x26x83, Z3, HSSCo8, ZrN, WR 114418.120 ZrN	40,25
Ф2712	ZPS End mill, Ø16x32x92, Z3, HSSCo8, WR 114418.160	42,81
Ф2713	ZPS End mill, Ø16x32x92, Z3, HSSCo8, ZrN, WR 114418.160 ZrN	56,10
Ф2714	ZPS End mill, Ø20x38x104, Z3, HSSCo8, WR 114418.200	63,52
Ф2715	ZPS End mill, Ø20x38x104, Z3, HSSCo8, ZrN, WR 114418.200 ZrN	80,00
Ф2716	ZPS End mill, Ø6x13x57, Z3, HSSCo8, WR 114418.060	20,65
Ф2717	ZPS End mill, Ø6x13x57, Z3, HSSCo8, ZrN, WR 114418.060 ZrN	25,58
Ф2718	ZPS End mill, Ø8x19x69, Z3, HSSCo8, WR 114418.080	22,65
Ф2719	ZPS End mill, Ø8x19x69, Z3, HSSCo8, ZrN, WR 114418.080 ZrN	29,20
Ф2720	Номер по каталогу производителя: 1154	
Ф2721	ZPS End mill, Ø10x45x95, Z3, HSSCo8, WR 115418.100	30,51
Ф2722	ZPS End mill, Ø10x45x95, Z3, HSSCo8, ZrN, WR 115418.100 ZrN	38,75
Ф2723	ZPS End mill, Ø12x53x110, Z3, HSSCo8, WR 115418.120	35,69
Ф2724	ZPS End mill, Ø12x53x110, Z3, HSSCo8, ZrN, WR 115418.120 ZrN	45,61
Ф2725	ZPS End mill, Ø16x63x123, Z3, HSSCo8, WR 115418.160	50,61
Ф2726	ZPS End mill, Ø16x63x123, Z3, HSSCo8, ZrN, WR 115418.160 ZrN	63,84
Ф2727	ZPS End mill, Ø20x75x141, Z3, HSSCo8, WR 115418.200	74,94
Ф2728	ZPS End mill, Ø20x75x141, Z3, HSSCo8, ZrN, WR 115418.200 ZrN	91,42
Ф2729	ZPS End mill, Ø6x24x68, Z3, HSSCo8, WR 115418.060	24,27
Ф2730	ZPS End mill, Ø6x24x68, Z3, HSSCo8, ZrN, WR 115418.060 ZrN	29,20
Ф2731	ZPS End mill, Ø8x38x88, Z3, HSSCo8, WR 115418.080	28,95
Ф2732	ZPS End mill, Ø8x38x88, Z3, HSSCo8, ZrN, WR 115418.080 ZrN	35,57
Ф2733	Номер по каталогу производителя: 1204	
Ф2734	ZPS End mill, Ø10x22x72, Z3, HSSE-PM, AlTiN, N 120417.100 AlTiN	24,90
Ф2735	ZPS End mill, Ø12x26x83, Z3, HSSE-PM, AlTiN, N 120417.120 AlTiN	33,32
Ф2736	ZPS End mill, Ø16x32x92, Z3, HSSE-PM, AlTiN, N 120417.160 AlTiN	47,92
Ф2737	ZPS End mill, Ø18x32x92, Z3, HSSE-PM, AlTiN, N 120417.180 AlTiN	56,41
Ф2738	ZPS End mill, Ø20x38x92, Z3, HSSE-PM, AlTiN, N 120417.200 AlTiN	69,70
Ф2739	ZPS End mill, Ø2x7x51, Z3, HSSE-PM, AlTiN, N 120417.020 AlTiN	16,10
Ф2740	ZPS End mill, Ø3x8x52, Z3, HSSE-PM, AlTiN, N 120417.030 AlTiN	16,10
Ф2741	ZPS End mill, Ø4x11x55, Z3, HSSE-PM, AlTiN, N 120417.040 AlTiN	16,10
Ф2742	ZPS End mill, Ø5x13x57, Z3, HSSE-PM, AlTiN, N 120417.050 AlTiN	16,10
Ф2743	ZPS End mill, Ø6x13x57, Z3, HSSE-PM, AlTiN, N 120417.060 AlTiN	16,10
Ф2744	ZPS End mill, Ø7x16x66, Z3, HSSE-PM, AlTiN, N 120417.070 AlTiN	23,40

Ф2745	ZPS End mill, Ø8x19x69, Z3, HSSE-PM, AlTiN, N 120417.080 AlTiN	24,46
Ф2746	Номер по каталогу производителя: 1205	
Ф2747	ZPS End mill, Ø10,5x22x79, Z4, HSSCo8, N 120518.105	15,91
Ф2748	ZPS End mill, Ø10,5x22x79, Z4, HSSCo8, TiALN, N 120518.105 TiALN	22,21
Ф2749	ZPS End mill, Ø10x22x72, Z4, HSSCo8, N 120508.100	12,23
Ф2750	ZPS End mill, Ø10x22x72, Z4, HSSCo8, N 120518.100	12,29
Ф2751	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiALN, N 120508.100 TiALN	18,03
Ф2752	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiALN, N 120518.100 TiALN	17,97
Ф2753	ZPS End mill, Ø10x22x72, Z4, HSSE-PM, AlTiN, N 120517.100 AlTiN	25,46
Ф2754	ZPS End mill, Ø11x22x79, Z4, HSSCo8, N 120508.110	14,60
Ф2755	ZPS End mill, Ø11x22x79, Z4, HSSCo8, N 120518.110	15,16
Ф2756	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiALN, N 120508.110 TiALN	21,28
Ф2757	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiALN, N 120518.110 TiALN	21,53
Ф2758	ZPS End mill, Ø12x26x83, Z4, HSSCo8, N 120508.120	14,54
Ф2759	ZPS End mill, Ø12x26x83, Z4, HSSCo8, N 120518.120	14,73
Ф2760	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, N 120508.120 TiALN	21,47
Ф2761	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, N 120518.120 TiALN	21,47
Ф2762	ZPS End mill, Ø12x26x83, Z4, HSSE-PM, AlTiN, N 120517.120 AlTiN	30,39
Ф2763	ZPS End mill, Ø13x26x83, Z4, HSSCo8, N 120508.130	17,53
Ф2764	ZPS End mill, Ø13x26x83, Z4, HSSCo8, N 120518.130	17,72
Ф2765	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, N 120508.130 TiALN	25,33
Ф2766	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, N 120518.130 TiALN	25,21
Ф2767	ZPS End mill, Ø14x26x83, Z4, HSSCo8, N 120508.140	16,97
Ф2768	ZPS End mill, Ø14x26x83, Z4, HSSCo8, N 120518.140	17,22
Ф2769	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, N 120508.140 TiALN	25,02
Ф2770	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, N 120518.140 TiALN	25,08
Ф2771	ZPS End mill, Ø14x26x83, Z4, HSSE-PM, AlTiN, N 120517.140 AlTiN	35,57
Ф2772	ZPS End mill, Ø15x26x83, Z4, HSSCo8, N 120508.150	20,90
Ф2773	ZPS End mill, Ø15x26x83, Z4, HSSCo8, N 120518.150	21,09
Ф2774	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, N 120508.150 TiALN	29,76
Ф2775	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, N 120518.150 TiALN	29,70
Ф2776	ZPS End mill, Ø16x32x92, Z4, HSSCo8, N 120508.160	20,22
Ф2777	ZPS End mill, Ø16x32x92, Z4, HSSCo8, N 120518.160	20,53
Ф2778	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, N 120508.160 TiALN	29,45
Ф2779	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, N 120518.160 TiALN	29,52
Ф2780	ZPS End mill, Ø16x32x92, Z4, HSSE-PM, AlTiN, N 120517.160 AlTiN	43,37
Ф2781	ZPS End mill, Ø17x32x92, Z4, HSSCo8, N 120508.170	25,77
Ф2782	ZPS End mill, Ø17x32x92, Z4, HSSCo8, N 120518.170	26,02
Ф2783	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiALN, N 120508.170 TiALN	36,50
Ф2784	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiALN, N 120518.170 TiALN	35,76
Ф2785	ZPS End mill, Ø18x32x92, Z4, HSSCo8, N 120508.180	24,90
Ф2786	ZPS End mill, Ø18x32x92, Z4, HSSCo8, N 120518.180	25,27
Ф2787	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, N 120508.180 TiALN	35,32
Ф2788	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, N 120518.180 TiALN	35,38
Ф2789	ZPS End mill, Ø18x32x92, Z4, HSSE-PM, AlTiN, N 120517.180 AlTiN	53,04
Ф2790	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, N 120508.025	8,92
Ф2791	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, N 120518.025	8,99
Ф2792	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, TiALN, N 120508.025 TiALN	10,80
Ф2793	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, TiALN, N 120518.025 TiALN	10,36
Ф2794	ZPS End mill, Ø20x38x104, Z4, HSSCo8, N 120508.200	31,01
Ф2795	ZPS End mill, Ø20x38x104, Z4, HSSCo8, N 120518.200	31,51
Ф2796	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, N 120508.200 TiALN	42,56
Ф2797	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, N 120518.200 TiALN	42,74

Φ2798	ZPS End mill, Ø20x38x92, Z4, HSSE-PM, AlTiN, N 120517.200 AlTiN	65,33
Φ2799	ZPS End mill, Ø21x38x104, Z5, HSSCo8, N 120518.210	40,75
Φ2800	ZPS End mill, Ø21x38x104, Z5, HSSCo8, TiALN, N 120518.210 TiAIN	53,16
Φ2801	ZPS End mill, Ø22x38x104, Z5, HSSCo8, N 120508.220	40,81
Φ2802	ZPS End mill, Ø22x38x104, Z5, HSSCo8, N 120518.220	41,50
Φ2803	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiALN, N 120508.220 TiAIN	53,98
Φ2804	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiALN, N 120518.220 TiAIN	57,91
Φ2805	ZPS End mill, Ø24x45x121, Z5, HSSCo8, N 120518.240	51,67
Φ2806	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiALN, N 120518.240 TiAIN	65,21
Φ2807	ZPS End mill, Ø25x45x121, Z5, HSSCo8, N 120508.250	52,98
Φ2808	ZPS End mill, Ø25x45x121, Z5, HSSCo8, N 120518.250	53,73
Φ2809	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiALN, N 120508.250 TiAIN	67,95
Φ2810	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiALN, N 120518.250 TiAIN	67,77
Φ2811	ZPS End mill, Ø25x45x121, Z5, HSSE-PM, AlTiN, N 120517.250 AlTiN	101,03
Φ2812	ZPS End mill, Ø26x45x121, Z5, HSSCo8, N 120518.260	60,59
Φ2813	ZPS End mill, Ø26x45x121, Z5, HSSCo8, TiALN, N 120518.260 TiAIN	75,13
Φ2814	ZPS End mill, Ø28x45x121, Z5, HSSCo8, N 120508.280	59,72
Φ2815	ZPS End mill, Ø28x45x121, Z5, HSSCo8, N 120518.280	63,65
Φ2816	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiALN, N 120508.280 TiAIN	76,50
Φ2817	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiALN, N 120518.280 TiAIN	79,37
Φ2818	ZPS End mill, Ø2x7x51, Z3, HSSCo8, N 120508.020	8,92
Φ2819	ZPS End mill, Ø2x7x51, Z3, HSSCo8, N 120518.020	8,99
Φ2820	ZPS End mill, Ø2x7x51, Z3, HSSCo8, TiALN, N 120508.020 TiAIN	10,80
Φ2821	ZPS End mill, Ø2x7x51, Z3, HSSCo8, TiALN, N 120518.020 TiAIN	10,11
Φ2822	ZPS End mill, Ø2x7x51, Z4, HSSE-PM, AlTiN, N 120517.020 AlTiN	17,22
Φ2823	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, N 120508.035	8,17
Φ2824	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, N 120518.035	8,99
Φ2825	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, TiALN, N 120508.035 TiAIN	10,23
Φ2826	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, TiALN, N 120518.035 TiAIN	10,98
Φ2827	ZPS End mill, Ø30x45x121, Z5, HSSCo8, N 120508.300	67,20
Φ2828	ZPS End mill, Ø30x45x121, Z5, HSSCo8, N 120518.300	68,20
Φ2829	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiALN, N 120508.300 TiAIN	85,24
Φ2830	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiALN, N 120518.300 TiAIN	84,99
Φ2831	ZPS End mill, Ø30x45x121, Z5, HSSE-PM, AlTiN, N 120517.300 AlTiN	133,16
Φ2832	ZPS End mill, Ø32x53x133, Z6, HSSCo8, N 120508.320	69,45
Φ2833	ZPS End mill, Ø32x53x133, Z6, HSSCo8, N 120518.320	73,94
Φ2834	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiALN, N 120508.320 TiAIN	88,61
Φ2835	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiALN, N 120518.320 TiAIN	91,92
Φ2836	ZPS End mill, Ø34x53x133, Z6, HSSCo8, N 120518.340	121,18
Φ2837	ZPS End mill, Ø34x53x133, Z6, HSSCo8, TiALN, N 120518.340 TiAIN	147,83
Φ2838	ZPS End mill, Ø35x53x133, Z6, HSSCo8, N 120518.350	121,49
Φ2839	ZPS End mill, Ø35x53x133, Z6, HSSCo8, TiALN, N 120518.350 TiAIN	140,96
Φ2840	ZPS End mill, Ø36x53x133, Z6, HSSCo8, N 120518.360	129,73
Φ2841	ZPS End mill, Ø36x53x133, Z6, HSSCo8, TiALN, N 120518.360 TiAIN	149,76
Φ2842	ZPS End mill, Ø3x8x52, Z4, HSSCo8, N 120508.030	8,11
Φ2843	ZPS End mill, Ø3x8x52, Z4, HSSCo8, N 120518.030	8,24
Φ2844	ZPS End mill, Ø3x8x52, Z4, HSSCo8, TiALN, N 120508.030 TiAIN	9,86
Φ2845	ZPS End mill, Ø3x8x52, Z4, HSSCo8, TiALN, N 120518.030 TiAIN	9,86
Φ2846	ZPS End mill, Ø3x8x52, Z4, HSSE-PM, AlTiN, N 120517.030 AlTiN	17,22
Φ2847	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, N 120508.045	8,30
Φ2848	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, N 120518.045	9,17
Φ2849	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, TiALN, N 120508.045 TiAIN	11,04
Φ2850	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, TiALN, N 120518.045 TiAIN	11,73

Φ2851	ZPS End mill, Ø40x63x143, Z6, HSSCo8, N 120518.40032	162,74
Φ2852	ZPS End mill, Ø40x63x143, Z6, HSSCo8, TiALN, N 120518.40032 TiAlN	185,02
Φ2853	ZPS End mill, Ø4x11x55, Z4, HSSCo8, N 120508.040	8,17
Φ2854	ZPS End mill, Ø4x11x55, Z4, HSSCo8, N 120518.040	8,24
Φ2855	ZPS End mill, Ø4x11x55, Z4, HSSCo8, TiALN, N 120508.040 TiAlN	10,42
Φ2856	ZPS End mill, Ø4x11x55, Z4, HSSCo8, TiALN, N 120518.040 TiAlN	10,42
Φ2857	ZPS End mill, Ø4x11x55, Z4, HSSE-PM, AlTiN, N 120517.040 AlTiN	17,22
Φ2858	ZPS End mill, Ø5,5x13x57, Z4, HSSCo8, N 120508.055	8,17
Φ2859	ZPS End mill, Ø5,5x13x57, Z4, HSSCo8, N 120518.055	9,05
Φ2860	ZPS End mill, Ø5,5x13x57, Z4, HSSCo8, TiALN, N 120508.055 TiAlN	11,42
Φ2861	ZPS End mill, Ø5,5x13x57, Z4, HSSCo8, TiALN, N 120518.055 TiAlN	12,11
Φ2862	ZPS End mill, Ø5x13x57, Z4, HSSCo8, N 120508.050	8,17
Φ2863	ZPS End mill, Ø5x13x57, Z4, HSSCo8, N 120518.050	8,24
Φ2864	ZPS End mill, Ø5x13x57, Z4, HSSCo8, TiALN, N 120508.050 TiAlN	11,04
Φ2865	ZPS End mill, Ø5x13x57, Z4, HSSCo8, TiALN, N 120518.050 TiAlN	10,98
Φ2866	ZPS End mill, Ø5x13x57, Z4, HSSE-PM, AlTiN, N 120517.050 AlTiN	17,22
Φ2867	ZPS End mill, Ø6,5x16x66, Z4, HSSCo8, N 120508.065	10,92
Φ2868	ZPS End mill, Ø6,5x16x66, Z4, HSSCo8, N 120518.065	12,11
Φ2869	ZPS End mill, Ø6,5x16x66, Z4, HSSCo8, TiALN, N 120508.065 TiAlN	14,85
Φ2870	ZPS End mill, Ø6,5x16x66, Z4, HSSCo8, TiALN, N 120518.065 TiAlN	15,91
Φ2871	ZPS End mill, Ø6x13x57, Z4, HSSCo8, N 120508.060	8,17
Φ2872	ZPS End mill, Ø6x13x57, Z4, HSSCo8, N 120518.060	8,24
Φ2873	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, N 120508.060 TiAlN	11,61
Φ2874	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, N 120518.060 TiAlN	11,61
Φ2875	ZPS End mill, Ø6x13x57, Z4, HSSE-PM, AlTiN, N 120517.060 AlTiN	17,22
Φ2876	ZPS End mill, Ø7,5x16x66, Z4, HSSCo8, N 120508.075	10,92
Φ2877	ZPS End mill, Ø7,5x16x66, Z4, HSSCo8, N 120518.075	12,11
Φ2878	ZPS End mill, Ø7,5x16x66, Z4, HSSCo8, TiALN, N 120508.075 TiAlN	15,54
Φ2879	ZPS End mill, Ø7,5x16x66, Z4, HSSCo8, TiALN, N 120518.075 TiAlN	16,47
Φ2880	ZPS End mill, Ø7x16x66, Z4, HSSCo8, N 120508.070	10,36
Φ2881	ZPS End mill, Ø7x16x66, Z4, HSSCo8, N 120518.070	10,98
Φ2882	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, N 120508.070 TiAlN	14,35
Φ2883	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, N 120518.070 TiAlN	15,10
Φ2884	ZPS End mill, Ø8,5x19x69, Z4, HSSCo8, N 120508.085	12,60
Φ2885	ZPS End mill, Ø8,5x19x69, Z4, HSSCo8, N 120518.085	13,98
Φ2886	ZPS End mill, Ø8,5x19x69, Z4, HSSCo8, TiALN, N 120508.085 TiAlN	17,47
Φ2887	ZPS End mill, Ø8,5x19x69, Z4, HSSCo8, TiALN, N 120518.085 TiAlN	18,84
Φ2888	ZPS End mill, Ø8x19x69, Z4, HSSCo8, N 120508.080	10,36
Φ2889	ZPS End mill, Ø8x19x69, Z4, HSSCo8, N 120518.080	10,48
Φ2890	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, N 120508.080 TiAlN	14,91
Φ2891	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, N 120518.080 TiAlN	14,98
Φ2892	ZPS End mill, Ø8x19x69, Z4, HSSE-PM, AlTiN, N 120517.080 AlTiN	21,47
Φ2893	ZPS End mill, Ø9,5x19x69, Z4, HSSCo8, N 120508.095	12,60
Φ2894	ZPS End mill, Ø9,5x19x69, Z4, HSSCo8, N 120518.095	13,98
Φ2895	ZPS End mill, Ø9,5x19x69, Z4, HSSCo8, TiALN, N 120508.095 TiAlN	18,28
Φ2896	ZPS End mill, Ø9,5x19x69, Z4, HSSCo8, TiALN, N 120518.095 TiAlN	19,47
Φ2897	ZPS End mill, Ø9x19x69, Z4, HSSCo8, N 120508.090	12,17
Φ2898	ZPS End mill, Ø9x19x69, Z4, HSSCo8, N 120518.090	12,67
Φ2899	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, N 120508.090 TiAlN	17,35
Φ2900	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, N 120518.090 TiAlN	17,91
Φ2901	Номер по каталогу производителя: 1215	
Φ2902	ZPS End mill, Ø10x45x95, Z4, HSSCo8, N 121518.100	16,04
Φ2903	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiALN, N 121518.100 TiAlN	21,65

Φ2904	ZPS End mill, Ø10x45x95, Z4, HSSE-PM, AlTiN, N 121517.100 AlTiN	30,39
Φ2905	ZPS End mill, Ø11x45x102, Z4, HSSCo8, N 121518.110	20,47
Φ2906	ZPS End mill, Ø11x45x102, Z4, HSSCo8, TiALN, N 121518.110 TiAlN	26,83
Φ2907	ZPS End mill, Ø12x53x110, Z4, HSSCo8, N 121518.120	19,91
Φ2908	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiALN, N 121518.120 TiAlN	26,58
Φ2909	ZPS End mill, Ø12x53x110, Z4, HSSE-PM, AlTiN, N 121517.120 AlTiN	36,32
Φ2910	ZPS End mill, Ø13x53x110, Z4, HSSCo8, N 121518.130	24,40
Φ2911	ZPS End mill, Ø13x53x110, Z4, HSSCo8, TiALN, N 121518.130 TiAlN	31,89
Φ2912	ZPS End mill, Ø14x53x110, Z4, HSSCo8, N 121518.140	23,28
Φ2913	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiALN, N 121518.140 TiAlN	31,14
Φ2914	ZPS End mill, Ø14x53x110, Z4, HSSE-PM, AlTiN, N 121517.140 AlTiN	42,24
Φ2915	ZPS End mill, Ø15x53x110, Z4, HSSCo8, N 121518.150	29,02
Φ2916	ZPS End mill, Ø15x53x110, Z4, HSSCo8, TiALN, N 121518.150 TiAlN	37,88
Φ2917	ZPS End mill, Ø16x63x123, Z4, HSSCo8, N 121518.160	27,71
Φ2918	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiALN, N 121518.160 TiAlN	36,69
Φ2919	ZPS End mill, Ø16x63x123, Z4, HSSE-PM, AlTiN, N 121517.160 AlTiN	50,11
Φ2920	ZPS End mill, Ø18x63x123, Z4, HSSCo8, N 121518.180	32,26
Φ2921	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiALN, N 121518.180 TiAlN	42,24
Φ2922	ZPS End mill, Ø18x63x123, Z4, HSSE-PM, AlTiN, N 121517.180 AlTiN	60,96
Φ2923	ZPS End mill, Ø20x75x141, Z4, HSSCo8, N 121518.200	39,31
Φ2924	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiALN, N 121518.200 TiAlN	50,48
Φ2925	ZPS End mill, Ø20x75x141, Z4, HSSE-PM, AlTiN, N 121517.200 AlTiN	75,13
Φ2926	ZPS End mill, Ø22x75x141, Z5, HSSCo8, N 121518.220	51,54
Φ2927	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiALN, N 121518.220 TiAlN	63,71
Φ2928	ZPS End mill, Ø24x90x166, Z5, HSSCo8, N 121518.240	62,96
Φ2929	ZPS End mill, Ø24x90x166, Z5, HSSCo8, TiALN, N 121518.240 TiAlN	76,38
Φ2930	ZPS End mill, Ø25x90x166, Z5, HSSCo8, N 121518.250	66,71
Φ2931	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiALN, N 121518.250 TiAlN	80,68
Φ2932	ZPS End mill, Ø26x90x166, Z5, HSSCo8, N 121518.260	73,82
Φ2933	ZPS End mill, Ø26x90x166, Z5, HSSCo8, TiALN, N 121518.260 TiAlN	88,30
Φ2934	ZPS End mill, Ø28x90x166, Z5, HSSCo8, N 121518.280	75,25
Φ2935	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiALN, N 121518.280 TiAlN	90,85
Φ2936	ZPS End mill, Ø2x10x54, Z3, HSSCo8, N 121518.020	9,98
Φ2937	ZPS End mill, Ø2x10x54, Z3, HSSCo8, TiALN, N 121518.020 TiAlN	12,67
Φ2938	ZPS End mill, Ø3,5x15x59, Z4, HSSCo8, N 121518.035	11,04
Φ2939	ZPS End mill, Ø3,5x15x59, Z4, HSSCo8, TiALN, N 121518.035 TiAlN	13,92
Φ2940	ZPS End mill, Ø30x90x166, Z5, HSSCo8, N 121518.300	84,68
Φ2941	ZPS End mill, Ø30x90x166, Z5, HSSCo8, TiALN, N 121518.300 TiAlN	101,40
Φ2942	ZPS End mill, Ø32x106x186, Z6, HSSCo8, N 121518.320	87,92
Φ2943	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiALN, N 121518.320 TiAlN	105,83
Φ2944	ZPS End mill, Ø32x106x186, Z6, HSSE-PM, AlTiN, N 121517.320 AlTiN	161,49
Φ2945	ZPS End mill, Ø36x106x186, Z6, HSSCo8, N 121518.360	157,50
Φ2946	ZPS End mill, Ø36x106x186, Z6, HSSCo8, TiALN, N 121518.360 TiAlN	177,47
Φ2947	ZPS End mill, Ø3x12x56, Z4, HSSCo8, N 121518.030	9,98
Φ2948	ZPS End mill, Ø3x12x56, Z4, HSSCo8, TiALN, N 121518.030 TiAlN	13,17
Φ2949	ZPS End mill, Ø3x12x56, Z4, HSSE-PM, AlTiN, N 121517.030 AlTiN	19,41
Φ2950	ZPS End mill, Ø4,5x19x63, Z4, HSSCo8, N 121518.045	11,23
Φ2951	ZPS End mill, Ø4,5x19x63, Z4, HSSCo8, TiALN, N 121518.045 TiAlN	14,35
Φ2952	ZPS End mill, Ø4x19x63, Z4, HSSCo8, N 121518.040	10,30
Φ2953	ZPS End mill, Ø4x19x63, Z4, HSSCo8, TiALN, N 121518.040 TiAlN	13,60
Φ2954	ZPS End mill, Ø5,5x24x68, Z4, HSSCo8, N 121518.055	11,54
Φ2955	ZPS End mill, Ø5,5x24x68, Z4, HSSCo8, TiALN, N 121518.055 TiAlN	14,54
Φ2956	ZPS End mill, Ø5x24x68, Z4, HSSCo8, N 121518.050	10,48

Φ2957	ZPS End mill, Ø5x24x68, Z4, HSSCo8, TiALN, N 121518.050 TiAlN	13,23
Φ2958	ZPS End mill, Ø6x24x68, Z4, HSSCo8, N 121518.060	10,80
Φ2959	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiALN, N 121518.060 TiAlN	14,16
Φ2960	ZPS End mill, Ø6x24x68, Z4, HSSE-PM, AlTiN, N 121517.060 AlTiN	20,53
Φ2961	ZPS End mill, Ø7x30x80, Z4, HSSCo8, N 121518.070	13,79
Φ2962	ZPS End mill, Ø7x30x80, Z4, HSSCo8, TiALN, N 121518.070 TiAlN	17,72
Φ2963	ZPS End mill, Ø8x38x88, Z4, HSSCo8, N 121518.080	13,79
Φ2964	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiALN, N 121518.080 TiAlN	18,28
Φ2965	ZPS End mill, Ø8x38x88, Z4, HSSE-PM, AlTiN, N 121517.080 AlTiN	25,71
Φ2966	ZPS End mill, Ø9x38x88, Z4, HSSCo8, N 121518.090	16,04
Φ2967	ZPS End mill, Ø9x38x88, Z4, HSSCo8, TiALN, N 121518.090 TiAlN	21,09
Φ2968	Номер по каталогу производителя: 1245	
Φ2969	ZPS End mill, Ø10x22x72, Z4, HSSCo8, NR 124518.100	21,03
Φ2970	ZPS End mill, Ø10x22x72, Z4, HSSCo8, NR-F 124518P.100	23,03
Φ2971	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiALN, NR 124518.100 TiAlN	26,46
Φ2972	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiALN, NR-F 124518P.100 TiAlN	28,52
Φ2973	ZPS End mill, Ø10x22x72, Z4, HSSE-PM, AlTiN, NR 124517.100 AlTiN	36,00
Φ2974	ZPS End mill, Ø11x22x79, Z4, HSSCo8, NR 124518.110	24,71
Φ2975	ZPS End mill, Ø11x22x79, Z4, HSSCo8, NR-F 124518P.110	26,21
Φ2976	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiALN, NR 124518.110 TiAlN	30,70
Φ2977	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiALN, NR-F 124518P.110 TiAlN	32,26
Φ2978	ZPS End mill, Ø12x26x83, Z4, HSSCo8, NR 124518.120	24,71
Φ2979	ZPS End mill, Ø12x26x83, Z4, HSSCo8, NR-F 124518P.120	26,21
Φ2980	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, NR 124518.120 TiAlN	31,26
Φ2981	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, NR-F 124518P.120 TiAlN	32,76
Φ2982	ZPS End mill, Ø12x26x83, Z4, HSSE-PM, AlTiN, NR 124517.120 AlTiN	41,50
Φ2983	ZPS End mill, Ø13x26x83, Z4, HSSCo8, NR 124518.130	30,14
Φ2984	ZPS End mill, Ø13x26x83, Z4, HSSCo8, NR-F 124518P.130	33,88
Φ2985	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, NR 124518.130 TiAlN	36,88
Φ2986	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, NR-F 124518P.130 TiAlN	41,25
Φ2987	ZPS End mill, Ø14x26x83, Z4, HSSCo8, NR 124518.140	29,83
Φ2988	ZPS End mill, Ø14x26x83, Z4, HSSCo8, NR-F 124518P.140	32,64
Φ2989	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, NR 124518.140 TiAlN	37,44
Φ2990	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, NR-F 124518P.140 TiAlN	40,25
Φ2991	ZPS End mill, Ø14x26x83, Z4, HSSE-PM, AlTiN, NR 124517.140 AlTiN	49,05
Φ2992	ZPS End mill, Ø15x26x83, Z4, HSSCo8, NR 124518.150	35,57
Φ2993	ZPS End mill, Ø15x26x83, Z4, HSSCo8, NR-F 124518P.150	38,81
Φ2994	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, NR 124518.150 TiAlN	43,37
Φ2995	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, NR-F 124518P.150 TiAlN	47,24
Φ2996	ZPS End mill, Ø16x32x92, Z4, HSSCo8, NR 124518.160	34,94
Φ2997	ZPS End mill, Ø16x32x92, Z4, HSSCo8, NR-F 124518P.160	37,38
Φ2998	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, NR 124518.160 TiAlN	43,62
Φ2999	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, NR-F 124518P.160 TiAlN	45,99
Φ3000	ZPS End mill, Ø16x32x92, Z4, HSSE-PM, AlTiN, NR 124517.160 AlTiN	58,03
Φ3001	ZPS End mill, Ø17x32x92, Z4, HSSCo8, NR 124518.170	42,68
Φ3002	ZPS End mill, Ø17x32x92, Z4, HSSCo8, NR-F 124518P.170	46,49
Φ3003	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiALN, NR 124518.170 TiAlN	51,48
Φ3004	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiALN, NR-F 124518P.170 TiAlN	56,10
Φ3005	ZPS End mill, Ø18x32x92, Z4, HSSCo8, NR 124518.180	41,81
Φ3006	ZPS End mill, Ø18x32x92, Z4, HSSCo8, NR-F 124518P.180	44,80
Φ3007	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, NR 124518.180 TiAlN	51,60
Φ3008	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, NR-F 124518P.180 TiAlN	54,60
Φ3009	ZPS End mill, Ø18x32x92, Z4, HSSE-PM, AlTiN, NR 124517.180 AlTiN	68,64

Φ3010	ZPS End mill, Ø19x32x92, Z4, HSSCo8, NR 124518.190	56,16
Φ3011	ZPS End mill, Ø19x32x92, Z4, HSSCo8, TiALN, NR 124518.190 TiAlN	66,89
Φ3012	ZPS End mill, Ø20x38x104, Z4, HSSCo8, NR 124518.200	51,79
Φ3013	ZPS End mill, Ø20x38x104, Z4, HSSCo8, NR-F 124518P.200	54,97
Φ3014	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, NR 124518.200 TiAlN	62,65
Φ3015	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, NR-F 124518P.200 TiAlN	65,83
Φ3016	ZPS End mill, Ø20x38x104, Z4, HSSE-PM, AlTiN, NR 124517.200 AlTiN	84,99
Φ3017	ZPS End mill, Ø21x38x104, Z4, HSSCo8, NR 124518.210	62,15
Φ3018	ZPS End mill, Ø21x38x104, Z4, HSSCo8, TiALN, NR 124518.210 TiAlN	73,57
Φ3019	ZPS End mill, Ø22x38x104, Z5, HSSCo8, NR 124518.220	62,15
Φ3020	ZPS End mill, Ø22x38x104, Z5, HSSCo8, NR-F 124518P.220	65,96
Φ3021	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiALN, NR 124518.220 TiAlN	74,13
Φ3022	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiALN, NR-F 124518P.220 TiAlN	77,88
Φ3023	ZPS End mill, Ø22x38x104, Z5, HSSE-PM, AlTiN, NR 124517.220 AlTiN	98,28
Φ3024	ZPS End mill, Ø24x45x121, Z5, HSSCo8, NR 124518.240	77,63
Φ3025	ZPS End mill, Ø24x45x121, Z5, HSSCo8, NR-F 124518P.240	82,31
Φ3026	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiALN, NR 124518.240 TiAlN	90,67
Φ3027	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiALN, NR-F 124518P.240 TiAlN	95,41
Φ3028	ZPS End mill, Ø25x45x121, Z5, HSSCo8, NR 124518.250	76,07
Φ3029	ZPS End mill, Ø25x45x121, Z5, HSSCo8, NR-F 124518P.250	80,68
Φ3030	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiALN, NR 124518.250 TiAlN	89,67
Φ3031	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiALN, NR-F 124518P.250 TiAlN	94,29
Φ3032	ZPS End mill, Ø25x45x121, Z5, HSSE-PM, AlTiN, NR 124517.250 AlTiN	118,93
Φ3033	ZPS End mill, Ø26x45x121, Z5, HSSCo8, NR 124518.260	96,72
Φ3034	ZPS End mill, Ø26x45x121, Z5, HSSCo8, NR-F 124518P.260	102,52
Φ3035	ZPS End mill, Ø26x45x121, Z5, HSSCo8, TiALN, NR 124518.260 TiAlN	110,82
Φ3036	ZPS End mill, Ø26x45x121, Z5, HSSCo8, TiALN, NR-F 124518P.260 TiAlN	116,69
Φ3037	ZPS End mill, Ø28x45x121, Z5, HSSCo8, NR 124518.280	95,78
Φ3038	ZPS End mill, Ø28x45x121, Z5, HSSCo8, NR-F 124518P.280	101,59
Φ3039	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiALN, NR 124518.280 TiAlN	110,95
Φ3040	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiALN, NR-F 124518P.280 TiAlN	116,81
Φ3041	ZPS End mill, Ø28x45x121, Z5, HSSE-PM, AlTiN, NR 124517.280 AlTiN	147,58
Φ3042	ZPS End mill, Ø30x45x121, Z5, HSSCo8, NR 124518.300	111,76
Φ3043	ZPS End mill, Ø30x45x121, Z5, HSSCo8, NR-F 124518P.300	118,50
Φ3044	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiALN, NR 124518.300 TiAlN	128,04
Φ3045	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiALN, NR-F 124518P.300 TiAlN	134,85
Φ3046	ZPS End mill, Ø30x45x121, Z5, HSSE-PM, AlTiN, NR 124517.300 AlTiN	169,85
Φ3047	ZPS End mill, Ø32x53x133, Z6, HSSCo8, NR 124518.320	125,80
Φ3048	ZPS End mill, Ø32x53x133, Z6, HSSCo8, NR-F 124518P.320	136,16
Φ3049	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiALN, NR 124518.320 TiAlN	143,15
Φ3050	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiALN, NR-F 124518P.320 TiAlN	153,57
Φ3051	ZPS End mill, Ø32x53x133, Z6, HSSE-PM, AlTiN, NR 124517.320 AlTiN	188,45
Φ3052	ZPS End mill, Ø36x53x133, Z6, HSSCo8, NR 124518.360	130,17
Φ3053	ZPS End mill, Ø36x53x133, Z6, HSSCo8, TiALN, NR 124518.360 TiAlN	149,70
Φ3054	ZPS End mill, Ø40x63x143, Z6, HSSCo8, NR 124518.40032	162,80
Φ3055	ZPS End mill, Ø40x63x143, Z6, HSSCo8, TiALN, NR 124518.40032 TiAlN	184,64
Φ3056	ZPS End mill, Ø6x13x57, Z4, HSSCo8, NR 124518.060	16,79
Φ3057	ZPS End mill, Ø6x13x57, Z4, HSSCo8, NR-F 124518P.060	17,85
Φ3058	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, NR 124518.060 TiAlN	20,03
Φ3059	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, NR-F 124518P.060 TiAlN	21,09
Φ3060	ZPS End mill, Ø6x13x57, Z4, HSSE-PM, AlTiN, NR 124517.060 AlTiN	28,02
Φ3061	ZPS End mill, Ø7x16x66, Z4, HSSCo8, NR 124518.070	18,47
Φ3062	ZPS End mill, Ø7x16x66, Z4, HSSCo8, NR-F 124518P.070	20,34

Ф3063	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, NR 124518.070 TiAlN	22,28
Ф3064	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, NR-F 124518P.070 TiAlN	24,27
Ф3065	ZPS End mill, Ø8x19x69, Z4, HSSCo8, NR 124518.080	18,47
Ф3066	ZPS End mill, Ø8x19x69, Z4, HSSCo8, NR-F 124518P.080	19,59
Ф3067	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, NR 124518.080 TiAlN	22,84
Ф3068	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, NR-F 124518P.080 TiAlN	23,96
Ф3069	ZPS End mill, Ø8x19x69, Z4, HSSE-PM, AlTiN, NR 124517.080 AlTiN	31,26
Ф3070	ZPS End mill, Ø9x19x69, Z4, HSSCo8, NR 124518.090	21,22
Ф3071	ZPS End mill, Ø9x19x69, Z4, HSSCo8, NR-F 124518P.090	23,03
Ф3072	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, NR 124518.090 TiAlN	25,96
Ф3073	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, NR-F 124518P.090 TiAlN	27,96
Ф3074	Номер по каталогу производителя: 1255	
Ф3075	ZPS End mill, Ø10x45x95, Z4, HSSCo8, NR 125518.100	26,21
Ф3076	ZPS End mill, Ø10x45x95, Z4, HSSCo8, NR-F 125518P.100	27,71
Ф3077	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiALN, NR 125518.100 TiAlN	31,70
Ф3078	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiALN, NR-F 125518P.100 TiAlN	33,13
Ф3079	ZPS End mill, Ø10x45x95, Z4, HSSE-PM, AlTiN, NR 125517.100 AlTiN	43,31
Ф3080	ZPS End mill, Ø11x45x102, Z4, HSSCo8, NR 125518.110	30,76
Ф3081	ZPS End mill, Ø11x45x102, Z4, HSSCo8, TiALN, NR 125518.110 TiAlN	36,82
Ф3082	ZPS End mill, Ø12x53x110, Z4, HSSCo8, NR 125518.120	30,76
Ф3083	ZPS End mill, Ø12x53x110, Z4, HSSCo8, NR-F 125518P.120	32,57
Ф3084	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiALN, NR 125518.120 TiAlN	37,32
Ф3085	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiALN, NR-F 125518P.120 TiAlN	39,06
Ф3086	ZPS End mill, Ø12x53x110, Z4, HSSE-PM, AlTiN, NR 125517.120 AlTiN	50,67
Ф3087	ZPS End mill, Ø14x53x110, Z4, HSSCo8, NR 125518.140	37,38
Ф3088	ZPS End mill, Ø14x53x110, Z4, HSSCo8, NR-F 125518P.140	39,06
Ф3089	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiALN, NR 125518.140 TiAlN	44,99
Ф3090	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiALN, NR-F 125518P.140 TiAlN	46,36
Ф3091	ZPS End mill, Ø14x53x110, Z4, HSSE-PM, AlTiN, NR 125517.140 AlTiN	60,53
Ф3092	ZPS End mill, Ø15x53x110, Z4, HSSCo8, NR 125518.150	43,49
Ф3093	ZPS End mill, Ø15x53x110, Z4, HSSCo8, TiALN, NR 125518.150 TiAlN	51,67
Ф3094	ZPS End mill, Ø16x63x123, Z4, HSSCo8, NR 125518.160	43,49
Ф3095	ZPS End mill, Ø16x63x123, Z4, HSSCo8, NR-F 125518P.160	45,99
Ф3096	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiALN, NR 125518.160 TiAlN	52,17
Ф3097	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiALN, NR-F 125518P.160 TiAlN	54,72
Ф3098	ZPS End mill, Ø16x63x123, Z4, HSSE-PM, AlTiN, NR 125517.160 AlTiN	70,76
Ф3099	ZPS End mill, Ø18x63x123, Z4, HSSCo8, NR 125518.180	53,73
Ф3100	ZPS End mill, Ø18x63x123, Z4, HSSCo8, NR-F 125518P.180	55,10
Ф3101	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiALN, NR 125518.180 TiAlN	63,46
Ф3102	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiALN, NR-F 125518P.180 TiAlN	64,83
Ф3103	ZPS End mill, Ø18x63x123, Z4, HSSE-PM, AlTiN, NR 125517.180 AlTiN	83,80
Ф3104	ZPS End mill, Ø20x75x141, Z4, HSSCo8, NR 125518.200	64,52
Ф3105	ZPS End mill, Ø20x75x141, Z4, HSSCo8, NR-F 125518P.200	68,20
Ф3106	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiALN, NR 125518.200 TiAlN	75,32
Ф3107	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiALN, NR-F 125518P.200 TiAlN	79,06
Ф3108	ZPS End mill, Ø20x75x141, Z4, HSSE-PM, AlTiN, NR 125517.200 AlTiN	103,08
Ф3109	ZPS End mill, Ø22x75x141, Z5, HSSCo8, NR 125518.220	79,06
Ф3110	ZPS End mill, Ø22x75x141, Z5, HSSCo8, NR-F 125518P.220	81,87
Ф3111	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiALN, NR 125518.220 TiAlN	90,98
Ф3112	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiALN, NR-F 125518P.220 TiAlN	93,85
Ф3113	ZPS End mill, Ø24x90x166, Z5, HSSCo8, NR 125518.240	96,66
Ф3114	ZPS End mill, Ø24x90x166, Z5, HSSCo8, NR-F 125518P.240	102,21
Ф3115	ZPS End mill, Ø24x90x166, Z5, HSSCo8, TiALN, NR 125518.240 TiAlN	109,70

Ф3116	ZPS End mill, Ø24x90x166, Z5, HSSCo8, TiALN, NR-F 125518P.240 TiAIN	115,25
Ф3117	ZPS End mill, Ø25x90x166, Z5, HSSCo8, NR 125518.250	94,72
Ф3118	ZPS End mill, Ø25x90x166, Z5, HSSCo8, NR-F 125518P.250	100,21
Ф3119	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiALN, NR 125518.250 TiAIN	108,33
Ф3120	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiALN, NR-F 125518P.250 TiAIN	113,82
Ф3121	ZPS End mill, Ø25x90x166, Z5, HSSE-PM, AlTiN, NR 125517.250 AlTiN	145,08
Ф3122	ZPS End mill, Ø26x90x166, Z5, HSSCo8, NR 125518.260	120,43
Ф3123	ZPS End mill, Ø26x90x166, Z5, HSSCo8, NR-F 125518P.260	127,42
Ф3124	ZPS End mill, Ø26x90x166, Z5, HSSCo8, TiALN, NR 125518.260 TiAIN	134,60
Ф3125	ZPS End mill, Ø26x90x166, Z5, HSSCo8, TiALN, NR-F 125518P.260 TiAIN	141,52
Ф3126	ZPS End mill, Ø28x90x166, Z5, HSSCo8, NR 125518.280	121,80
Ф3127	ZPS End mill, Ø28x90x166, Z5, HSSCo8, NR-F 125518P.280	126,17
Ф3128	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiALN, NR 125518.280 TiAIN	136,97
Ф3129	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiALN, NR-F 125518P.280 TiAIN	141,40
Ф3130	ZPS End mill, Ø30x90x166, Z5, HSSCo8, NR 125518.300	142,15
Ф3131	ZPS End mill, Ø30x90x166, Z5, HSSCo8, NR-F 125518P.300	147,20
Ф3132	ZPS End mill, Ø30x90x166, Z5, HSSCo8, TiALN, NR 125518.300 TiAIN	158,43
Ф3133	ZPS End mill, Ø30x90x166, Z5, HSSCo8, TiALN, NR-F 125518P.300 TiAIN	163,55
Ф3134	ZPS End mill, Ø32x106x186, Z6, HSSCo8, NR 125518.320	159,93
Ф3135	ZPS End mill, Ø32x106x186, Z6, HSSCo8, NR-F 125518P.320	165,67
Ф3136	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiALN, NR 125518.320 TiAIN	177,28
Ф3137	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiALN, NR-F 125518P.320 TiAIN	183,08
Ф3138	ZPS End mill, Ø32x106x186, Z6, HSSE-PM, AlTiN, NR 125517.320 AlTiN	229,94
Ф3139	ZPS End mill, Ø36x106x186, Z6, HSSCo8, NR 125518.360	183,77
Ф3140	ZPS End mill, Ø36x106x186, Z6, HSSCo8, TiALN, NR 125518.360 TiAIN	203,30
Ф3141	ZPS End mill, Ø40x125x205, Z6, HSSCo8, NR 125518.40032	230,13
Ф3142	ZPS End mill, Ø40x125x205, Z6, HSSCo8, TiALN, NR 125518.40032 TiAIN	251,85
Ф3143	ZPS End mill, Ø6x24x68, Z4, HSSCo8, NR 125518.060	20,90
Ф3144	ZPS End mill, Ø6x24x68, Z4, HSSCo8, NR-F 125518P.060	22,15
Ф3145	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiALN, NR 125518.060 TiAIN	24,15
Ф3146	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiALN, NR-F 125518P.060 TiAIN	25,40
Ф3147	ZPS End mill, Ø6x24x68, Z4, HSSE-PM, AlTiN, NR 125517.060 AlTiN	34,82
Ф3148	ZPS End mill, Ø7x30x80, Z4, HSSCo8, NR 125518.070	23,03
Ф3149	ZPS End mill, Ø7x30x80, Z4, HSSCo8, TiALN, NR 125518.070 TiAIN	27,33
Ф3150	ZPS End mill, Ø8x38x88, Z4, HSSCo8, NR 125518.080	23,03
Ф3151	ZPS End mill, Ø8x38x88, Z4, HSSCo8, NR-F 125518P.080	24,34
Ф3152	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiALN, NR 125518.080 TiAIN	27,39
Ф3153	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiALN, NR-F 125518P.080 TiAIN	28,70
Ф3154	ZPS End mill, Ø8x38x88, Z4, HSSE-PM, AlTiN, NR 125517.080 AlTiN	38,75
Ф3155	ZPS End mill, Ø9x38x88, Z4, HSSCo8, NR 125518.090	26,21
Ф3156	ZPS End mill, Ø9x38x88, Z4, HSSCo8, NR-F 125518P.090	27,71
Ф3157	ZPS End mill, Ø9x38x88, Z4, HSSCo8, TiALN, NR 125518.090 TiAIN	31,14
Ф3158	ZPS End mill, Ø9x38x88, Z4, HSSCo8, TiALN, NR-F 125518P.090 TiAIN	32,64
Ф3159	Номер по каталогу производителя: 1285	
Ф3160	ZPS End mill, Ø10x22x72, Z4, HSSCo8 HR-F 128518P.100	23,96
Ф3161	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiAIN, HR-F 128518P.100 TiAIN	29,39
Ф3162	ZPS End mill, Ø10x22x72, Z4, HSSE-PM, AlTiN, HR 128517.100 AlTiN	36,19
Ф3163	ZPS End mill, Ø11x22x79, Z4, HSSCo8 HR-F 128518P.110	28,14
Ф3164	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiAIN, HR-F 128518P.110 TiAIN	34,13
Ф3165	ZPS End mill, Ø12x26x83, Z4, HSSCo8 HR-F 128518P.120	28,14
Ф3166	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiAIN, HR-F 128518P.120 TiAIN	34,63
Ф3167	ZPS End mill, Ø12x26x83, Z4, HSSE-PM, AlTiN, HR 128517.120 AlTiN	41,68
Ф3168	ZPS End mill, Ø13x26x83, Z4, HSSCo8 HR-F 128518P.130	33,95

Ф3169	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiAlN, HR-F 128518P.130 TiAlN	41,00
Ф3170	ZPS End mill, Ø14x26x83, Z4, HSSCo8 HR-F 128518P.140	33,95
Ф3171	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiAlN, HR-F 128518P.140 TiAlN	41,56
Ф3172	ZPS End mill, Ø14x26x83, Z4, HSSE-PM, AlTiN, HR 128517.140 AlTiN	49,23
Ф3173	ZPS End mill, Ø15x26x83, Z4, HSSCo8 HR-F 128518P.150	40,12
Ф3174	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiAlN, HR-F 128518P.150 TiAlN	48,24
Ф3175	ZPS End mill, Ø16x32x92, Z4, HSSCo8 HR-F 128518P.160	40,12
Ф3176	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiAlN, HR-F 128518P.160 TiAlN	48,80
Ф3177	ZPS End mill, Ø16x32x92, Z4, HSSE-PM, AlTiN, HR 128517.160 AlTiN	58,22
Ф3178	ZPS End mill, Ø17x32x92, Z4, HSSCo8 HR-F 128518P.170	48,11
Ф3179	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiAlN, HR-F 128518P.170 TiAlN	57,35
Ф3180	ZPS End mill, Ø18x32x92, Z4, HSSCo8 HR-F 128518P.180	48,11
Ф3181	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiAlN, HR-F 128518P.180 TiAlN	57,91
Ф3182	ZPS End mill, Ø18x32x92, Z4, HSSE-PM, AlTiN, HR 128517.180 AlTiN	68,89
Ф3183	ZPS End mill, Ø20x38x104, Z4, HSSCo8 HR-F 128518P.200	58,91
Ф3184	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiAlN, HR-F 128518P.200 TiAlN	69,83
Ф3185	ZPS End mill, Ø20x38x104, Z4, HSSE-PM, AlTiN, HR 128517.200 AlTiN	85,36
Ф3186	ZPS End mill, Ø22x38x104, Z5, HSSCo8 HR-F 128518P.220	70,76
Ф3187	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiAlN, HR-F 128518P.220 TiAlN	82,68
Ф3188	ZPS End mill, Ø22x38x104, Z5, HSSE-PM, AlTiN, HR 128517.220 AlTiN	94,66
Ф3189	ZPS End mill, Ø24x45x121, Z5, HSSCo8 HR-F 128518P.240	88,30
Ф3190	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiAlN, HR-F 128518P.240 TiAlN	101,34
Ф3191	ZPS End mill, Ø25x45x121, Z5, HSSCo8 HR-F 128518P.250	86,55
Ф3192	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiAlN, HR-F 128518P.250 TiAlN	100,21
Ф3193	ZPS End mill, Ø25x45x121, Z5, HSSE-PM, AlTiN, HR 128517.250 AlTiN	120,31
Ф3194	ZPS End mill, Ø26x45x121, Z5, HSSCo8 HR-F 128518P.260	110,07
Ф3195	ZPS End mill, Ø26x45x121, Z5, HSSCo8, TiAlN, HR-F 128518P.260 TiAlN	124,24
Ф3196	ZPS End mill, Ø28x45x121, Z5, HSSCo8 HR-F 128518P.280	109,01
Ф3197	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiAlN, HR-F 128518P.280 TiAlN	124,24
Ф3198	ZPS End mill, Ø30x45x121, Z5, HSSCo8 HR-F 128518P.300	127,17
Ф3199	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiAlN, HR-F 128518P.300 TiAlN	143,46
Ф3200	ZPS End mill, Ø30x45x121, Z5, HSSE-PM, AlTiN, HR 128517.300 AlTiN	171,35
Ф3201	ZPS End mill, Ø32x53x133, Z6, HSSCo8 HR-F 128518P.320	143,08
Ф3202	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiAlN, HR-F 128518P.320 TiAlN	160,49
Ф3203	ZPS End mill, Ø6x13x57, Z4, HSSCo8 HR-F 128518P.060	19,16
Ф3204	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiAlN, HR-F 128518P.060 TiAlN	22,40
Ф3205	ZPS End mill, Ø6x13x57, Z4, HSSE-PM, AlTiN, HR 128517.060 AlTiN	28,08
Ф3206	ZPS End mill, Ø7x16x66, Z4, HSSCo8 HR-F 128518P.070	21,03
Ф3207	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiAlN, HR-F 128518P.070 TiAlN	24,84
Ф3208	ZPS End mill, Ø7x16x66, Z4, HSSE-PM, AlTiN, HR 128517.070 AlTiN	31,39
Ф3209	ZPS End mill, Ø8x19x69, Z4, HSSCo8 HR-F 128518P.080	21,03
Ф3210	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiAlN, HR-F 128518P.080 TiAlN	25,46
Ф3211	ZPS End mill, Ø8x19x69, Z4, HSSE-PM, AlTiN, HR 128517.080 AlTiN	31,39
Ф3212	ZPS End mill, Ø9x19x69, Z4, HSSCo8 HR-F 128518P.090	23,96
Ф3213	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiAlN, HR-F 128518P.090 TiAlN	28,89
Ф3214	ZPS End mill, Ø9x19x69, Z4, HSSE-PM, AlTiN, HR 128517.090 AlTiN	36,19
Ф3215	Номер по каталогу производителя: 1295	
Ф3216	ZPS End mill, Ø10x22x72, Z4, HSSCo8 HR 128518.100	22,53
Ф3217	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiAlN, HR 128518.100 TiAlN	27,96
Ф3218	ZPS End mill, Ø10x22x72, Z4, HSSE-PM, AlTiN, HR-F 128517P.100 AlTiN	36,94
Ф3219	ZPS End mill, Ø10x22x72, Z5, HSSE-PM, AlTiN, HR 128517X.100 AlTiN	39,69
Ф3220	ZPS End mill, Ø10x45x95, Z4, HSSCo8 HR 129518.100	27,96
Ф3221	ZPS End mill, Ø10x45x95, Z4, HSSCo8 HR-F 129518P.100	28,20

Φ3222	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiAlN, HR 129518.100 TiAlN	33,45
Φ3223	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiAlN, HR-F 129518P.100 TiAlN	33,70
Φ3224	ZPS End mill, Ø10x45x95, Z4, HSSE-PM, AlTiN, HR 129517.100 AlTiN	43,49
Φ3225	ZPS End mill, Ø11x22x79, Z4, HSSCo8 HR 128518.110	26,46
Φ3226	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiAlN, HR 128518.110 TiAlN	32,45
Φ3227	ZPS End mill, Ø11x22x79, Z4, HSSE-PM, AlTiN, HR-F 128517P.110 AlTiN	44,80
Φ3228	ZPS End mill, Ø11x22x79, Z5, HSSE-PM, AlTiN, HR 128517X.110 AlTiN	44,12
Φ3229	ZPS End mill, Ø11x45x102, Z4, HSSCo8 HR 129518.110	35,63
Φ3230	ZPS End mill, Ø11x45x102, Z4, HSSCo8, TiAlN, HR 129518.110 TiAlN	41,68
Φ3231	ZPS End mill, Ø12x26x83, Z4, HSSCo8 HR 128518.120	26,46
Φ3232	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiAlN, HR 128518.120 TiAlN	33,01
Φ3233	ZPS End mill, Ø12x26x83, Z4, HSSE-PM, AlTiN, HR-F 128517P.120 AlTiN	43,24
Φ3234	ZPS End mill, Ø12x26x83, Z5, HSSE-PM, AlTiN, HR 128517X.120 AlTiN	46,74
Φ3235	ZPS End mill, Ø12x53x110, Z4, HSSCo8 HR 129518.120	32,82
Φ3236	ZPS End mill, Ø12x53x110, Z4, HSSCo8 HR-F 129518P.120	33,13
Φ3237	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiAlN, HR 129518.120 TiAlN	39,37
Φ3238	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiAlN, HR-F 129518P.120 TiAlN	39,69
Φ3239	ZPS End mill, Ø12x53x110, Z4, HSSE-PM, AlTiN, HR 129517.120 AlTiN	50,92
Φ3240	ZPS End mill, Ø13x26x83, Z4, HSSCo8 HR 128518.130	31,95
Φ3241	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiAlN, HR 128518.130 TiAlN	39,00
Φ3242	ZPS End mill, Ø13x26x83, Z4, HSSE-PM, AlTiN, HR-F 128517P.130 AlTiN	47,30
Φ3243	ZPS End mill, Ø13x26x83, Z5, HSSE-PM, AlTiN, HR 128517X.130 AlTiN	52,04
Φ3244	ZPS End mill, Ø13x53x110, Z4, HSSCo8 HR 129518.130	40,44
Φ3245	ZPS End mill, Ø13x53x110, Z4, HSSCo8, TiAlN, HR 129518.130 TiAlN	47,49
Φ3246	ZPS End mill, Ø14x26x83, Z4, HSSCo8 HR 128518.140	31,95
Φ3247	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiAlN, HR 128518.140 TiAlN	39,50
Φ3248	ZPS End mill, Ø14x26x83, Z4, HSSE-PM, AlTiN, HR-F 128517P.140 AlTiN	50,92
Φ3249	ZPS End mill, Ø14x26x83, Z5, HSSE-PM, AlTiN, HR 128517X.140 AlTiN	55,41
Φ3250	ZPS End mill, Ø14x53x110, Z4, HSSCo8 HR 129518.140	39,06
Φ3251	ZPS End mill, Ø14x53x110, Z4, HSSCo8 HR-F 129518P.140	39,44
Φ3252	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiAlN, HR 129518.140 TiAlN	46,68
Φ3253	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiAlN, HR-F 129518P.140 TiAlN	47,05
Φ3254	ZPS End mill, Ø14x53x110, Z4, HSSE-PM, AlTiN, HR 129517.140 AlTiN	60,78
Φ3255	ZPS End mill, Ø15,5x26x83, Z5, HSSE-PM, AlTiN, HR 128517X.155 AlTiN	71,32
Φ3256	ZPS End mill, Ø15x26x83, Z4, HSSCo8 HR 128518.150	37,69
Φ3257	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiAlN, HR 128518.150 TiAlN	45,86
Φ3258	ZPS End mill, Ø15x26x83, Z4, HSSE-PM, AlTiN, HR-F 128517P.150 AlTiN	57,47
Φ3259	ZPS End mill, Ø15x26x83, Z5, HSSE-PM, AlTiN, HR 128517X.150 AlTiN	60,96
Φ3260	ZPS End mill, Ø16x32x92, Z4, HSSCo8 HR 128518.160	37,69
Φ3261	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiAlN, HR 128518.160 TiAlN	46,43
Φ3262	ZPS End mill, Ø16x32x92, Z4, HSSE-PM, AlTiN, HR-F 128517P.160 AlTiN	59,84
Φ3263	ZPS End mill, Ø16x32x92, Z5, HSSE-PM, AlTiN, HR 128517X.160 AlTiN	65,40
Φ3264	ZPS End mill, Ø16x63x123, Z4, HSSCo8 HR 129518.160	46,49
Φ3265	ZPS End mill, Ø16x63x123, Z4, HSSCo8 HR-F 129518P.160	46,92
Φ3266	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiAlN, HR 129518.160 TiAlN	55,16
Φ3267	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiAlN, HR-F 129518P.160 TiAlN	55,60
Φ3268	ZPS End mill, Ø16x63x123, Z4, HSSE-PM, AlTiN, HR 129517.160 AlTiN	71,07
Φ3269	ZPS End mill, Ø17x32x92, Z4, HSSCo8 HR 128518.170	45,68
Φ3270	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiAlN, HR 128518.170 TiAlN	54,97
Φ3271	ZPS End mill, Ø17x32x92, Z4, HSSE-PM, AlTiN, HR-F 128517P.170 AlTiN	68,45
Φ3272	ZPS End mill, Ø18x32x92, Z4, HSSCo8 HR 128518.180	45,24
Φ3273	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiAlN, HR 128518.180 TiAlN	55,04
Φ3274	ZPS End mill, Ø18x32x92, Z4, HSSE-PM, AlTiN, HR-F 128517P.180 AlTiN	70,70

Φ3275	ZPS End mill, Ø18x32x92, Z5, HSSE-PM, AlTiN, HR 128517X.180 AlTiN	77,19
Φ3276	ZPS End mill, Ø18x63x123, Z4, HSSCo8 HR 129518.180	55,60
Φ3277	ZPS End mill, Ø18x63x123, Z4, HSSCo8 HR-F 129518P.180	56,16
Φ3278	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiAlN, HR 129518.180 TiAlN	65,33
Φ3279	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiAlN, HR-F 129518P.180 TiAlN	65,96
Φ3280	ZPS End mill, Ø18x63x123, Z4, HSSE-PM, AlTiN, HR 129517.180 AlTiN	84,12
Φ3281	ZPS End mill, Ø20x38x104, Z4, HSSCo8 HR 128518.200	55,41
Φ3282	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiAlN, HR 128518.200 TiAlN	66,33
Φ3283	ZPS End mill, Ø20x38x104, Z4, HSSE-PM, AlTiN, HR-F 128517P.200 AlTiN	89,48
Φ3284	ZPS End mill, Ø20x38x104, Z5, HSSE-PM, AlTiN, HR 128517X.200 AlTiN	94,79
Φ3285	ZPS End mill, Ø20x75x141, Z4, HSSCo8 HR 129518.200	68,83
Φ3286	ZPS End mill, Ø20x75x141, Z4, HSSCo8 HR-F 129518P.200	69,58
Φ3287	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiAlN, HR 129518.200 TiAlN	79,68
Φ3288	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiAlN, HR-F 129518P.200 TiAlN	80,43
Φ3289	ZPS End mill, Ø20x75x141, Z4, HSSE-PM, AlTiN, HR 129517.200 AlTiN	103,46
Φ3290	ZPS End mill, Ø22x38x104, Z5, HSSCo8 HR 128518.220	66,58
Φ3291	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiAlN, HR 128518.220 TiAlN	78,44
Φ3292	ZPS End mill, Ø22x38x104, Z5, HSSE-PM, AlTiN, HR-F 128517P.220 AlTiN	103,71
Φ3293	ZPS End mill, Ø22x75x141, Z5, HSSCo8 HR 129518.220	82,68
Φ3294	ZPS End mill, Ø22x75x141, Z5, HSSCo8 HR-F 129518P.220	83,49
Φ3295	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiAlN, HR 129518.220 TiAlN	94,60
Φ3296	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiAlN, HR-F 129518P.220 TiAlN	95,47
Φ3297	ZPS End mill, Ø24x45x121, Z5, HSSCo8 HR 128518.240	83,05
Φ3298	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiAlN, HR 128518.240 TiAlN	96,10
Φ3299	ZPS End mill, Ø24x90x166, Z5, HSSCo8 HR 129518.240	103,21
Φ3300	ZPS End mill, Ø24x90x166, Z5, HSSCo8 HR-F 129518P.240	104,21
Φ3301	ZPS End mill, Ø24x90x166, Z5, HSSCo8, TiAlN, HR 129518.240 TiAlN	116,25
Φ3302	ZPS End mill, Ø24x90x166, Z5, HSSCo8, TiAlN, HR-F 129518P.240 TiAlN	117,25
Φ3303	ZPS End mill, Ø25x45x121, Z5, HSSCo8 HR 128518.250	81,43
Φ3304	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiAlN, HR 128518.250 TiAlN	95,04
Φ3305	ZPS End mill, Ø25x45x121, Z5, HSSE-PM, AlTiN, HR-F 128517P.250 AlTiN	126,86
Φ3306	ZPS End mill, Ø25x90x166, Z5, HSSCo8 HR 129518.250	101,09
Φ3307	ZPS End mill, Ø25x90x166, Z5, HSSCo8 HR-F 129518P.250	102,15
Φ3308	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiAlN, HR 129518.250 TiAlN	114,75
Φ3309	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiAlN, HR-F 129518P.250 TiAlN	115,75
Φ3310	ZPS End mill, Ø26x45x121, Z5, HSSCo8 HR 128518.260	103,52
Φ3311	ZPS End mill, Ø26x45x121, Z5, HSSCo8, TiAlN, HR 128518.260 TiAlN	117,69
Φ3312	ZPS End mill, Ø26x90x166, Z5, HSSCo8 HR 129518.260	128,54
Φ3313	ZPS End mill, Ø26x90x166, Z5, HSSCo8 HR-F 129518P.260	129,85
Φ3314	ZPS End mill, Ø26x90x166, Z5, HSSCo8, TiAlN, HR 129518.260 TiAlN	142,71
Φ3315	ZPS End mill, Ø26x90x166, Z5, HSSCo8, TiAlN, HR-F 129518P.260 TiAlN	144,02
Φ3316	ZPS End mill, Ø28x45x121, Z5, HSSCo8 HR 128518.280	102,52
Φ3317	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiAlN, HR 128518.280 TiAlN	117,75
Φ3318	ZPS End mill, Ø28x45x121, Z5, HSSE-PM, AlTiN, HR-F 128517P.280 AlTiN	157,50
Φ3319	ZPS End mill, Ø28x90x166, Z5, HSSCo8 HR 129518.280	127,30
Φ3320	ZPS End mill, Ø28x90x166, Z5, HSSCo8 HR-F 129518P.280	128,61
Φ3321	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiAlN, HR 129518.280 TiAlN	142,58
Φ3322	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiAlN, HR-F 129518P.280 TiAlN	143,89
Φ3323	ZPS End mill, Ø30x45x121, Z5, HSSCo8 HR 128518.300	119,62
Φ3324	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiAlN, HR 128518.300 TiAlN	135,97
Φ3325	ZPS End mill, Ø30x45x121, Z5, HSSE-PM, AlTiN, HR-F 128517P.300 AlTiN	179,52
Φ3326	ZPS End mill, Ø30x90x166, Z5, HSSCo8 HR 129518.300	148,57
Φ3327	ZPS End mill, Ø30x90x166, Z5, HSSCo8 HR-F 129518P.300	150,13

Ф3328	ZPS End mill, Ø30x90x166, Z5, HSSCo8, TiAlN, HR 129518.300 TiAlN	164,92
Ф3329	ZPS End mill, Ø30x90x166, Z5, HSSCo8, TiAlN, HR-F 129518P.300 TiAlN	166,42
Ф3330	ZPS End mill, Ø32x106x186, Z6, HSSCo8 HR 129518.320	167,17
Ф3331	ZPS End mill, Ø32x106x186, Z6, HSSCo8 HR-F 129518P.320	168,85
Ф3332	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiAlN, HR 129518.320 TiAlN	184,58
Ф3333	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiAlN, HR-F 129518P.320 TiAlN	186,26
Ф3334	ZPS End mill, Ø32x53x133, Z6, HSSCo8 HR 128518.320	134,60
Ф3335	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiAlN, HR 128518.320 TiAlN	152,01
Ф3336	ZPS End mill, Ø32x53x133, Z6, HSSE-PM, AlTiN, HR-F 128517P.320 AlTiN	200,05
Ф3337	ZPS End mill, Ø6x13x57, Z4, HSSCo8 HR 128518.060	17,97
Ф3338	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiAlN, HR 128518.060 TiAlN	21,22
Ф3339	ZPS End mill, Ø6x13x57, Z4, HSSE-PM, AlTiN, HR-F 128517P.060 AlTiN	28,89
Ф3340	ZPS End mill, Ø6x24x68, Z4, HSSCo8 HR 129518.060	22,53
Ф3341	ZPS End mill, Ø6x24x68, Z4, HSSCo8 HR-F 129518P.060	22,71
Ф3342	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiAlN, HR 129518.060 TiAlN	25,77
Ф3343	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiAlN, HR-F 129518P.060 TiAlN	25,96
Ф3344	ZPS End mill, Ø6x24x68, Z4, HSSE-PM, AlTiN, HR 129517.060 AlTiN	35,01
Ф3345	ZPS End mill, Ø7x16x66, Z4, HSSCo8 HR 128518.070	19,78
Ф3346	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiAlN, HR 128518.070 TiAlN	23,59
Ф3347	ZPS End mill, Ø8x19x69, Z4, HSSCo8 HR 128518.080	19,78
Ф3348	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiAlN, HR 128518.080 TiAlN	24,15
Ф3349	ZPS End mill, Ø8x19x69, Z4, HSSE-PM, AlTiN, HR-F 128517P.080 AlTiN	33,07
Ф3350	ZPS End mill, Ø8x38x88, Z4, HSSCo8 HR 129518.080	25,02
Ф3351	ZPS End mill, Ø8x38x88, Z4, HSSCo8 HR-F 129518P.080	25,33
Ф3352	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiAlN, HR 129518.080 TiAlN	29,45
Ф3353	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiAlN, HR-F 129518P.080 TiAlN	29,64
Ф3354	ZPS End mill, Ø8x38x88, Z4, HSSE-PM, AlTiN, HR 129517.080 AlTiN	38,94
Ф3355	ZPS End mill, Ø9x19x69, Z4, HSSCo8 HR 128518.090	22,53
Ф3356	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiAlN, HR 128518.090 TiAlN	27,46
Ф3357	ZPS End mill, Ø9x19x69, Z5, HSSE-PM, AlTiN, HR 128517X.090 AlTiN	37,81
Ф3358	Номер по каталогу производителя: 1402	
Ф3359	ZPS End mill, Ø10x22x72, Z4, HSSCo5, N 140205.100	9,92
Ф3360	ZPS End mill, Ø10x22x72, Z4, HSSCo5, N 140215.100	9,98
Ф3361	ZPS End mill, Ø10x22x72, Z4, HSSCo5, TiAlN, N 140205.100 TiAlN	15,85
Ф3362	ZPS End mill, Ø10x22x72, Z4, HSSCo5, TiAlN, N 140215.100 TiAlN	13,98
Ф3363	ZPS End mill, Ø10x22x72, Z4, HSSCo8, N 140208.100	11,36
Ф3364	ZPS End mill, Ø10x22x72, Z4, HSSCo8, N 140218.100	11,23
Ф3365	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiAlN, N 140208.100 TiAlN	16,79
Ф3366	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiAlN, N 140218.100 TiAlN	16,66
Ф3367	ZPS End mill, Ø11x22x79, Z4, HSSCo5, N 140205.110	12,42
Ф3368	ZPS End mill, Ø11x22x79, Z4, HSSCo5, N 140215.110	12,48
Ф3369	ZPS End mill, Ø11x22x79, Z4, HSSCo5, TiAlN, N 140205.110 TiAlN	19,34
Ф3370	ZPS End mill, Ø11x22x79, Z4, HSSCo5, TiAlN, N 140215.110 TiAlN	16,66
Ф3371	ZPS End mill, Ø11x22x79, Z4, HSSCo8, N 140208.110	14,54
Ф3372	ZPS End mill, Ø11x22x79, Z4, HSSCo8, N 140218.110	13,98
Ф3373	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiAlN, N 140208.110 TiAlN	20,78
Ф3374	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiAlN, N 140218.110 TiAlN	20,16
Ф3375	ZPS End mill, Ø12x26x83, Z4, HSSCo5, N 140205.120	11,86
Ф3376	ZPS End mill, Ø12x26x83, Z4, HSSCo5, N 140215.120	11,92
Ф3377	ZPS End mill, Ø12x26x83, Z4, HSSCo5, TiAlN, N 140205.120 TiAlN	19,03
Ф3378	ZPS End mill, Ø12x26x83, Z4, HSSCo5, TiAlN, N 140215.120 TiAlN	16,85
Ф3379	ZPS End mill, Ø12x26x83, Z4, HSSCo8, N 140208.120	13,73
Ф3380	ZPS End mill, Ø12x26x83, Z4, HSSCo8, N 140218.120	13,42

Φ3381	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, N 140208.120 TiAIN	20,22
Φ3382	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, N 140218.120 TiAIN	19,91
Φ3383	ZPS End mill, Ø13x26x83, Z4, HSSCo5, N 140205.130	14,79
Φ3384	ZPS End mill, Ø13x26x83, Z4, HSSCo5, N 140215.130	14,85
Φ3385	ZPS End mill, Ø13x26x83, Z4, HSSCo5, TiALN, N 140205.130 TiAIN	23,09
Φ3386	ZPS End mill, Ø13x26x83, Z4, HSSCo5, TiALN, N 140215.130 TiAIN	20,09
Φ3387	ZPS End mill, Ø13x26x83, Z4, HSSCo8, N 140208.130	16,85
Φ3388	ZPS End mill, Ø13x26x83, Z4, HSSCo8, N 140218.130	17,04
Φ3389	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, N 140208.130 TiAIN	24,27
Φ3390	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, N 140218.130 TiAIN	24,40
Φ3391	ZPS End mill, Ø14x26x83, Z4, HSSCo5, N 140205.140	13,79
Φ3392	ZPS End mill, Ø14x26x83, Z4, HSSCo5, N 140215.140	13,85
Φ3393	ZPS End mill, Ø14x26x83, Z4, HSSCo5, TiALN, N 140205.140 TiAIN	22,15
Φ3394	ZPS End mill, Ø14x26x83, Z4, HSSCo5, TiALN, N 140215.140 TiAIN	19,53
Φ3395	ZPS End mill, Ø14x26x83, Z4, HSSCo8, N 140208.140	16,04
Φ3396	ZPS End mill, Ø14x26x83, Z4, HSSCo8, N 140218.140	16,10
Φ3397	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, N 140208.140 TiAIN	23,71
Φ3398	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, N 140218.140 TiAIN	23,77
Φ3399	ZPS End mill, Ø15x26x83, Z4, HSSCo5, N 140205.150	16,47
Φ3400	ZPS End mill, Ø15x26x83, Z4, HSSCo5, N 140215.150	16,54
Φ3401	ZPS End mill, Ø15x26x83, Z4, HSSCo5, TiALN, N 140205.150 TiAIN	25,40
Φ3402	ZPS End mill, Ø15x26x83, Z4, HSSCo5, TiALN, N 140215.150 TiAIN	22,03
Φ3403	ZPS End mill, Ø15x26x83, Z4, HSSCo8, N 140208.150	19,84
Φ3404	ZPS End mill, Ø15x26x83, Z4, HSSCo8, N 140218.150	19,97
Φ3405	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, N 140208.150 TiAIN	28,33
Φ3406	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, N 140218.150 TiAIN	28,39
Φ3407	ZPS End mill, Ø16x32x92, Z4, HSSCo5, N 140205.160	16,47
Φ3408	ZPS End mill, Ø16x32x92, Z4, HSSCo5, N 140215.160	16,54
Φ3409	ZPS End mill, Ø16x32x92, Z4, HSSCo5, TiALN, N 140205.160 TiAIN	26,02
Φ3410	ZPS End mill, Ø16x32x92, Z4, HSSCo5, TiALN, N 140215.160 TiAIN	23,09
Φ3411	ZPS End mill, Ø16x32x92, Z4, HSSCo8, N 140208.160	18,97
Φ3412	ZPS End mill, Ø16x32x92, Z4, HSSCo8, N 140218.160	18,60
Φ3413	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, N 140208.160 TiAIN	27,58
Φ3414	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, N 140218.160 TiAIN	27,33
Φ3415	ZPS End mill, Ø17x32x92, Z4, HSSCo8, N 140218.170	24,40
Φ3416	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiALN, N 140218.170 TiAIN	33,95
Φ3417	ZPS End mill, Ø18x32x92, Z4, HSSCo5, N 140205.180	20,28
Φ3418	ZPS End mill, Ø18x32x92, Z4, HSSCo5, N 140215.180	20,40
Φ3419	ZPS End mill, Ø18x32x92, Z4, HSSCo5, TiALN, N 140205.180 TiAIN	31,01
Φ3420	ZPS End mill, Ø18x32x92, Z4, HSSCo5, TiALN, N 140215.180 TiAIN	27,64
Φ3421	ZPS End mill, Ø18x32x92, Z4, HSSCo8, N 140208.180	23,34
Φ3422	ZPS End mill, Ø18x32x92, Z4, HSSCo8, N 140218.180	23,46
Φ3423	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, N 140208.180 TiAIN	33,07
Φ3424	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, N 140218.180 TiAIN	33,20
Φ3425	ZPS End mill, Ø19x32x92, Z4, HSSCo8, N 140218.190	29,70
Φ3426	ZPS End mill, Ø19x32x92, Z4, HSSCo8, TiALN, N 140218.190 TiAIN	40,44
Φ3427	ZPS End mill, Ø20x38x104, Z4, HSSCo5, N 140205.200	25,33
Φ3428	ZPS End mill, Ø20x38x104, Z4, HSSCo5, N 140215.200	25,46
Φ3429	ZPS End mill, Ø20x38x104, Z4, HSSCo5, TiALN, N 140205.200 TiAIN	37,19
Φ3430	ZPS End mill, Ø20x38x104, Z4, HSSCo5, TiALN, N 140215.200 TiAIN	33,51
Φ3431	ZPS End mill, Ø20x38x104, Z4, HSSCo8, N 140208.200	29,33
Φ3432	ZPS End mill, Ø20x38x104, Z4, HSSCo8, N 140218.200	29,20
Φ3433	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, N 140208.200 TiAIN	40,25

Ф3434	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, N 140218.200 TiAlN	40,06
Ф3435	ZPS End mill, Ø22x38x104, Z5, HSSCo8, N 140218.220	37,50
Ф3436	ZPS End mill, Ø22x38x104, Z5, HSSCo8, TiALN, N 140218.220 TiAlN	49,73
Ф3437	ZPS End mill, Ø24x45x121, Z5, HSSCo8, N 140218.240	44,93
Ф3438	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiALN, N 140218.240 TiAlN	58,22
Ф3439	ZPS End mill, Ø25x45x121, Z5, HSSCo8, N 140218.250	48,48
Ф3440	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiALN, N 140218.250 TiAlN	62,34
Ф3441	ZPS End mill, Ø28x45x121, Z5, HSSCo8, N 140218.280	55,04
Ф3442	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiALN, N 140218.280 TiAlN	70,51
Ф3443	ZPS End mill, Ø30x45x121, Z6, HSSCo8, N 140218.300	63,09
Ф3444	ZPS End mill, Ø30x45x121, Z6, HSSCo8, TiALN, N 140218.300 TiAlN	79,68
Ф3445	ZPS End mill, Ø32x53x133, Z6, HSSCo8, N 140218.320	70,32
Ф3446	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiALN, N 140218.320 TiAlN	88,11
Ф3447	ZPS End mill, Ø36x53x133, Z6, HSSCo8, N 140218.360	87,86
Ф3448	ZPS End mill, Ø36x53x133, Z6, HSSCo8, TiALN, N 140218.360 TiAlN	108,01
Ф3449	ZPS End mill, Ø40x63x143, Z6, HSSCo8, N 140218.40032	111,76
Ф3450	ZPS End mill, Ø40x63x143, Z6, HSSCo8, TiALN, N 140218.40032 TiAlN	133,97
Ф3451	ZPS End mill, Ø6x13x57, Z4, HSSCo8, N 140208.060	8,05
Ф3452	ZPS End mill, Ø6x13x57, Z4, HSSCo8, N 140218.060	7,68
Ф3453	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, N 140208.060 TiAlN	11,29
Ф3454	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, N 140218.060 TiAlN	10,92
Ф3455	ZPS End mill, Ø7x16x66, Z4, HSSCo5, N 140205.070	8,80
Ф3456	ZPS End mill, Ø7x16x66, Z4, HSSCo5, N 140215.070	8,92
Ф3457	ZPS End mill, Ø7x16x66, Z4, HSSCo5, TiALN, N 140205.070 TiAlN	13,23
Ф3458	ZPS End mill, Ø7x16x66, Z4, HSSCo5, TiALN, N 140215.070 TiAlN	11,17
Ф3459	ZPS End mill, Ø7x16x66, Z4, HSSCo8, N 140208.070	10,36
Ф3460	ZPS End mill, Ø7x16x66, Z4, HSSCo8, N 140218.070	10,17
Ф3461	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, N 140208.070 TiAlN	14,29
Ф3462	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, N 140218.070 TiAlN	14,16
Ф3463	ZPS End mill, Ø8x19x69, Z4, HSSCo5, N 140205.080	8,42
Ф3464	ZPS End mill, Ø8x19x69, Z4, HSSCo5, N 140215.080	8,49
Ф3465	ZPS End mill, Ø8x19x69, Z4, HSSCo5, TiALN, N 140205.080 TiAlN	13,17
Ф3466	ZPS End mill, Ø8x19x69, Z4, HSSCo5, TiALN, N 140215.080 TiAlN	11,67
Ф3467	ZPS End mill, Ø8x19x69, Z4, HSSCo8, N 140208.080	9,92
Ф3468	ZPS End mill, Ø8x19x69, Z4, HSSCo8, N 140218.080	9,55
Ф3469	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, N 140208.080 TiAlN	14,29
Ф3470	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, N 140218.080 TiAlN	13,92
Ф3471	ZPS End mill, Ø9x19x69, Z4, HSSCo5, N 140205.090	9,92
Ф3472	ZPS End mill, Ø9x19x69, Z4, HSSCo5, N 140215.090	9,98
Ф3473	ZPS End mill, Ø9x19x69, Z4, HSSCo5, TiALN, N 140205.090 TiAlN	15,23
Ф3474	ZPS End mill, Ø9x19x69, Z4, HSSCo5, TiALN, N 140215.090 TiAlN	13,42
Ф3475	ZPS End mill, Ø9x19x69, Z4, HSSCo8, N 140208.090	11,79
Ф3476	ZPS End mill, Ø9x19x69, Z4, HSSCo8, N 140218.090	11,67
Ф3477	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, N 140208.090 TiAlN	16,91
Ф3478	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, N 140218.090 TiAlN	16,72
Ф3479	Номер по каталогу производителя: 1404	
Ф3480	ZPS End mill, Ø10x22x72, Z3, HSSCo8, N 140418.100	12,73
Ф3481	ZPS End mill, Ø10x22x72, Z3, HSSCo8, TiALN, N 140418.100 TiAlN	18,22
Ф3482	ZPS End mill, Ø11x22x79, Z3, HSSCo8, N 140418.110	15,16
Ф3483	ZPS End mill, Ø11x22x79, Z3, HSSCo8, TiALN, N 140418.110 TiAlN	21,28
Ф3484	ZPS End mill, Ø12x26x83, Z3, HSSCo8, N 140418.120	15,16
Ф3485	ZPS End mill, Ø12x26x83, Z3, HSSCo8, TiALN, N 140418.120 TiAlN	21,84
Ф3486	ZPS End mill, Ø13x26x83, Z3, HSSCo8, N 140418.130	18,53

Ф3487	ZPS End mill, Ø13x26x83, Z3, HSSCo8, TiALN, N 140418.130 TiAIN	26,02
Ф3488	ZPS End mill, Ø14x26x83, Z3, HSSCo8, N 140418.140	17,85
Ф3489	ZPS End mill, Ø14x26x83, Z3, HSSCo8, TiALN, N 140418.140 TiAIN	25,58
Ф3490	ZPS End mill, Ø15x26x83, Z3, HSSCo8, N 140418.150	21,96
Ф3491	ZPS End mill, Ø15x26x83, Z3, HSSCo8, TiALN, N 140418.150 TiAIN	30,58
Ф3492	ZPS End mill, Ø16x32x92, Z3, HSSCo8, N 140418.160	21,15
Ф3493	ZPS End mill, Ø16x32x92, Z3, HSSCo8, TiALN, N 140418.160 TiAIN	30,08
Ф3494	ZPS End mill, Ø17x32x92, Z3, HSSCo8, N 140418.170	26,08
Ф3495	ZPS End mill, Ø17x32x92, Z3, HSSCo8, TiALN, N 140418.170 TiAIN	35,51
Ф3496	ZPS End mill, Ø18x32x92, Z3, HSSCo8, N 140418.180	26,08
Ф3497	ZPS End mill, Ø18x32x92, Z3, HSSCo8, TiALN, N 140418.180 TiAIN	36,07
Ф3498	ZPS End mill, Ø19x32x92, Z3, HSSCo8, N 140418.190	33,76
Ф3499	ZPS End mill, Ø19x32x92, Z3, HSSCo8, TiALN, N 140418.190 TiAIN	44,68
Ф3500	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, N 140418.025	9,17
Ф3501	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, TiALN, N 140418.025 TiAIN	10,48
Ф3502	ZPS End mill, Ø20x38x104, Z3, HSSCo8, N 140418.200	32,51
Ф3503	ZPS End mill, Ø20x38x104, Z3, HSSCo8, TiALN, N 140418.200 TiAIN	43,62
Ф3504	ZPS End mill, Ø22x38x104, Z3, HSSCo8, N 140418.220	50,61
Ф3505	ZPS End mill, Ø22x38x104, Z3, HSSCo8, TiALN, N 140418.220 TiAIN	62,84
Ф3506	ZPS End mill, Ø25x45x121, Z3, HSSCo8, N 140418.250	69,58
Ф3507	ZPS End mill, Ø25x45x121, Z3, HSSCo8, TiALN, N 140418.250 TiAIN	83,37
Ф3508	ZPS End mill, Ø28x45x121, Z3, HSSCo8, N 140418.280	85,80
Ф3509	ZPS End mill, Ø28x45x121, Z3, HSSCo8, TiALN, N 140418.280 TiAIN	101,28
Ф3510	ZPS End mill, Ø2x7x51, Z3, HSSCo8, N 140418.020	9,17
Ф3511	ZPS End mill, Ø2x7x51, Z3, HSSCo8, TiALN, N 140418.020 TiAIN	10,23
Ф3512	ZPS End mill, Ø3,5x10x54, Z3, HSSCo8, N 140418.035	9,17
Ф3513	ZPS End mill, Ø3,5x10x54, Z3, HSSCo8, TiALN, N 140418.035 TiAIN	11,04
Ф3514	ZPS End mill, Ø32x53x133, Z3, HSSCo8, N 140418.320	112,51
Ф3515	ZPS End mill, Ø32x53x133, Z3, HSSCo8, TiALN, N 140418.320 TiAIN	130,23
Ф3516	ZPS End mill, Ø3x8x52, Z3, HSSCo8, N 140418.030	9,17
Ф3517	ZPS End mill, Ø3x8x52, Z3, HSSCo8, TiALN, N 140418.030 TiAIN	10,80
Ф3518	ZPS End mill, Ø4,5x11x55, Z3, HSSCo8, N 140418.045	9,17
Ф3519	ZPS End mill, Ø4,5x11x55, Z3, HSSCo8, TiALN, N 140418.045 TiAIN	11,61
Ф3520	ZPS End mill, Ø4x11x55, Z3, HSSCo8, N 140418.040	8,30
Ф3521	ZPS End mill, Ø4x11x55, Z3, HSSCo8, TiALN, N 140418.040 TiAIN	10,48
Ф3522	ZPS End mill, Ø5,5x13x57, Z3, HSSCo8, N 140418.055	10,42
Ф3523	ZPS End mill, Ø5,5x13x57, Z3, HSSCo8, TiALN, N 140418.055 TiAIN	13,54
Ф3524	ZPS End mill, Ø5x13x57, Z3, HSSCo8, N 140418.050	8,30
Ф3525	ZPS End mill, Ø5x13x57, Z3, HSSCo8, TiALN, N 140418.050 TiAIN	11,23
Ф3526	ZPS End mill, Ø6,5x16x66, Z3, HSSCo8, N 140418.065	11,48
Ф3527	ZPS End mill, Ø6,5x16x66, Z3, HSSCo8, TiALN, N 140418.065 TiAIN	15,23
Ф3528	ZPS End mill, Ø6x13x57, Z3, HSSCo8, N 140418.060	8,49
Ф3529	ZPS End mill, Ø6x13x57, Z3, HSSCo8, TiALN, N 140418.060 TiAIN	11,79
Ф3530	ZPS End mill, Ø7,5x16x66, Z3, HSSCo8, N 140418.075	12,42
Ф3531	ZPS End mill, Ø7,5x16x66, Z3, HSSCo8, TiALN, N 140418.075 TiAIN	16,54
Ф3532	ZPS End mill, Ø7x16x66, Z3, HSSCo8, N 140418.070	10,92
Ф3533	ZPS End mill, Ø7x16x66, Z3, HSSCo8, TiALN, N 140418.070 TiAIN	14,73
Ф3534	ZPS End mill, Ø8x19x69, Z3, HSSCo8, N 140418.080	10,92
Ф3535	ZPS End mill, Ø8x19x69, Z3, HSSCo8, TiALN, N 140418.080 TiAIN	15,29
Ф3536	ZPS End mill, Ø9x19x69, Z3, HSSCo8, N 140418.090	12,73
Ф3537	ZPS End mill, Ø9x19x69, Z3, HSSCo8, TiALN, N 140418.090 TiAIN	17,72
Ф3538	Номер по каталогу производителя: 1406	
Ф3539	ZPS End mill, Ø10x22x72, Z4, HSSCo8, N 140618.100	12,23

Φ3540	ZPS End mill, Ø10x22x72, Z4, HSSCo8, TiALN, N 140618.100 TiAIN	17,78
Φ3541	ZPS End mill, Ø10x22x72, Z4, HSSE-PM, AlTiN 140617X.100 AlTiN	28,08
Φ3542	ZPS End mill, Ø11x22x79, Z4, HSSCo8, N 140618.110	15,16
Φ3543	ZPS End mill, Ø11x22x79, Z4, HSSCo8, TiALN, N 140618.110 TiAIN	21,53
Φ3544	ZPS End mill, Ø12x26x83, Z4, HSSCo8, N 140618.120	14,60
Φ3545	ZPS End mill, Ø12x26x83, Z4, HSSCo8, TiALN, N 140618.120 TiAIN	21,28
Φ3546	ZPS End mill, Ø12x26x83, Z4, HSSE-PM, AlTiN 140617X.120 AlTiN	35,94
Φ3547	ZPS End mill, Ø13x26x83, Z4, HSSCo8, N 140618.130	17,72
Φ3548	ZPS End mill, Ø13x26x83, Z4, HSSCo8, TiALN, N 140618.130 TiAIN	25,21
Φ3549	ZPS End mill, Ø14x26x83, Z4, HSSCo8, N 140618.140	17,10
Φ3550	ZPS End mill, Ø14x26x83, Z4, HSSCo8, TiALN, N 140618.140 TiAIN	24,84
Φ3551	ZPS End mill, Ø15x26x83, Z4, HSSCo8, N 140618.150	21,09
Φ3552	ZPS End mill, Ø15x26x83, Z4, HSSCo8, TiALN, N 140618.150 TiAIN	29,70
Φ3553	ZPS End mill, Ø16x32x92, Z4, HSSCo8, N 140618.160	20,34
Φ3554	ZPS End mill, Ø16x32x92, Z4, HSSCo8, TiALN, N 140618.160 TiAIN	29,20
Φ3555	ZPS End mill, Ø16x32x92, Z4, HSSE-PM, AlTiN 140617X.160 AlTiN	53,48
Φ3556	ZPS End mill, Ø17x32x92, Z4, HSSCo8, N 140618.170	26,02
Φ3557	ZPS End mill, Ø17x32x92, Z4, HSSCo8, TiALN, N 140618.170 TiAIN	35,76
Φ3558	ZPS End mill, Ø18x32x92, Z4, HSSCo8, N 140618.180	25,02
Φ3559	ZPS End mill, Ø18x32x92, Z4, HSSCo8, TiALN, N 140618.180 TiAIN	35,07
Φ3560	ZPS End mill, Ø19x32x92, Z4, HSSCo8, N 140618.190	32,20
Φ3561	ZPS End mill, Ø19x32x92, Z4, HSSCo8, TiALN, N 140618.190 TiAIN	42,68
Φ3562	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, N 140608.025	8,74
Φ3563	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, N 140618.025	8,74
Φ3564	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, TiALN, N 140608.025 TiAIN	10,11
Φ3565	ZPS End mill, Ø2,5x8x52, Z3, HSSCo8, TiALN, N 140618.025 TiAIN	10,11
Φ3566	ZPS End mill, Ø20x38x104, Z4, HSSCo8, N 140618.200	31,20
Φ3567	ZPS End mill, Ø20x38x104, Z4, HSSCo8, TiALN, N 140618.200 TiAIN	42,31
Φ3568	ZPS End mill, Ø20x38x92, Z4, HSSE-PM, AlTiN 140617X.200 AlTiN	74,57
Φ3569	ZPS End mill, Ø22x38x104, Z4, HSSCo8, N 140618.220	41,06
Φ3570	ZPS End mill, Ø22x38x104, Z4, HSSCo8, TiALN, N 140618.220 TiAIN	53,23
Φ3571	ZPS End mill, Ø24x45x121, Z5, HSSCo8, N 140618.240	53,16
Φ3572	ZPS End mill, Ø24x45x121, Z5, HSSCo8, TiALN, N 140618.240 TiAIN	67,08
Φ3573	ZPS End mill, Ø25x45x121, Z5, HSSCo8, N 140618.250	53,23
Φ3574	ZPS End mill, Ø25x45x121, Z5, HSSCo8, TiALN, N 140618.250 TiAIN	67,08
Φ3575	ZPS End mill, Ø28x45x121, Z5, HSSCo8, N 140618.280	63,02
Φ3576	ZPS End mill, Ø28x45x121, Z5, HSSCo8, TiALN, N 140618.280 TiAIN	78,56
Φ3577	ZPS End mill, Ø2x7x51, Z3, HSSCo8, N 140608.020	8,74
Φ3578	ZPS End mill, Ø2x7x51, Z3, HSSCo8, N 140618.020	8,74
Φ3579	ZPS End mill, Ø2x7x51, Z3, HSSCo8, TiALN, N 140608.020 TiAIN	9,86
Φ3580	ZPS End mill, Ø2x7x51, Z3, HSSCo8, TiALN, N 140618.020 TiAIN	9,86
Φ3581	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, N 140608.035	8,74
Φ3582	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, N 140618.035	8,74
Φ3583	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, TiALN, N 140608.035 TiAIN	10,67
Φ3584	ZPS End mill, Ø3,5x10x54, Z4, HSSCo8, TiALN, N 140618.035 TiAIN	10,73
Φ3585	ZPS End mill, Ø30x45x121, Z5, HSSCo8, N 140618.300	67,58
Φ3586	ZPS End mill, Ø30x45x121, Z5, HSSCo8, TiALN, N 140618.300 TiAIN	84,18
Φ3587	ZPS End mill, Ø32x53x133, Z6, HSSCo8, N 140618.320	73,26
Φ3588	ZPS End mill, Ø32x53x133, Z6, HSSCo8, TiALN, N 140618.320 TiAIN	91,04
Φ3589	ZPS End mill, Ø3x8x52, Z4, HSSCo8, N 140608.030	7,99
Φ3590	ZPS End mill, Ø3x8x52, Z4, HSSCo8, N 140618.030	7,99
Φ3591	ZPS End mill, Ø3x8x52, Z4, HSSCo8, TiALN, N 140608.030 TiAIN	9,61
Φ3592	ZPS End mill, Ø3x8x52, Z4, HSSCo8, TiALN, N 140618.030 TiAIN	9,61

Ф3593	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, N 140608.045	8,74
Ф3594	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, N 140618.045	8,74
Ф3595	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, TiALN, N 140608.045 TiALN	11,17
Ф3596	ZPS End mill, Ø4,5x11x55, Z4, HSSCo8, TiALN, N 140618.045 TiALN	11,23
Ф3597	ZPS End mill, Ø4x11x55, Z4, HSSCo8, N 140608.040	7,99
Ф3598	ZPS End mill, Ø4x11x55, Z4, HSSCo8, N 140618.040	7,99
Ф3599	ZPS End mill, Ø4x11x55, Z4, HSSCo8, TiALN, N 140608.040 TiALN	10,11
Ф3600	ZPS End mill, Ø4x11x55, Z4, HSSCo8, TiALN, N 140618.040 TiALN	10,11
Ф3601	ZPS End mill, Ø5,5x13x57, Z4, HSSCo8, N 140618.055	9,11
Ф3602	ZPS End mill, Ø5,5x13x57, Z4, HSSCo8, TiALN, N 140618.055 TiALN	12,17
Ф3603	ZPS End mill, Ø5x13x57, Z4, HSSCo8, N 140608.050	7,99
Ф3604	ZPS End mill, Ø5x13x57, Z4, HSSCo8, N 140618.050	7,99
Ф3605	ZPS End mill, Ø5x13x57, Z4, HSSCo8, TiALN, N 140608.050 TiALN	10,67
Ф3606	ZPS End mill, Ø5x13x57, Z4, HSSCo8, TiALN, N 140618.050 TiALN	10,73
Ф3607	ZPS End mill, Ø6,5x16x66, Z4, HSSCo8, N 140618.065	11,86
Ф3608	ZPS End mill, Ø6,5x16x66, Z4, HSSCo8, TiALN, N 140618.065 TiALN	15,66
Ф3609	ZPS End mill, Ø6x13x57, Z4, HSSCo8, N 140618.060	8,24
Ф3610	ZPS End mill, Ø6x13x57, Z4, HSSCo8, TiALN, N 140618.060 TiALN	11,61
Ф3611	ZPS End mill, Ø6x13x57, Z4, HSSE-PM, AlTiN 140617X.060 AlTiN	15,91
Ф3612	ZPS End mill, Ø7,5x16x66, Z4, HSSCo8, N 140618.075	11,42
Ф3613	ZPS End mill, Ø7,5x16x66, Z4, HSSCo8, TiALN, N 140618.075 TiALN	15,60
Ф3614	ZPS End mill, Ø7x16x66, Z4, HSSCo8, N 140618.070	10,80
Ф3615	ZPS End mill, Ø7x16x66, Z4, HSSCo8, TiALN, N 140618.070 TiALN	14,85
Ф3616	ZPS End mill, Ø8,5x19x69, Z4, HSSCo8, N 140618.085	13,42
Ф3617	ZPS End mill, Ø8,5x19x69, Z4, HSSCo8, TiALN, N 140618.085 TiALN	18,16
Ф3618	ZPS End mill, Ø8x10x69, Z4, HSSE-PM, AlTiN 140617X.080 AlTiN	25,52
Ф3619	ZPS End mill, Ø8x19x69, Z4, HSSCo8, N 140618.080	10,36
Ф3620	ZPS End mill, Ø8x19x69, Z4, HSSCo8, TiALN, N 140618.080 TiALN	14,85
Ф3621	ZPS End mill, Ø9,5x19x69, Z4, HSSCo8, N 140618.095	13,98
Ф3622	ZPS End mill, Ø9,5x19x69, Z4, HSSCo8, TiALN, N 140618.095 TiALN	19,47
Ф3623	ZPS End mill, Ø9x19x69, Z4, HSSCo8, N 140618.090	12,23
Ф3624	ZPS End mill, Ø9x19x69, Z4, HSSCo8, TiALN, N 140618.090 TiALN	17,28
Ф3625	Номер по каталогу производителя: 1412	
Ф3626	ZPS End mill, Ø10x45x95, Z4, HSSCo5, N 141205.100	12,48
Ф3627	ZPS End mill, Ø10x45x95, Z4, HSSCo5, N 141215.100	12,54
Ф3628	ZPS End mill, Ø10x45x95, Z4, HSSCo5, TiALN, N 141205.100 TiALN	18,28
Ф3629	ZPS End mill, Ø10x45x95, Z4, HSSCo5, TiALN, N 141215.100 TiALN	18,35
Ф3630	ZPS End mill, Ø10x45x95, Z4, HSSCo8, N 141218.100	14,54
Ф3631	ZPS End mill, Ø10x45x95, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.100	14,48
Ф3632	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiALN, N 141208.100 TiALN	20,34
Ф3633	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiALN, N 141218.100 TiALN	20,40
Ф3634	ZPS End mill, Ø11x45x102, Z4, HSSCo5, N 141205.110	15,66
Ф3635	ZPS End mill, Ø11x45x102, Z4, HSSCo5, N 141215.110	15,72
Ф3636	ZPS End mill, Ø11x45x102, Z4, HSSCo5, TiALN, N 141205.110 TiALN	22,28
Ф3637	ZPS End mill, Ø11x45x102, Z4, HSSCo5, TiALN, N 141215.110 TiALN	22,40
Ф3638	ZPS End mill, Ø11x45x102, Z4, HSSCo8, N 141208.110	17,97
Ф3639	ZPS End mill, Ø11x45x102, Z4, HSSCo8, N 141218.110	18,03
Ф3640	ZPS End mill, Ø11x45x102, Z4, HSSCo8, TiALN, N 141208.110 TiALN	24,65
Ф3641	ZPS End mill, Ø11x45x102, Z4, HSSCo8, TiALN, N 141218.110 TiALN	24,71
Ф3642	ZPS End mill, Ø12x53x110, Z4, HSSCo5, N 141205.120	14,91
Ф3643	ZPS End mill, Ø12x53x110, Z4, HSSCo5, N 141215.120	14,98
Ф3644	ZPS End mill, Ø12x53x110, Z4, HSSCo5, TiALN, N 141205.120 TiALN	21,84
Ф3645	ZPS End mill, Ø12x53x110, Z4, HSSCo5, TiALN, N 141215.120 TiALN	21,90

Ф3646	ZPS End mill, Ø12x53x110, Z4, HSSCo8, N 141218.120	17,41
Ф3647	ZPS End mill, Ø12x53x110, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.120	17,35
Ф3648	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiALN, N 141208.120 TiALN	24,34
Ф3649	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiALN, N 141218.120 TiALN	24,40
Ф3650	ZPS End mill, Ø13x53x110, Z4, HSSCo8, N 141208.130	21,03
Ф3651	ZPS End mill, Ø13x53x110, Z4, HSSCo8, N 141218.130	24,71
Ф3652	ZPS End mill, Ø13x53x110, Z4, HSSCo8, TiALN, N 141208.130 TiALN	28,45
Ф3653	ZPS End mill, Ø13x53x110, Z4, HSSCo8, TiALN, N 141218.130 TiALN	32,70
Ф3654	ZPS End mill, Ø14x53x110, Z4, HSSCo5, N 141205.140	17,41
Ф3655	ZPS End mill, Ø14x53x110, Z4, HSSCo5, N 141215.140	17,47
Ф3656	ZPS End mill, Ø14x53x110, Z4, HSSCo5, TiALN, N 141205.140 TiALN	25,52
Ф3657	ZPS End mill, Ø14x53x110, Z4, HSSCo5, TiALN, N 141215.140 TiALN	25,65
Ф3658	ZPS End mill, Ø14x53x110, Z4, HSSCo8, N 141208.140	20,22
Ф3659	ZPS End mill, Ø14x53x110, Z4, HSSCo8, N 141218.140	20,34
Ф3660	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiALN, N 141208.140 TiALN	28,45
Ф3661	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiALN, N 141218.140 TiALN	28,52
Ф3662	ZPS End mill, Ø15x53x110, Z4, HSSCo5, N 141205.150	21,78
Ф3663	ZPS End mill, Ø15x53x110, Z4, HSSCo5, N 141215.150	21,90
Ф3664	ZPS End mill, Ø15x53x110, Z4, HSSCo5, TiALN, N 141205.150 TiALN	30,89
Ф3665	ZPS End mill, Ø15x53x110, Z4, HSSCo5, TiALN, N 141215.150 TiALN	31,01
Ф3666	ZPS End mill, Ø15x53x110, Z4, HSSCo8, N 141208.150	25,02
Ф3667	ZPS End mill, Ø15x53x110, Z4, HSSCo8, N 141218.150	25,15
Ф3668	ZPS End mill, Ø15x53x110, Z4, HSSCo8, TiALN, N 141208.150 TiALN	34,07
Ф3669	ZPS End mill, Ø15x53x110, Z4, HSSCo8, TiALN, N 141218.150 TiALN	34,26
Ф3670	ZPS End mill, Ø16x63x123, Z4, HSSCo5, N 141205.160	20,78
Ф3671	ZPS End mill, Ø16x63x123, Z4, HSSCo5, N 141215.160	20,90
Ф3672	ZPS End mill, Ø16x63x123, Z4, HSSCo5, TiALN, N 141205.160 TiALN	30,01
Ф3673	ZPS End mill, Ø16x63x123, Z4, HSSCo5, TiALN, N 141215.160 TiALN	30,14
Ф3674	ZPS End mill, Ø16x63x123, Z4, HSSCo8, N 141208.160	24,09
Ф3675	ZPS End mill, Ø16x63x123, Z4, HSSCo8, N 141218.160	24,21
Ф3676	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiALN, N 141208.160 TiALN	33,45
Ф3677	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiALN, N 141218.160 TiALN	33,57
Ф3678	ZPS End mill, Ø17x63x123, Z4, HSSCo8, N 141218.170	29,08
Ф3679	ZPS End mill, Ø17x63x123, Z4, HSSCo8, TiALN, N 141218.170 TiALN	40,00
Ф3680	ZPS End mill, Ø18x63x123, Z4, HSSCo5, N 141205.180	23,65
Ф3681	ZPS End mill, Ø18x63x123, Z4, HSSCo5, N 141215.180	23,71
Ф3682	ZPS End mill, Ø18x63x123, Z4, HSSCo5, TiALN, N 141205.180 TiALN	34,07
Ф3683	ZPS End mill, Ø18x63x123, Z4, HSSCo5, TiALN, N 141215.180 TiALN	34,20
Ф3684	ZPS End mill, Ø18x63x123, Z4, HSSCo8, N 141208.180	27,39
Ф3685	ZPS End mill, Ø18x63x123, Z4, HSSCo8, N 141218.180	27,52
Ф3686	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiALN, N 141208.180 TiALN	37,94
Ф3687	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiALN, N 141218.180 TiALN	38,06
Ф3688	ZPS End mill, Ø20x75x141, Z4, HSSCo5, N 141205.200	29,45
Ф3689	ZPS End mill, Ø20x75x141, Z4, HSSCo5, N 141215.200	29,58
Ф3690	ZPS End mill, Ø20x75x141, Z4, HSSCo5, TiALN, N 141205.200 TiALN	41,06
Ф3691	ZPS End mill, Ø20x75x141, Z4, HSSCo5, TiALN, N 141215.200 TiALN	41,18
Ф3692	ZPS End mill, Ø20x75x141, Z4, HSSCo8, N 141208.200	34,20
Ф3693	ZPS End mill, Ø20x75x141, Z4, HSSCo8, N 141218.200	34,32
Ф3694	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiALN, N 141208.200 TiALN	45,86
Ф3695	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiALN, N 141218.200 TiALN	46,05
Ф3696	ZPS End mill, Ø22x75x141, Z5, HSSCo8, N 141218.220	46,55
Ф3697	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiALN, N 141218.220 TiALN	59,65
Ф3698	ZPS End mill, Ø25x90x166, Z5, HSSCo8, N 141218.250	61,84

Ф3699	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiALN, N 141218.250 TiAlN	76,75
Ф3700	ZPS End mill, Ø28x90x166, Z5, HSSCo8, N 141218.280	79,25
Ф3701	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiALN, N 141218.280 TiAlN	95,91
Ф3702	ZPS End mill, Ø30x90x166, Z6, HSSCo8, N 141218.300	89,73
Ф3703	ZPS End mill, Ø30x90x166, Z6, HSSCo8, TiALN, N 141218.300 TiAlN	107,64
Ф3704	ZPS End mill, Ø32x106x186, Z6, HSSCo8, N 141218.320	99,09
Ф3705	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiALN, N 141218.320 TiAlN	118,19
Ф3706	ZPS End mill, Ø36x106x186, Z6, HSSCo8, N 141218.360	125,49
Ф3707	ZPS End mill, Ø36x106x186, Z6, HSSCo8, TiALN, N 141218.360 TiAlN	147,01
Ф3708	ZPS End mill, Ø3x12x56, Z4, HSSCo8, N 141218.030	9,86
Ф3709	ZPS End mill, Ø3x12x56, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.030	9,80
Ф3710	ZPS End mill, Ø3x12x56, Z4, HSSCo8, TiALN, N 141208.030 TiAlN	11,42
Ф3711	ZPS End mill, Ø3x12x56, Z4, HSSCo8, TiALN, N 141218.030 TiAlN	11,42
Ф3712	ZPS End mill, Ø40x125x205, Z6, HSSCo8, N 141218.40032	151,76
Ф3713	ZPS End mill, Ø40x125x205, Z6, HSSCo8, TiALN, N 141218.40032 TiAlN	175,84
Ф3714	ZPS End mill, Ø4x19x63, Z4, HSSCo8, N 141218.040	9,86
Ф3715	ZPS End mill, Ø4x19x63, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.040	9,80
Ф3716	ZPS End mill, Ø4x19x63, Z4, HSSCo8, TiALN, N 141208.040 TiAlN	11,98
Ф3717	ZPS End mill, Ø4x19x63, Z4, HSSCo8, TiALN, N 141218.040 TiAlN	11,98
Ф3718	ZPS End mill, Ø5x24x68, Z4, HSSCo8, N 141218.050	9,86
Ф3719	ZPS End mill, Ø5x24x68, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.050	9,80
Ф3720	ZPS End mill, Ø5x24x68, Z4, HSSCo8, TiALN, N 141208.050 TiAlN	12,60
Ф3721	ZPS End mill, Ø5x24x68, Z4, HSSCo8, TiALN, N 141218.050 TiAlN	12,60
Ф3722	ZPS End mill, Ø6x24x68, Z4, HSSCo8, N 141218.060	9,86
Ф3723	ZPS End mill, Ø6x24x68, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.060	9,80
Ф3724	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiALN, N 141208.060 TiAlN	13,17
Ф3725	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiALN, N 141218.060 TiAlN	13,17
Ф3726	ZPS End mill, Ø7x30x80, Z4, HSSCo5, N 141205.070	11,11
Ф3727	ZPS End mill, Ø7x30x80, Z4, HSSCo5, N 141215.070	11,17
Ф3728	ZPS End mill, Ø7x30x80, Z4, HSSCo5, TiALN, N 141205.070 TiAlN	15,35
Ф3729	ZPS End mill, Ø7x30x80, Z4, HSSCo5, TiALN, N 141215.070 TiAlN	15,41
Ф3730	ZPS End mill, Ø7x30x80, Z4, HSSCo8, N 141208.070	12,29
Ф3731	ZPS End mill, Ø7x30x80, Z4, HSSCo8, N 141218.070	12,36
Ф3732	ZPS End mill, Ø7x30x80, Z4, HSSCo8, TiALN, N 141208.070 TiAlN	16,41
Ф3733	ZPS End mill, Ø7x30x80, Z4, HSSCo8, TiALN, N 141218.070 TiAlN	16,41
Ф3734	ZPS End mill, Ø8x38x88, Z4, HSSCo5, N 141205.080	10,61
Ф3735	ZPS End mill, Ø8x38x88, Z4, HSSCo5, N 141215.080	10,67
Ф3736	ZPS End mill, Ø8x38x88, Z4, HSSCo5, TiALN, N 141205.080 TiAlN	15,23
Ф3737	ZPS End mill, Ø8x38x88, Z4, HSSCo5, TiALN, N 141215.080 TiAlN	15,29
Ф3738	ZPS End mill, Ø8x38x88, Z4, HSSCo8, N 141218.080	12,36
Ф3739	ZPS End mill, Ø8x38x88, Z4, HSSCo8, N (ПРОВЕРИТЬ ВТОРУЮ КОРОБКУ) 141208.080	12,29
Ф3740	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiALN, N 141208.080 TiAlN	16,97
Ф3741	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiALN, N 141218.080 TiAlN	16,97
Ф3742	ZPS End mill, Ø9x38x88, Z4, HSSCo5, N 141205.090	13,10
Ф3743	ZPS End mill, Ø9x38x88, Z4, HSSCo5, N 141215.090	13,17
Ф3744	ZPS End mill, Ø9x38x88, Z4, HSSCo5, TiALN, N 141205.090 TiAlN	18,53
Ф3745	ZPS End mill, Ø9x38x88, Z4, HSSCo5, TiALN, N 141215.090 TiAlN	18,60
Ф3746	ZPS End mill, Ø9x38x88, Z4, HSSCo8, N 141208.090	15,04
Ф3747	ZPS End mill, Ø9x38x88, Z4, HSSCo8, N 141218.090	15,10
Ф3748	ZPS End mill, Ø9x38x88, Z4, HSSCo8, TiALN, N 141208.090 TiAlN	20,47
Ф3749	ZPS End mill, Ø9x38x88, Z4, HSSCo8, TiALN, N 141218.090 TiAlN	20,53
Ф3750	Номер по каталогу производителя: 1416	
Ф3751	ZPS End mill, Ø10x45x95, Z4, HSSCo8, N 141618.100	16,22

Ф3752	ZPS End mill, Ø10x45x95, Z4, HSSCo8, TiALN, N 141618.100 TiAlN	21,65
Ф3753	ZPS End mill, Ø12x53x110, Z4, HSSCo8, N 141618.120	19,59
Ф3754	ZPS End mill, Ø12x53x110, Z4, HSSCo8, TiALN, N 141618.120 TiAlN	26,15
Ф3755	ZPS End mill, Ø14x53x110, Z4, HSSCo8, N 141618.140	22,71
Ф3756	ZPS End mill, Ø14x53x110, Z4, HSSCo8, TiALN, N 141618.140 TiAlN	30,33
Ф3757	ZPS End mill, Ø16x63x123, Z4, HSSCo8, N 141618.160	27,08
Ф3758	ZPS End mill, Ø16x63x123, Z4, HSSCo8, TiALN, N 141618.160 TiAlN	35,76
Ф3759	ZPS End mill, Ø18x63x123, Z4, HSSCo8, N 141618.180	38,31
Ф3760	ZPS End mill, Ø18x63x123, Z4, HSSCo8, TiALN, N 141618.180 TiAlN	48,05
Ф3761	ZPS End mill, Ø20x75x141, Z4, HSSCo8, N 141618.200	41,00
Ф3762	ZPS End mill, Ø20x75x141, Z4, HSSCo8, TiALN, N 141618.200 TiAlN	51,85
Ф3763	ZPS End mill, Ø22x75x141, Z5, HSSCo8, N 141618.220	55,72
Ф3764	ZPS End mill, Ø22x75x141, Z5, HSSCo8, TiALN, N 141618.220 TiAlN	67,70
Ф3765	ZPS End mill, Ø24x90x166, Z5, HSSCo8, N 141618.240	62,46
Ф3766	ZPS End mill, Ø24x90x166, Z5, HSSCo8, TiALN, N 141618.240 TiAlN	75,63
Ф3767	ZPS End mill, Ø25x90x166, Z5, HSSCo8, N 141618.250	64,21
Ф3768	ZPS End mill, Ø25x90x166, Z5, HSSCo8, TiALN, N 141618.250 TiAlN	77,81
Ф3769	ZPS End mill, Ø28x90x166, Z5, HSSCo8, N 141618.280	72,51
Ф3770	ZPS End mill, Ø28x90x166, Z5, HSSCo8, TiALN, N 141618.280 TiAlN	87,67
Ф3771	ZPS End mill, Ø30x90x166, Z5, HSSCo8, N 141618.300	81,56
Ф3772	ZPS End mill, Ø30x90x166, Z5, HSSCo8, TiALN, N 141618.300 TiAlN	97,84
Ф3773	ZPS End mill, Ø32x106x186, Z6, HSSCo8, N 141618.320	105,14
Ф3774	ZPS End mill, Ø32x106x186, Z6, HSSCo8, TiALN, N 141618.320 TiAlN	122,55
Ф3775	ZPS End mill, Ø3x12x56, Z4, HSSCo8, N 141618.030	9,55
Ф3776	ZPS End mill, Ø3x12x56, Z4, HSSCo8, TiALN, N 141618.030 TiAlN	11,17
Ф3777	ZPS End mill, Ø4x19x63, Z4, HSSCo8, N 141618.040	9,55
Ф3778	ZPS End mill, Ø4x19x63, Z4, HSSCo8, TiALN, N 141618.040 TiAlN	11,67
Ф3779	ZPS End mill, Ø5x24x68, Z4, HSSCo8, N 141618.050	10,86
Ф3780	ZPS End mill, Ø5x24x68, Z4, HSSCo8, TiALN, N 141618.050 TiAlN	13,54
Ф3781	ZPS End mill, Ø6x24x68, Z4, HSSCo8, N 141618.060	11,23
Ф3782	ZPS End mill, Ø6x24x68, Z4, HSSCo8, TiALN, N 141618.060 TiAlN	14,48
Ф3783	ZPS End mill, Ø7x30x80, Z4, HSSCo8, N 141618.070	12,85
Ф3784	ZPS End mill, Ø7x30x80, Z4, HSSCo8, TiALN, N 141618.070 TiAlN	16,66
Ф3785	ZPS End mill, Ø8x38x88, Z4, HSSCo8, N 141618.080	13,85
Ф3786	ZPS End mill, Ø8x38x88, Z4, HSSCo8, TiALN, N 141618.080 TiAlN	18,22
Ф3787	ZPS End mill, Ø9x38x88, Z4, HSSCo8, N 141618.090	16,22
Ф3788	ZPS End mill, Ø9x38x88, Z4, HSSCo8, TiALN, N 141618.090 TiAlN	21,09
Ф3789	ZPS-FN Norm	
Ф3790	Номер по каталогу производителя: 1202	
Ф3791	ZPS End mill, Ø30x30x90, Z6, HSSCo8, N 120218K.300030	76,88
Ф3792	ZPS End mill, Ø30x30x90, Z6, HSSCo8, TiALN, N 120218K.300030 TiAlN	93,23
Ф3793	ZPS End mill, Ø32x30x90, Z6, HSSCo8, N 120218K.320030	84,24
Ф3794	ZPS End mill, Ø32x30x90, Z6, HSSCo8, TiALN, N 120218K.320030 TiAlN	102,09
Ф3795	ZPS End mill, Ø35x30x90, Z6, HSSCo8, N 120218K.350030	88,23
Ф3796	ZPS End mill, Ø35x30x90, Z6, HSSCo8, TiALN, N 120218K.350030 TiAlN	107,27
Ф3797	ZPS End mill, Ø40x32x95, Z8, HSSCo8, N 120218K.400032	110,01
Ф3798	ZPS End mill, Ø40x32x95, Z8, HSSCo8, TiALN, N 120218K.400032 TiAlN	131,79
Ф3799	ZPS End mill, Ø50x36x100, Z8, HSSCo8, N 120218K.500036	186,14
Ф3800	ZPS End mill, Ø50x36x100, Z8, HSSCo8, TiALN, N 120218K.500036 TiAlN	213,22
Ф3801	Номер по каталогу производителя: 1205	
Ф3802	ZPS End mill, Ø10x22x72, R1, Z4, HSSE-PM, AlTiN, N 120517R.100010 AlTiN	33,70
Ф3803	ZPS End mill, Ø10x22x72, R2, Z4, HSSE-PM, AlTiN, N 120517R.100020 AlTiN	33,70
Ф3804	ZPS End mill, Ø12x25x83, R1, Z4, HSSE-PM, AlTiN, N 120517R.120010 AlTiN	44,37

Ф3805	ZPS End mill, Ø12x25x83, R2, Z4, HSSE-PM, AlTiN, N 120517R.120020 AlTiN	44,37
Ф3806	ZPS End mill, Ø16x32x92, R2, Z4, HSSE-PM, AlTiN, N 120517R.160020 AlTiN	61,96
Ф3807	ZPS End mill, Ø16x32x92, R4, Z4, HSSE-PM, AlTiN, N 120517R.160040 AlTiN	61,96
Ф3808	ZPS End mill, Ø20x38x104, R2, Z4, HSSE-PM, AlTiN, N 120517R.200020 AlTiN	87,42
Ф3809	ZPS End mill, Ø20x38x104, R4, Z4, HSSE-PM, AlTiN, N 120517R.200040 AlTiN	87,42
Ф3810	ZPS End mill, Ø6x16x57, R1, Z4, HSSE-PM, AlTiN, N 120517R.060010 AlTiN	22,53
Ф3811	ZPS End mill, Ø6x16x57, R2, Z4, HSSE-PM, AlTiN, N 120517R.060020 AlTiN	22,53
Ф3812	Номер по каталогу производителя: 1212	
Ф3813	ZPS End mill, Ø10x60x110, Z4, HSSCo5, N 121215E.100	18,72
Ф3814	ZPS End mill, Ø10x60x110, Z4, HSSCo5, TiAlN, N 121215E.100 TiAlN	24,40
Ф3815	ZPS End mill, Ø12x80x137, Z4, HSSCo5, N 121215E.120	22,28
Ф3816	ZPS End mill, Ø12x80x137, Z4, HSSCo5, TiAlN, N 121215E.120 TiAlN	29,08
Ф3817	ZPS End mill, Ø14x80x137, Z4, HSSCo5, N 121215E.140	26,08
Ф3818	ZPS End mill, Ø14x80x137, Z4, HSSCo5, TiAlN, N 121215E.140 TiAlN	33,95
Ф3819	ZPS End mill, Ø16x100x160, Z4, HSSCo5, N 121215E.160	31,01
Ф3820	ZPS End mill, Ø16x100x160, Z4, HSSCo5, TiAlN, N 121215E.160 TiAlN	40,06
Ф3821	ZPS End mill, Ø18x100x160, Z5, HSSCo5, N 121215E.180	41,37
Ф3822	ZPS End mill, Ø18x100x160, Z5, HSSCo5, TiAlN, N 121215E.180 TiAlN	51,48
Ф3823	ZPS End mill, Ø20x125x191, Z5, HSSCo5, N 121215E.200	52,04
Ф3824	ZPS End mill, Ø20x125x191, Z5, HSSCo5, TiAlN, N 121215E.200 TiAlN	62,84
Ф3825	ZPS End mill, Ø22x125x191, Z5, HSSCo5, N 121215E.220	75,82
Ф3826	ZPS End mill, Ø22x125x191, Z5, HSSCo5, TiAlN, N 121215E.220 TiAlN	88,17
Ф3827	ZPS End mill, Ø25x140x216, Z6, HSSCo5, N 121215E.250	103,52
Ф3828	ZPS End mill, Ø25x140x216, Z6, HSSCo5, TiAlN, N 121215E.250 TiAlN	114,82
Ф3829	ZPS End mill, Ø28x140x216, Z6, HSSCo5, N 121215E.280	128,92
Ф3830	ZPS End mill, Ø28x140x216, Z6, HSSCo5, TiAlN, N 121215E.280 TiAlN	144,71
Ф3831	ZPS End mill, Ø30x140x216, Z6, HSSCo5, N 121215E.300	146,20
Ф3832	ZPS End mill, Ø30x140x216, Z6, HSSCo5, TiAlN, N 121215E.300 TiAlN	163,18
Ф3833	ZPS End mill, Ø32x180x260, Z6, HSSCo5, N 121215E.320	161,18
Ф3834	ZPS End mill, Ø32x180x260, Z6, HSSCo5, TiAlN, N 121215E.320 TiAlN	179,28
Ф3835	Номер по каталогу производителя: 1242	
Ф3836	ZPS End mill, Ø30x30x90, Z6, HSSCo8, NR 124218K.300030	88,92
Ф3837	ZPS End mill, Ø30x30x90, Z6, HSSCo8, TiAlN, NR 124218K.300030 TiAlN	105,27
Ф3838	ZPS End mill, Ø32x30x90, Z6, HSSCo8, NR 124218K.320030	100,03
Ф3839	ZPS End mill, Ø32x30x90, Z6, HSSCo8, TiAlN, NR 124218K.320030 TiAlN	118,12
Ф3840	ZPS End mill, Ø35x30x90, Z6, HSSCo8, NR 124218K.350030	113,88
Ф3841	ZPS End mill, Ø35x30x90, Z6, HSSCo8, TiAlN, NR 124218K.350030 TiAlN	132,91
Ф3842	ZPS End mill, Ø40x32x95, Z8, HSSCo8, NR 124218K.400032	139,53
Ф3843	ZPS End mill, Ø40x32x95, Z8, HSSCo8, TiAlN, NR 124218K.400032 TiAlN	161,30
Ф3844	ZPS End mill, Ø50x36x100, Z8, HSSCo8, NR 124218K.500036	191,38
Ф3845	ZPS End mill, Ø50x36x100, Z8, HSSCo8, TiAlN, NR 124218K.500036 TiAlN	218,59
Ф3846	Номер по каталогу производителя: 1252	
Ф3847	ZPS End mill, Ø10x60x110, Z4, HSSCo5, NR 125215E.100	23,77
Ф3848	ZPS End mill, Ø10x60x110, Z4, HSSCo5, TiAlN, NR 125215E.100 TiAlN	29,45
Ф3849	ZPS End mill, Ø12x80x137, Z4, HSSCo5, NR 125215E.120	28,70
Ф3850	ZPS End mill, Ø12x80x137, Z4, HSSCo5, TiAlN, NR 125215E.120 TiAlN	35,19
Ф3851	ZPS End mill, Ø14x80x137, Z4, HSSCo5, NR 125215E.140	33,57
Ф3852	ZPS End mill, Ø14x80x137, Z4, HSSCo5, TiAlN, NR 125215E.140 TiAlN	41,18
Ф3853	ZPS End mill, Ø16x100x160, Z4, HSSCo5, NR 125215E.160	40,06
Ф3854	ZPS End mill, Ø16x100x160, Z4, HSSCo5, TiAlN, NR 125215E.160 TiAlN	48,80
Ф3855	ZPS End mill, Ø18x100x160, Z4, HSSCo5, NR 125215E.180	45,86
Ф3856	ZPS End mill, Ø18x100x160, Z4, HSSCo5, TiAlN, NR 125215E.180 TiAlN	55,66
Ф3857	ZPS End mill, Ø20x125x191, Z4, HSSCo5, NR 125215E.200	62,03

Ф3858	ZPS End mill, Ø20x125x191, Z4, HSSCo5, TiALN, NR 125215E.200 TiAlN	72,88
Ф3859	ZPS End mill, Ø22x125x191, Z5, HSSCo5, NR 125215E.220	89,48
Ф3860	ZPS End mill, Ø22x125x191, Z5, HSSCo5, TiALN, NR 125215E.220 TiAlN	101,40
Ф3861	ZPS End mill, Ø25x140x216, Z5, HSSCo5, NR 125215E.250	102,59
Ф3862	ZPS End mill, Ø25x140x216, Z5, HSSCo5, TiALN, NR 125215E.250 TiAlN	116,19
Ф3863	ZPS End mill, Ø28x140x216, Z5, HSSCo5, NR 125215E.280	144,71
Ф3864	ZPS End mill, Ø28x140x216, Z5, HSSCo5, TiALN, NR 125215E.280 TiAlN	159,99
Ф3865	ZPS End mill, Ø30x140x216, Z5, HSSCo5, NR 125215E.300	162,93
Ф3866	ZPS End mill, Ø30x140x216, Z5, HSSCo5, TiALN, NR 125215E.300 TiAlN	179,34
Ф3867	ZPS End mill, Ø32x180x260, Z6, HSSCo5, NR 125215E.320	170,66
Ф3868	ZPS End mill, Ø32x180x260, Z6, HSSCo5, TiALN, NR 125215E.320 TiAlN	188,26
Ф3869	Номер по каталогу производителя: 1285	
Ф3870	ZPS End mill, Ø10x13x63, Z4, HSSCo8 HR 128518S.100	18,84
Ф3871	ZPS End mill, Ø10x13x63, Z4, HSSCo8, TiAlN, HR 128518S.100 TiAlN	24,27
Ф3872	ZPS End mill, Ø12x16x73, Z4, HSSCo8 HR 128518S.120	23,59
Ф3873	ZPS End mill, Ø12x16x73, Z4, HSSCo8, TiAlN, HR 128518S.120 TiAlN	30,08
Ф3874	ZPS End mill, Ø14x16x73, Z4, HSSCo8 HR 128518S.140	26,15
Ф3875	ZPS End mill, Ø14x16x73, Z4, HSSCo8, TiAlN, HR 128518S.140 TiAlN	33,76
Ф3876	ZPS End mill, Ø16x19x79, Z4, HSSCo8 HR 128518S.160	31,26
Ф3877	ZPS End mill, Ø16x19x79, Z4, HSSCo8, TiAlN, HR 128518S.160 TiAlN	39,94
Ф3878	ZPS End mill, Ø18x19x79, Z4, HSSCo8 HR 128518S.180	34,20
Ф3879	ZPS End mill, Ø18x19x79, Z4, HSSCo8, TiAlN, HR 128518S.180 TiAlN	43,99
Ф3880	ZPS End mill, Ø20x22x88, Z4, HSSCo8 HR 128518S.200	48,80
Ф3881	ZPS End mill, Ø20x22x88, Z4, HSSCo8, TiAlN, HR 128518S.200 TiAlN	59,65
Ф3882	ZPS End mill, Ø25x26x102, Z5, HSSCo8 HR 128518S.250	76,13
Ф3883	ZPS End mill, Ø25x26x102, Z5, HSSCo8, TiAlN, HR 128518S.250 TiAlN	89,67
Ф3884	ZPS End mill, Ø30x26x102, Z5, HSSCo8 HR 128518S.300	101,03
Ф3885	ZPS End mill, Ø30x26x102, Z5, HSSCo8, TiAlN, HR 128518S.300 TiAlN	117,31
Ф3886	ZPS End mill, Ø6x8x52, Z4, HSSCo8 HR 128518S.060	16,79
Ф3887	ZPS End mill, Ø6x8x52, Z4, HSSCo8, TiAlN, HR 128518S.060 TiAlN	20,03
Ф3888	ZPS End mill, Ø8x11x61, Z4, HSSCo8 HR 128518S.080	18,28
Ф3889	ZPS End mill, Ø8x11x61, Z4, HSSCo8, TiAlN, HR 128518S.080 TiAlN	22,65
Ф3890	Номер по каталогу производителя: 1485	
Ф3891	ZPS End mill, Ø10x22x72, R1, Z4, HSSE-PM, AlTiN, HR 148517R.100010 AlTiN	35,63
Ф3892	ZPS End mill, Ø10x22x72, R2, Z4, HSSE-PM, AlTiN, HR 148517R.100020 AlTiN	35,63
Ф3893	ZPS End mill, Ø12x25x83, R1, Z4, HSSE-PM, AlTiN, HR 148517R.120010 AlTiN	42,93
Ф3894	ZPS End mill, Ø12x25x83, R2, Z4, HSSE-PM, AlTiN, HR 148517R.120020 AlTiN	42,93
Ф3895	ZPS End mill, Ø16x32x92, R2, Z4, HSSE-PM, AlTiN, HR 148517R.160020 AlTiN	61,03
Ф3896	ZPS End mill, Ø16x32x92, R4, Z4, HSSE-PM, AlTiN, HR 148517R.160040 AlTiN	61,03
Ф3897	ZPS End mill, Ø20x38x104, R2, Z4, HSSE-PM, AlTiN, HR 148517R.200020 AlTiN	96,47
Ф3898	ZPS End mill, Ø20x38x104, R4, Z4, HSSE-PM, AlTiN, HR 148517R.200040 AlTiN	96,47
Ф3899	ZPS End mill, Ø6x16x57, R1, Z4, HSSE-PM, AlTiN, HR 148517R.060010 AlTiN	28,70
Ф3900	ZPS End mill, Ø6x16x57, R2, Z4, HSSE-PM, AlTiN, HR 148517R.060020 AlTiN	28,70
Ф3901	Номер по каталогу производителя: 1506	
Ф3902	ZPS End mill, Ø10x11x72, Z4, HSSE-PM, AlCrN 150617S.100 AlCrN	30,70
Ф3903	ZPS End mill, Ø10x11x72, Z4, HSSE-PM, AlTiN 150617S.100 AlTiN	28,45
Ф3904	ZPS End mill, Ø12x13x83, Z4, HSSE-PM, AlCrN 150617S.120 AlCrN	38,00
Ф3905	ZPS End mill, Ø12x13x83, Z4, HSSE-PM, AlTiN 150617S.120 AlTiN	35,32
Ф3906	ZPS End mill, Ø16x17x92, Z4, HSSE-PM, AlCrN 150617S.160 AlCrN	57,10
Ф3907	ZPS End mill, Ø16x17x92, Z4, HSSE-PM, AlTiN 150617S.160 AlTiN	53,48
Ф3908	ZPS End mill, Ø20x21x104, Z4, HSSE-PM, AlCrN 150617S.200 AlCrN	78,44
Ф3909	ZPS End mill, Ø20x21x104, Z4, HSSE-PM, AlTiN 150617S.200 AlTiN	73,94
Ф3910	ZPS End mill, Ø25x26x121, Z4, HSSE-PM, AlCrN 150617S.250 AlCrN	116,81

Ф3911	ZPS End mill, Ø25x26x121, Z4, HSSE-PM, AlTiN 150617S.250 AlTiN	111,26
Ф3912	ZPS End mill, Ø6x7x57, Z4, HSSE-PM, AlCrN 150617S.060 AlCrN	19,78
Ф3913	ZPS End mill, Ø6x7x57, Z4, HSSE-PM, AlTiN 150617S.060 AlTiN	18,41
Ф3914	ZPS End mill, Ø8x9x63, Z4, HSSE-PM, AlCrN 150617S.080 AlCrN	28,89
Ф3915	ZPS End mill, Ø8x9x63, Z4, HSSE-PM, AlTiN 150617S.080 AlTiN	27,14
Ф3916	Номер по каталогу производителя: C1004	
Ф3917	ZPS End mill, Ø10x22x70, Z2, λ 30°, SC, N C100402.100	30,55
Ф3918	ZPS End mill, Ø12x22x70, Z2, λ 30°, SC, N C100402.120	44,70
Ф3919	ZPS End mill, Ø16x25x75, Z2, λ 30°, SC, N C100402.160	75,65
Ф3920	ZPS End mill, Ø20x32x100, Z2, λ 30°, SC, N C100402.200	118,33
Ф3921	ZPS End mill, Ø3x12x40, Z2, λ 30°, SC, N C100402.030	11,06
Ф3922	ZPS End mill, Ø4x12x40, Z2, λ 30°, SC, N C100402.040	12,64
Ф3923	ZPS End mill, Ø5x14x50, Z2, λ 30°, SC, N C100402.050	13,31
Ф3924	ZPS End mill, Ø6x16x50, Z2, λ 30°, SC, N C100402.060	15,56
Ф3925	ZPS End mill, Ø8x20x60, Z2, λ 30°, SC, N C100402.080	22,41
Ф3926	Номер по каталогу производителя: C1204	
Ф3927	ZPS End mill, Ø10x22x70, Z3, λ 30°, SC, N C120402.100	30,55
Ф3928	ZPS End mill, Ø12x22x70, Z3, λ 30°, SC, N C120402.120	44,70
Ф3929	ZPS End mill, Ø16x25x75, Z3, λ 30°, SC, N C120402.160	75,65
Ф3930	ZPS End mill, Ø20x32x100, Z3, λ 30°, SC, N C120402.200	118,33
Ф3931	ZPS End mill, Ø3x12x40, Z3, λ 30°, SC, N C120402.030	11,06
Ф3932	ZPS End mill, Ø4x12x40, Z3, λ 30°, SC, N C120402.040	12,64
Ф3933	ZPS End mill, Ø5x14x50, Z3, λ 30°, SC, N C120402.050	13,31
Ф3934	ZPS End mill, Ø6x16x50, Z3, λ 30°, SC, N C120402.060	15,56
Ф3935	ZPS End mill, Ø8x20x60, Z3, λ 30°, SC, N C120402.080	22,41
Ф3936	Номер по каталогу производителя: C1206	
Ф3937	ZPS End mill, Ø10x22x70, Z4, λ 30°, SC, N C120602.100	30,55
Ф3938	ZPS End mill, Ø12x22x70, Z4, λ 30°, SC, N C120602.120	44,70
Ф3939	ZPS End mill, Ø16x25x75, Z4, λ 30°, SC, N C120602.160	75,65
Ф3940	ZPS End mill, Ø20x32x100, Z4, λ 30°, SC, N C120602.200	118,33
Ф3941	ZPS End mill, Ø3x12x40, Z4, λ 30°, SC, N C120602.030	11,06
Ф3942	ZPS End mill, Ø4x12x40, Z4, λ 30°, SC, N C120602.040	12,64
Ф3943	ZPS End mill, Ø5x14x50, Z4, λ 30°, SC, N C120602.050	13,31
Ф3944	ZPS End mill, Ø6x16x50, Z4, λ 30°, SC, N C120602.060	15,56
Ф3945	ZPS End mill, Ø8x20x60, Z4, λ 30°, SC, N C120602.080	22,41
Ф3946	Номер по каталогу производителя: S1006	
Ф3947	ZPS End mill, Ø10x22x66, Z1, λ 30°, SC, W S100602.100	35,10
Ф3948	ZPS End mill, Ø12x26x73, Z1, λ 30°, SC, W S100602.120	50,43
Ф3949	ZPS End mill, Ø3x8x50, Z1, λ 30°, SC, W S100602.030	17,52
Ф3950	ZPS End mill, Ø4x11x54, Z1, λ 30°, SC, W S100602.040	17,52
Ф3951	ZPS End mill, Ø5x13x54, Z1, λ 30°, SC, W S100602.050	17,52
Ф3952	ZPS End mill, Ø6x13x54, Z1, λ 30°, SC, W S100602.060	17,52
Ф3953	ZPS End mill, Ø8x19x58, Z1, λ 30°, SC, W S100602.080	24,71
Ф3954	Номер по каталогу производителя: S1014	
Ф3955	ZPS End mill, Ø10x11x80, Z2, λ 30°, SC, AlCrN, N S101402N.100	62,28
Ф3956	ZPS End mill, Ø10x11x80, Z2, λ 30°, SC, AlCrN, N S101402R.10005	62,79
Ф3957	ZPS End mill, Ø10x11x80, Z2, λ 30°, SC, AlCrN, N S101402R.10010	62,79
Ф3958	ZPS End mill, Ø10x11x80, Z2, λ 30°, SC, AlCrN, N S101412N.100	62,28
Ф3959	ZPS End mill, Ø10x11x80, Z2, λ 30°, SC, AlCrN, N S101412R.10005	62,79
Ф3960	ZPS End mill, Ø10x11x80, Z2, λ 30°, SC, AlCrN, N S101412R.10010	62,79
Ф3961	ZPS End mill, Ø11x12x93, Z2, λ 30°, SC, AlCrN, N S101402N.110	87,22
Ф3962	ZPS End mill, Ø11x12x93, Z2, λ 30°, SC, AlCrN, N S101412N.110	87,22
Ф3963	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101402N.120	87,22

Ф3964	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101402R.12005	87,61
Ф3965	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101402R.12010	87,61
Ф3966	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101402R.12020	89,63
Ф3967	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101412N.120	87,22
Ф3968	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101412R.12005	87,61
Ф3969	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101412R.12010	87,61
Ф3970	ZPS End mill, Ø12x13x93, Z2, λ 30°, SC, AlCrN, N S101412R.12020	89,63
Ф3971	ZPS End mill, Ø14x15x93, Z2, λ 30°, SC, AlCrN, N S101402N.140	103,11
Ф3972	ZPS End mill, Ø14x15x93, Z2, λ 30°, SC, AlCrN, N S101412N.140	103,11
Ф3973	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101402N.160	141,19
Ф3974	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101402R.16010	141,35
Ф3975	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101402R.16020	143,26
Ф3976	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101402R.16030	145,12
Ф3977	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101412N.160	141,19
Ф3978	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101412R.16010	141,35
Ф3979	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101412R.16020	143,26
Ф3980	ZPS End mill, Ø16x17x108, Z2, λ 30°, SC, AlCrN, N S101412R.16030	145,12
Ф3981	ZPS End mill, Ø18x19x108, Z2, λ 30°, SC, AlCrN, N S101402N.180	167,64
Ф3982	ZPS End mill, Ø18x19x108, Z2, λ 30°, SC, AlCrN, N S101412N.180	167,64
Ф3983	ZPS End mill, Ø20x21x126, Z2, λ 30°, SC, AlCrN, N S101402N.200	227,11
Ф3984	ZPS End mill, Ø20x21x126, Z2, λ 30°, SC, AlCrN, N S101412N.200	227,11
Ф3985	ZPS End mill, Ø2x3x54, Z2, λ 30°, SC, AlCrN, N S101402N.020	27,69
Ф3986	ZPS End mill, Ø2x3x54, Z2, λ 30°, SC, AlCrN, N S101412N.020	27,69
Ф3987	ZPS End mill, Ø3x4x54, Z2, λ 30°, SC, AlCrN, N S101402N.030	27,69
Ф3988	ZPS End mill, Ø3x4x54, Z2, λ 30°, SC, AlCrN, N S101412N.030	27,69
Ф3989	ZPS End mill, Ø4x5x57, Z2, λ 30°, SC, AlCrN, N S101402N.040	28,42
Ф3990	ZPS End mill, Ø4x5x57, Z2, λ 30°, SC, AlCrN, N S101402R.04003	29,48
Ф3991	ZPS End mill, Ø4x5x57, Z2, λ 30°, SC, AlCrN, N S101402R.04005	29,48
Ф3992	ZPS End mill, Ø4x5x57, Z2, λ 30°, SC, AlCrN, N S101412N.040	28,42
Ф3993	ZPS End mill, Ø4x5x57, Z2, λ 30°, SC, AlCrN, N S101412R.04003	29,48
Ф3994	ZPS End mill, Ø4x5x57, Z2, λ 30°, SC, AlCrN, N S101412R.04005	29,48
Ф3995	ZPS End mill, Ø5x6x62, Z2, λ 30°, SC, AlCrN, N S101402N.050	30,21
Ф3996	ZPS End mill, Ø5x6x62, Z2, λ 30°, SC, AlCrN, N S101412N.050	30,21
Ф3997	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101402N.060	30,21
Ф3998	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101402R.06003	31,17
Ф3999	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101402R.06005	31,17
Ф4000	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101402R.06010	31,17
Ф4001	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101412N.060	30,21
Ф4002	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101412R.06003	31,17
Ф4003	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101412R.06005	31,17
Ф4004	ZPS End mill, Ø6x7x62, Z2, λ 30°, SC, AlCrN, N S101412R.06010	31,17
Ф4005	ZPS End mill, Ø7x8x68, Z2, λ 30°, SC, AlCrN, N S101402N.070	41,39
Ф4006	ZPS End mill, Ø7x8x68, Z2, λ 30°, SC, AlCrN, N S101412N.070	41,39
Ф4007	ZPS End mill, Ø8x9x68, Z2, λ 30°, SC, AlCrN, N S101402N.080	41,39
Ф4008	ZPS End mill, Ø8x9x68, Z2, λ 30°, SC, AlCrN, N S101402R.08005	42,23
Ф4009	ZPS End mill, Ø8x9x68, Z2, λ 30°, SC, AlCrN, N S101402R.08010	42,23
Ф4010	ZPS End mill, Ø8x9x68, Z2, λ 30°, SC, AlCrN, N S101412N.080	41,39
Ф4011	ZPS End mill, Ø8x9x68, Z2, λ 30°, SC, AlCrN, N S101412R.08005	42,23
Ф4012	ZPS End mill, Ø8x9x68, Z2, λ 30°, SC, AlCrN, N S101412R.08010	42,23
Ф4013	ZPS End mill, Ø9x10x80, Z2, λ 30°, SC, AlCrN, N S101402N.090	62,28
Ф4014	ZPS End mill, Ø9x10x80, Z2, λ 30°, SC, AlCrN, N S101412N.090	62,28
Ф4015	Номер по каталогу производителя: S1114	
Ф4016	ZPS End mill, Ø10x22x72, Z3, λ 45°, SC, W S111402.100	35,94

Φ4017	ZPS End mill, Ø10x22x72, Z3, λ 45°, SC, W S111412.100	35,94
Φ4018	ZPS End mill, Ø10x38x80, Z3, λ 45°-46°-44°, SC, W S111402N.100	59,53
Φ4019	ZPS End mill, Ø10x38x80, Z3, λ 45°-46°-44°, SC, W S111412N.100	59,53
Φ4020	ZPS End mill, Ø12x26x83, Z3, λ 45°, SC, W S111402.120	51,11
Φ4021	ZPS End mill, Ø12x26x83, Z3, λ 45°, SC, W S111412.120	51,11
Φ4022	ZPS End mill, Ø12x46x93, Z3, λ 45°-46°-44°, SC, W S111402N.120	83,34
Φ4023	ZPS End mill, Ø12x46x93, Z3, λ 45°-46°-44°, SC, W S111412N.120	83,34
Φ4024	ZPS End mill, Ø14x26x83, Z3, λ 45°, SC, W S111402.140	76,71
Φ4025	ZPS End mill, Ø14x26x83, Z3, λ 45°, SC, W S111412.140	76,71
Φ4026	ZPS End mill, Ø14x46x93, Z3, λ 45°-46°-44°, SC, W S111402N.140	100,75
Φ4027	ZPS End mill, Ø14x46x93, Z3, λ 45°-46°-44°, SC, W S111412N.140	100,75
Φ4028	ZPS End mill, Ø16x32x92, Z3, λ 45°, SC, W S111402.160	94,40
Φ4029	ZPS End mill, Ø16x32x92, Z3, λ 45°, SC, W S111412.160	94,40
Φ4030	ZPS End mill, Ø16x58x108, Z3, λ 45°-46°-44°, SC, W S111402N.160	138,72
Φ4031	ZPS End mill, Ø16x58x108, Z3, λ 45°-46°-44°, SC, W S111412N.160	138,72
Φ4032	ZPS End mill, Ø18x32x92, Z3, λ 45°, SC, W S111402.180	124,00
Φ4033	ZPS End mill, Ø18x32x92, Z3, λ 45°, SC, W S111412.180	124,00
Φ4034	ZPS End mill, Ø18x58x108, Z3, λ 45°-46°-44°, SC, W S111402N.180	166,91
Φ4035	ZPS End mill, Ø18x58x108, Z3, λ 45°-46°-44°, SC, W S111412N.180	166,91
Φ4036	ZPS End mill, Ø20x38x104, Z3, λ 45°, SC, W S111402.200	149,78
Φ4037	ZPS End mill, Ø20x38x104, Z3, λ 45°, SC, W S111412.200	149,78
Φ4038	ZPS End mill, Ø20x74x126, Z3, λ 45°-46°-44°, SC, W S111402N.200	226,38
Φ4039	ZPS End mill, Ø20x74x126, Z3, λ 45°-46°-44°, SC, W S111412N.200	226,38
Φ4040	ZPS End mill, Ø25x92x150, Z3, λ 45°-46°-44°, SC, W S111402N.250	403,28
Φ4041	ZPS End mill, Ø25x92x150, Z3, λ 45°-46°-44°, SC, W S111412N.250	403,28
Φ4042	ZPS End mill, Ø3,5x10x57, Z3, λ 45°, SC, W S111402.035	18,48
Φ4043	ZPS End mill, Ø3,5x10x57, Z3, λ 45°, SC, W S111412.035	19,21
Φ4044	ZPS End mill, Ø3x8x57, Z3, λ 45°, SC, W S111402.030	18,48
Φ4045	ZPS End mill, Ø3x8x57, Z3, λ 45°, SC, W S111412.030	19,21
Φ4046	ZPS End mill, Ø4,5x11x57, Z3, λ 45°, SC, W S111402.045	18,48
Φ4047	ZPS End mill, Ø4,5x11x57, Z3, λ 45°, SC, W S111412.045	19,21
Φ4048	ZPS End mill, Ø4x11x57, Z3, λ 45°, SC, W S111402.040	18,48
Φ4049	ZPS End mill, Ø4x11x57, Z3, λ 45°, SC, W S111412.040	19,21
Φ4050	ZPS End mill, Ø5x13x57, Z3, λ 45°, SC, W S111402.050	19,21
Φ4051	ZPS End mill, Ø5x13x57, Z3, λ 45°, SC, W S111412.050	19,21
Φ4052	ZPS End mill, Ø6x13x57, Z3, λ 45°, SC, W S111402.060	19,21
Φ4053	ZPS End mill, Ø6x13x57, Z3, λ 45°, SC, W S111412.060	19,21
Φ4054	ZPS End mill, Ø6x24x62, Z3, λ 45°-46°-44°, SC, W S111402N.060	30,72
Φ4055	ZPS End mill, Ø6x24x62, Z3, λ 45°-46°-44°, SC, W S111412N	по запросу
Φ4056	ZPS End mill, Ø8x19x63, Z3, λ 45°, SC, W S111402.080	24,20
Φ4057	ZPS End mill, Ø8x19x63, Z3, λ 45°, SC, W S111412.080	24,20
Φ4058	ZPS End mill, Ø8x30x68, Z3, λ 45°-46°-44°, SC, W S111402N.080	40,04
Φ4059	ZPS End mill, Ø8x30x68, Z3, λ 45°-46°-44°, SC, W S111412N.080	40,04
Φ4060	Номер по каталогу производителя: S1115	
Φ4061	ZPS End mill, Ø10x22x72, Z3, λ 25°, SC, WR S115402.100	43,64
Φ4062	ZPS End mill, Ø10x22x72, Z3, λ 25°, SC, WR S115412.100	43,64
Φ4063	ZPS End mill, Ø10x30x80, Z4, λ 38°, SC, W S111502.100	43,92
Φ4064	ZPS End mill, Ø10x30x80, Z4, λ 38°, SC, W S111512.100	43,92
Φ4065	ZPS End mill, Ø12x26x83, Z3, λ 25°, SC, WR S115402.120	61,10
Φ4066	ZPS End mill, Ø12x26x83, Z3, λ 25°, SC, WR S115412.120	61,10
Φ4067	ZPS End mill, Ø12x36x93, Z4, λ 38°, SC, W S111502.120	62,96
Φ4068	ZPS End mill, Ø12x36x93, Z4, λ 38°, SC, W S111512.120	62,96
Φ4069	ZPS End mill, Ø14x26x83, Z3, λ 25°, SC, WR S115402.140	76,83

Φ4070	ZPS End mill, Ø14x26x83, Z3, λ 25°, SC, WR S115412.140	76,83
Φ4071	ZPS End mill, Ø16x32x92, Z3, λ 25°, SC, WR S115402.160	108,50
Φ4072	ZPS End mill, Ø16x32x92, Z3, λ 25°, SC, WR S115412.160	108,50
Φ4073	ZPS End mill, Ø16x48x108, Z4, λ 38°, SC, W S111502.160	119,12
Φ4074	ZPS End mill, Ø16x48x108, Z4, λ 38°, SC, W S111512.160	119,12
Φ4075	ZPS End mill, Ø18x32x92, Z3, λ 25°, SC, WR S115402.180	130,52
Φ4076	ZPS End mill, Ø18x32x92, Z3, λ 25°, SC, WR S115412.180	130,52
Φ4077	ZPS End mill, Ø20x38x104, Z3, λ 25°, SC, WR S115402.200	168,48
Φ4078	ZPS End mill, Ø20x38x104, Z3, λ 25°, SC, WR S115412.200	168,48
Φ4079	ZPS End mill, Ø20x60x126, Z4, λ 38°, SC, W S111502.200	196,11
Φ4080	ZPS End mill, Ø20x60x126, Z4, λ 38°, SC, W S111512.200	196,11
Φ4081	ZPS End mill, Ø4x15x62, Z4, λ 38°, SC, W S111502.040	22,41
Φ4082	ZPS End mill, Ø4x15x62, Z4, λ 38°, SC, W S111512.040	22,41
Φ4083	ZPS End mill, Ø5x18x62, Z4, λ 38°, SC, W S111502.050	22,41
Φ4084	ZPS End mill, Ø5x18x62, Z4, λ 38°, SC, W S111512.050	22,41
Φ4085	ZPS End mill, Ø6x13x57, Z3, λ 25°, SC, WR S115402.060	20,22
Φ4086	ZPS End mill, Ø6x13x57, Z3, λ 25°, SC, WR S115412.060	20,22
Φ4087	ZPS End mill, Ø6x18x62, Z4, λ 38°, SC, W S111502.060	22,41
Φ4088	ZPS End mill, Ø6x18x62, Z4, λ 38°, SC, W S111512.060	22,41
Φ4089	ZPS End mill, Ø8x19x63, Z3, λ 25°, SC, WR S115402.080	30,33
Φ4090	ZPS End mill, Ø8x19x63, Z3, λ 25°, SC, WR S115412.080	30,33
Φ4091	ZPS End mill, Ø8x24x68, Z4, λ 38°, SC, W S111502.080	28,75
Φ4092	ZPS End mill, Ø8x24x68, Z4, λ 38°, SC, W S111512.080	28,75
Φ4093	Номер по каталогу производителя: S1116	
Φ4094	ZPS End mill, Ø10x22x72, Z2, λ 45°, SC, W S111602.100	35,38
Φ4095	ZPS End mill, Ø10x22x72, Z2, λ 45°, SC, W S111612.100	35,38
Φ4096	ZPS End mill, Ø12x26x83, Z2, λ 45°, SC, W S111602.120	51,11
Φ4097	ZPS End mill, Ø12x26x83, Z2, λ 45°, SC, W S111612.120	51,11
Φ4098	ZPS End mill, Ø14x26x83, Z2, λ 45°, SC, W S111602.140	76,71
Φ4099	ZPS End mill, Ø14x26x83, Z2, λ 45°, SC, W S111612.140	76,71
Φ4100	ZPS End mill, Ø16x32x92, Z2, λ 45°, SC, W S111602.160	94,40
Φ4101	ZPS End mill, Ø16x32x92, Z2, λ 45°, SC, W S111612.160	94,40
Φ4102	ZPS End mill, Ø18x32x92, Z2, λ 45°, SC, W S111602.180	124,00
Φ4103	ZPS End mill, Ø18x32x92, Z2, λ 45°, SC, W S111612.180	124,00
Φ4104	ZPS End mill, Ø20x38x104, Z2, λ 45°, SC, W S111602.200	149,78
Φ4105	ZPS End mill, Ø20x38x104, Z2, λ 45°, SC, W S111612.200	149,78
Φ4106	ZPS End mill, Ø3,5x10x57, Z2, λ 45°, SC, W S111602.035	19,21
Φ4107	ZPS End mill, Ø3,5x10x57, Z2, λ 45°, SC, W S111612.035	19,21
Φ4108	ZPS End mill, Ø3x8x57, Z2, λ 45°, SC, W S111602.030	19,21
Φ4109	ZPS End mill, Ø3x8x57, Z2, λ 45°, SC, W S111612.030	19,21
Φ4110	ZPS End mill, Ø4,5x11x57, Z2, λ 45°, SC, W S111602.045	19,21
Φ4111	ZPS End mill, Ø4,5x11x57, Z2, λ 45°, SC, W S111612.045	19,21
Φ4112	ZPS End mill, Ø4x11x57, Z2, λ 45°, SC, W S111602.040	19,21
Φ4113	ZPS End mill, Ø4x11x57, Z2, λ 45°, SC, W S111612.040	19,21
Φ4114	ZPS End mill, Ø5x13x57, Z2, λ 45°, SC, W S111602.050	19,21
Φ4115	ZPS End mill, Ø5x13x57, Z2, λ 45°, SC, W S111612.050	19,21
Φ4116	ZPS End mill, Ø6x13x57, Z2, λ 45°, SC, W S111602.060	19,21
Φ4117	ZPS End mill, Ø6x13x57, Z2, λ 45°, SC, W S111612.060	19,21
Φ4118	ZPS End mill, Ø7x16x63, Z2, λ 45°, SC, W S111602.070	24,20
Φ4119	ZPS End mill, Ø7x16x63, Z2, λ 45°, SC, W S111612.070	24,20
Φ4120	ZPS End mill, Ø8x19x63, Z2, λ 45°, SC, W S111602.080	24,20
Φ4121	ZPS End mill, Ø8x19x63, Z2, λ 45°, SC, W S111612.080	24,20
Φ4122	ZPS End mill, Ø9x19x72, Z2, λ 45°, SC, W S111602.090	35,38

Φ4123	ZPS End mill, Ø9x19x72, Z2, λ 45°, SC, W S111612.090	35,38
Φ4124	Номер по каталогу производителя: S1196	
Φ4125	ZPS End mill, Ø10x22x72, Z4, λ 45°, SC, AlCrN, HR S119602N.100	65,43
Φ4126	ZPS End mill, Ø10x22x72, Z4, λ 45°, SC, AlCrN, HR S119612N.100	65,43
Φ4127	ZPS End mill, Ø12x26x83, Z4, λ 45°, SC, AlCrN, HR S119602N.120	88,45
Φ4128	ZPS End mill, Ø12x26x83, Z4, λ 45°, SC, AlCrN, HR S119612N.120	88,45
Φ4129	ZPS End mill, Ø14x26x83, Z4, λ 45°, SC, AlCrN, HR S119602N.140	107,49
Φ4130	ZPS End mill, Ø14x26x83, Z4, λ 45°, SC, AlCrN, HR S119612N.140	107,49
Φ4131	ZPS End mill, Ø16x32x92, Z4, λ 45°, SC, AlCrN, HR S119602N.160	145,01
Φ4132	ZPS End mill, Ø16x32x92, Z4, λ 45°, SC, AlCrN, HR S119612N.160	145,01
Φ4133	ZPS End mill, Ø16x32x92, Z5, λ 45°, SC, AlCrN, HR S119602N.160Z5	145,01
Φ4134	ZPS End mill, Ø16x32x92, Z5, λ 45°, SC, AlCrN, HR S119612N.160Z5	145,01
Φ4135	ZPS End mill, Ø18x32x92, Z5, λ 45°, SC, AlCrN, HR S119602N.180	169,04
Φ4136	ZPS End mill, Ø18x32x92, Z5, λ 45°, SC, AlCrN, HR S119612N.180	169,04
Φ4137	ZPS End mill, Ø20x38x104, Z5, λ 45°, SC, AlCrN, HR S119602N.200	221,72
Φ4138	ZPS End mill, Ø20x38x104, Z5, λ 45°, SC, AlCrN, HR S119612N.200	221,72
Φ4139	ZPS End mill, Ø20x38x104, Z6, λ 45°, SC, AlCrN, HR S119602N.200Z6	221,72
Φ4140	ZPS End mill, Ø20x38x104, Z6, λ 45°, SC, AlCrN, HR S119612N.200Z6	221,72
Φ4141	ZPS End mill, Ø4x11x57, Z3, λ 45°, SC, AlCrN, HR S119602N.040	36,50
Φ4142	ZPS End mill, Ø4x11x57, Z3, λ 45°, SC, AlCrN, HR S119612N.040	36,50
Φ4143	ZPS End mill, Ø5x13x57, Z4, λ 45°, SC, AlCrN, HR S119602N.050	36,50
Φ4144	ZPS End mill, Ø5x13x57, Z4, λ 45°, SC, AlCrN, HR S119612N.050	36,50
Φ4145	ZPS End mill, Ø6x13x57, Z4, λ 45°, SC, AlCrN, HR S119602N.060	36,50
Φ4146	ZPS End mill, Ø6x13x57, Z4, λ 45°, SC, AlCrN, HR S119612N.060	36,50
Φ4147	ZPS End mill, Ø8x19x63, Z4, λ 45°, SC, AlCrN, HR S119602N.080	48,41
Φ4148	ZPS End mill, Ø8x19x63, Z4, λ 45°, SC, AlCrN, HR S119612N.080	48,41
Φ4149	Номер по каталогу производителя: S1235	
Φ4150	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123502T.100	63,91
Φ4151	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123502T.10005	78,90
Φ4152	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123502T.10010	78,90
Φ4153	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123502T.10020	78,90
Φ4154	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123512T.100	63,91
Φ4155	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123512T.10005	78,90
Φ4156	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123512T.10010	78,90
Φ4157	ZPS End mill, Ø10x30x80, Z5, λ 37°-38°, SC, AlCrN, N S123512T.10020	78,90
Φ4158	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123502T.120	85,19
Φ4159	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123502T.12005	103,90
Φ4160	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123502T.12010	103,90
Φ4161	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123502T.12020	103,90
Φ4162	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123512T.120	85,19
Φ4163	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123512T.12005	103,90
Φ4164	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123512T.12010	103,90
Φ4165	ZPS End mill, Ø12x36x93, Z5, λ 37°-38°, SC, AlCrN, N S123512T.12020	103,90
Φ4166	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123502T.160	158,71
Φ4167	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123502T.16005	167,36
Φ4168	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123502T.16010	167,36
Φ4169	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123502T.16020	167,36
Φ4170	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123512T.160	158,71
Φ4171	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123512T.16005	167,36
Φ4172	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123512T.16010	167,36
Φ4173	ZPS End mill, Ø16x48x108, Z5, λ 37°-38°, SC, AlCrN, N S123512T.16020	167,36
Φ4174	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123502T.200	245,76
Φ4175	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123502T.20010	256,93

Φ4176	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123502T.20020	257,04
Φ4177	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123502T.20030	266,31
Φ4178	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123512T.200	245,76
Φ4179	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123512T.20010	256,93
Φ4180	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123512T.20020	257,04
Φ4181	ZPS End mill, Ø20x60x126, Z5, λ 37°-38°, SC, AlCrN, N S123512T.20030	266,31
Φ4182	ZPS End mill, Ø25x75x150, Z5, λ 37°-38°, SC, AlCrN, N S123502T.250	433,78
Φ4183	ZPS End mill, Ø25x75x150, Z5, λ 37°-38°, SC, AlCrN, N S123512T.250	433,78
Φ4184	ZPS End mill, Ø6x18x62, Z5, λ 37°-38°, SC, AlCrN, N S123502T.060	33,75
Φ4185	ZPS End mill, Ø6x18x62, Z5, λ 37°-38°, SC, AlCrN, N S123502T.06005	38,36
Φ4186	ZPS End mill, Ø6x18x62, Z5, λ 37°-38°, SC, AlCrN, N S123502T.06010	38,36
Φ4187	ZPS End mill, Ø6x18x62, Z5, λ 37°-38°, SC, AlCrN, N S123512T.060	33,75
Φ4188	ZPS End mill, Ø6x18x62, Z5, λ 37°-38°, SC, AlCrN, N S123512T.06005	38,36
Φ4189	ZPS End mill, Ø6x18x62, Z5, λ 37°-38°, SC, AlCrN, N S123512T.06010	38,36
Φ4190	ZPS End mill, Ø8x24x68, Z5, λ 37°-38°, SC, AlCrN, N S123502T.080	43,19
Φ4191	ZPS End mill, Ø8x24x68, Z5, λ 37°-38°, SC, AlCrN, N S123502T.08005	53,46
Φ4192	ZPS End mill, Ø8x24x68, Z5, λ 37°-38°, SC, AlCrN, N S123502T.08010	53,46
Φ4193	ZPS End mill, Ø8x24x68, Z5, λ 37°-38°, SC, AlCrN, N S123512T.080	43,19
Φ4194	ZPS End mill, Ø8x24x68, Z5, λ 37°-38°, SC, AlCrN, N S123512T.08005	53,46
Φ4195	ZPS End mill, Ø8x24x68, Z5, λ 37°-38°, SC, AlCrN, N S123512T.08010	53,46
Φ4196	Номер по каталогу производителя: S1316	
Φ4197	ZPS End mill, Ø10x30x80, Z6, λ 45°, SC, AlTiN, H S131602L.100	53,91
Φ4198	ZPS End mill, Ø10x30x80, Z6, λ 45°, SC, AlTiN, H S131612L.100	53,91
Φ4199	ZPS End mill, Ø10x50x100, Z6, λ 45°, SC, AlTiN, H S131602E.100	71,21
Φ4200	ZPS End mill, Ø10x50x100, Z6, λ 45°, SC, AlTiN, H S131612E.100	71,21
Φ4201	ZPS End mill, Ø12x36x93, Z6, λ 45°, SC, AlTiN, H S131602L.120	77,33
Φ4202	ZPS End mill, Ø12x36x93, Z6, λ 45°, SC, AlTiN, H S131612L.120	77,33
Φ4203	ZPS End mill, Ø12x65x120, Z6, λ 45°, SC, AlTiN, H S131602E.120	103,00
Φ4204	ZPS End mill, Ø12x65x120, Z6, λ 45°, SC, AlTiN, H S131612E.120	103,00
Φ4205	ZPS End mill, Ø14x45x100, Z6, λ 45°, SC, AlTiN, H S131602L.140	107,10
Φ4206	ZPS End mill, Ø14x45x100, Z6, λ 45°, SC, AlTiN, H S131612L.140	107,10
Φ4207	ZPS End mill, Ø16x48x108, Z6, λ 45°, SC, AlTiN, H S131602L.160	144,16
Φ4208	ZPS End mill, Ø16x48x108, Z6, λ 45°, SC, AlTiN, H S131612L.160	144,16
Φ4209	ZPS End mill, Ø16x80x140, Z6, λ 45°, SC, AlTiN, H S131602E.160	191,73
Φ4210	ZPS End mill, Ø16x80x140, Z6, λ 45°, SC, AlTiN, H S131612E.160	191,73
Φ4211	ZPS End mill, Ø18x55x115, Z8, λ 45°, SC, AlTiN, H S131602L.180	194,26
Φ4212	ZPS End mill, Ø18x55x115, Z8, λ 45°, SC, AlTiN, H S131612L.180	194,26
Φ4213	ZPS End mill, Ø20x60x126, Z8, λ 45°, SC, AlTiN, H S131602L.200	248,40
Φ4214	ZPS End mill, Ø20x60x126, Z8, λ 45°, SC, AlTiN, H S131612L.200	248,40
Φ4215	ZPS End mill, Ø20x94x160, Z8, λ 45°, SC, AlTiN, H S131602E.200	315,62
Φ4216	ZPS End mill, Ø20x94x160, Z8, λ 45°, SC, AlTiN, H S131612E.200	315,62
Φ4217	ZPS End mill, Ø6x18x62, Z6, λ 45°, SC, AlTiN, H S131602L.060	28,19
Φ4218	ZPS End mill, Ø6x18x62, Z6, λ 45°, SC, AlTiN, H S131612L.060	28,19
Φ4219	ZPS End mill, Ø6x36x80, Z6, λ 45°, SC, AlTiN, H S131602E.060	33,86
Φ4220	ZPS End mill, Ø6x36x80, Z6, λ 45°, SC, AlTiN, H S131612E.060	33,86
Φ4221	ZPS End mill, Ø8x24x68, Z6, λ 45°, SC, AlTiN, H S131602L.080	38,41
Φ4222	ZPS End mill, Ø8x24x68, Z6, λ 45°, SC, AlTiN, H S131612L.080	38,41
Φ4223	ZPS End mill, Ø8x46x90, Z6, λ 45°, SC, AlTiN, H S131602E.080	49,08
Φ4224	ZPS End mill, Ø8x46x90, Z6, λ 45°, SC, AlTiN, H S131612E.080	49,08
Φ4225	Номер по каталогу производителя: S1435	
Φ4226	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AlCr N S143502T.100	66,72
Φ4227	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AlCr N S143502T.10005	83,00
Φ4228	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AlCr N S143502T.10010	83,00

Φ4229	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AICR N S143502T.10020	83,00
Φ4230	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AICR N S143512T.100	66,72
Φ4231	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AICR N S143512T.10005	83,00
Φ4232	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AICR N S143512T.10010	83,00
Φ4233	ZPS End mill, Ø10x30x80, Z5, λ 41°-42°, SC, AICR N S143512T.10020	83,00
Φ4234	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143502T.120	88,85
Φ4235	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143502T.12005	109,06
Φ4236	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143502T.12010	109,06
Φ4237	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143502T.12020	109,06
Φ4238	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143512T.120	88,85
Φ4239	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143512T.12005	109,06
Φ4240	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143512T.12010	109,06
Φ4241	ZPS End mill, Ø12x36x93, Z5, λ 41°-42°, SC, AICR N S143512T.12020	109,06
Φ4242	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143502T.160	170,45
Φ4243	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143502T.16005	174,38
Φ4244	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143502T.16010	174,38
Φ4245	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143502T.16020	174,38
Φ4246	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143512T.160	170,45
Φ4247	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143512T.16005	174,38
Φ4248	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143512T.16010	174,38
Φ4249	ZPS End mill, Ø16x48x108, Z5, λ 41°-42°, SC, AICR N S143512T.16020	174,38
Φ4250	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143502T.200	260,81
Φ4251	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143502T.20010	264,74
Φ4252	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143502T.20020	264,79
Φ4253	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143502T.20030	274,23
Φ4254	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143512T.200	260,81
Φ4255	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143512T.20010	264,74
Φ4256	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143512T.20020	264,79
Φ4257	ZPS End mill, Ø20x60x126, Z5, λ 41°-42°, SC, AICR N S143512T.20030	274,23
Φ4258	ZPS End mill, Ø25x75x150, Z5, λ 41°-42°, SC, AICR N S143502T.250	456,24
Φ4259	ZPS End mill, Ø25x75x150, Z5, λ 41°-42°, SC, AICR N S143512T.250	456,24
Φ4260	ZPS End mill, Ø6x18x62, Z5, λ 41°-42°, SC, AICR N S143502T.060	36,50
Φ4261	ZPS End mill, Ø6x18x62, Z5, λ 41°-42°, SC, AICR N S143502T.06005	42,63
Φ4262	ZPS End mill, Ø6x18x62, Z5, λ 41°-42°, SC, AICR N S143502T.06010	42,63
Φ4263	ZPS End mill, Ø6x18x62, Z5, λ 41°-42°, SC, AICR N S143512T.060	36,50
Φ4264	ZPS End mill, Ø6x18x62, Z5, λ 41°-42°, SC, AICR N S143512T.06005	42,63
Φ4265	ZPS End mill, Ø6x18x62, Z5, λ 41°-42°, SC, AICR N S143512T.06010	42,63
Φ4266	ZPS End mill, Ø8x24x68, Z5, λ 41°-42°, SC, AICR N S143502T.080	44,93
Φ4267	ZPS End mill, Ø8x24x68, Z5, λ 41°-42°, SC, AICR N S143502T.08005	57,00
Φ4268	ZPS End mill, Ø8x24x68, Z5, λ 41°-42°, SC, AICR N S143502T.08010	57,00
Φ4269	ZPS End mill, Ø8x24x68, Z5, λ 41°-42°, SC, AICR N S143512T.080	44,93
Φ4270	ZPS End mill, Ø8x24x68, Z5, λ 41°-42°, SC, AICR N S143512T.08005	57,00
Φ4271	ZPS End mill, Ø8x24x68, Z5, λ 41°-42°, SC, AICR N S143512T.08010	57,00
Φ4272	Номер по каталогу производителя: S1517	
Φ4273	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151702R.10005	74,58
Φ4274	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151702R.10010	74,58
Φ4275	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151702R.10015	80,31
Φ4276	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151702R.10020	108,16
Φ4277	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151712R.10005	74,58
Φ4278	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151712R.10010	74,58
Φ4279	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151712R.10015	80,31
Φ4280	ZPS End mill, Ø10x22x80, Z6, λ 50°-35°, SC, AICrN, H S151712R.10020	108,16
Φ4281	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AICrN, H S151702R.12005	100,58

Ф4282	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151702R.12010	100,58
Ф4283	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151702R.12015	103,62
Ф4284	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151702R.12020	106,82
Ф4285	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151712R.12005	100,58
Ф4286	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151712R.12010	100,58
Ф4287	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151712R.12015	103,62
Ф4288	ZPS End mill, Ø12x26x93, Z6, λ 50°-35°, SC, AlCrN, H S151712R.12020	106,82
Ф4289	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151702R.16005	159,27
Ф4290	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151702R.16010	159,27
Ф4291	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151702R.16015	161,97
Ф4292	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151702R.16020	164,89
Ф4293	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151712R.16005	159,27
Ф4294	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151712R.16010	159,27
Ф4295	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151712R.16015	161,97
Ф4296	ZPS End mill, Ø16x32x108, Z6, λ 50°-35°, SC, AlCrN, H S151712R.16020	164,89
Ф4297	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151702R.20005	260,36
Ф4298	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151702R.20010	260,36
Ф4299	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151702R.20015	264,23
Ф4300	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151702R.20020	268,05
Ф4301	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151712R.20005	260,36
Ф4302	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151712R.20010	260,36
Ф4303	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151712R.20015	264,23
Ф4304	ZPS End mill, Ø20x38x126, Z8, λ 50°-35°, SC, AlCrN, H S151712R.20020	268,05
Ф4305	ZPS End mill, Ø6x13x62, Z6, λ 50°-35°, SC, AlCrN, H S151702R.06005	40,04
Ф4306	ZPS End mill, Ø6x13x62, Z6, λ 50°-35°, SC, AlCrN, H S151702R.06010	40,04
Ф4307	ZPS End mill, Ø6x13x62, Z6, λ 50°-35°, SC, AlCrN, H S151712R.06005	40,04
Ф4308	ZPS End mill, Ø6x13x62, Z6, λ 50°-35°, SC, AlCrN, H S151712R.06010	40,04
Ф4309	ZPS End mill, Ø8x19x68, Z6, λ 50°-35°, SC, AlCrN, H S151702R.08005	52,40
Ф4310	ZPS End mill, Ø8x19x68, Z6, λ 50°-35°, SC, AlCrN, H S151702R.08010	52,40
Ф4311	ZPS End mill, Ø8x19x68, Z6, λ 50°-35°, SC, AlCrN, H S151712R.08005	52,40
Ф4312	ZPS End mill, Ø8x19x68, Z6, λ 50°-35°, SC, AlCrN, H S151712R.08010	52,40
Ф4313	Фрезы концевые фасонные	
Ф4314	Фрезы фасонные многофункциональная	
Ф4315	ZPS-FN Norm	
Ф4316	Номер по каталогу производителя: S3900	
Ф4317	ZPS Multi mill, Ø10x18x72, Z2, λ, SC, N S390002.100	101,42
Ф4318	ZPS Multi mill, Ø10x18x72, Z2, λ, SC, N AlTiN S390002.100 AlTiN	107,60
Ф4319	ZPS Multi mill, Ø12x20x83, Z2, λ, SC, N S390002.120	101,42
Ф4320	ZPS Multi mill, Ø12x20x83, Z2, λ, SC, N AlTiN S390002.120 AlTiN	107,60
Ф4321	ZPS Multi mill, Ø3x6x50, Z2, λ, SC, N AlTiN S390002.030 AlTiN	44,09
Ф4322	ZPS Multi mill, Ø3x6x50, Z2, λ, SC, N, N S390002.030	42,34
Ф4323	ZPS Multi mill, Ø4x8x54, Z2, λ, SC, N S390002.040	43,75
Ф4324	ZPS Multi mill, Ø4x8x54, Z2, λ, SC, N AlTiN S390002.040 AlTiN	46,22
Ф4325	ZPS Multi mill, Ø5x10x57, Z2, λ, SC, N S390002.050	46,28
Ф4326	ZPS Multi mill, Ø5x10x57, Z2, λ, SC, N AlTiN S390002.050 AlTiN	49,36
Ф4327	ZPS Multi mill, Ø6x12x57, Z2, λ, SC, N S390002.060	56,16
Ф4328	ZPS Multi mill, Ø6x12x57, Z2, λ, SC, N AlTiN S390002.060 AlTiN	59,87
Ф4329	ZPS Multi mill, Ø8x16x63, Z2, λ, SC, N S390002.080	78,90
Ф4330	ZPS Multi mill, Ø8x16x63, Z2, λ, SC, N AlTiN S390002.080 AlTiN	83,85
Ф4331	Фрезы насадные дисковые	
Ф4332	Фрезы дисковые пазовые	
Ф4333	DIN 222168	
Ф4334	Номер по каталогу производителя: 7323	

Ф4335	ZPS Slotting cutter Ø100x16x32, Z24, 222168, HSSE, H 732373.10016	88,05
Ф4336	ZPS Slotting cutter Ø100x18x32, Z24, 222168, HSSE, H 732373.10018	98,47
Ф4337	ZPS Slotting cutter Ø125x22x40, Z26, 222168, HSSE, H 732373.12522	120,87
Ф4338	ZPS Slotting cutter Ø125x25x40, Z26, 222168, HSSE, H 732373.12525	125,24
Ф4339	ZPS Slotting cutter Ø50x4x16, Z18, 222168, HSSE, H 732373.05004	31,89
Ф4340	ZPS Slotting cutter Ø63x5x22, Z20, 222168, HSSE, H 732373.06305	34,13
Ф4341	ZPS Slotting cutter Ø63x6x22, Z20, 222168, HSSE, H 732373.06306	35,88
Ф4342	ZPS Slotting cutter Ø63x8x22, Z20, 222168, HSSE, H 732373.06308	40,00
Ф4343	ZPS Slotting cutter Ø80x10x27, Z22, 222168, HSSE, H 732373.08010	50,73
Ф4344	ZPS Slotting cutter Ø80x12x27, Z22, 222168, HSSE, H 732373.08012	57,60
Ф4345	ZPS Slotting cutter Ø80x14x27, Z22, 222168, HSSE, H 732373.08014	62,28
Ф4346	Фрезы дисковые трехсторонние	
Ф4347	DIN 222161	
Ф4348	Номер по каталогу производителя: 7203	
Ф4349	ZPS Side and face milling cutter Ø100x10x27, Z14, 222161, HSSE, N 720373.1001027	52,73
Ф4350	ZPS Side and face milling cutter Ø100x12x22, Z14, 222161, HSSE, N 720373.1001222	55,97
Ф4351	ZPS Side and face milling cutter Ø100x12x27, Z14, 222161, HSSE, N 720373.1001227	55,97
Ф4352	ZPS Side and face milling cutter Ø100x12x32, Z14, 222161, HSSE, N 720373.10012	55,97
Ф4353	ZPS Side and face milling cutter Ø100x14x27, Z14, 222161, HSSE, N 720373.1001427	59,97
Ф4354	ZPS Side and face milling cutter Ø100x14x32, Z14, 222161, HSSE, N 720373.10014	59,97
Ф4355	ZPS Side and face milling cutter Ø100x16x32, Z14, 222161, HSSE, N 720373.10016	71,88
Ф4356	ZPS Side and face milling cutter Ø125x12x32, Z16, 222161, HSSE, N 720373.12512	64,96
Ф4357	ZPS Side and face milling cutter Ø125x14x27, Z16, 222161, HSSE, N 720373.1251427	69,33
Ф4358	ZPS Side and face milling cutter Ø125x14x32, Z16, 222161, HSSE, N 720373.12514	69,33
Ф4359	ZPS Side and face milling cutter Ø125x14x40, Z16, 222161, HSSE, N 720373.1251440	69,33
Ф4360	ZPS Side and face milling cutter Ø125x16x32, Z16, 222161, HSSE, N 720373.12516	75,69
Ф4361	ZPS Side and face milling cutter Ø125x16x40, Z16, 222161, HSSE, N 720373.1251640	75,69
Ф4362	ZPS Side and face milling cutter Ø125x18x40, Z16, 222161, HSSE, N 720373.1251840	80,18
Ф4363	ZPS Side and face milling cutter Ø160x14x40, Z18, 222161, HSSE, N 720373.16014	90,54
Ф4364	ZPS Side and face milling cutter Ø160x18x40, Z18, 222161, HSSE, N 720373.16018	117,37
Ф4365	ZPS Side and face milling cutter Ø160x20x40, Z18, 222161, HSSE, N 720373.16020	130,60
Ф4366	ZPS Side and face milling cutter Ø63x10x22, Z12, 222161, HSSE, N 720373.06310	35,07
Ф4367	ZPS Side and face milling cutter Ø63x12x22, Z12, 222161, HSSE, N 720373.06312	37,88
Ф4368	ZPS Side and face milling cutter Ø63x8x22, Z12, 222161, HSSE, N 720373.06308	31,70
Ф4369	ZPS Side and face milling cutter Ø80x10x22, Z14, 222161, HSSE, N 720373.0801022	41,68
Ф4370	ZPS Side and face milling cutter Ø80x10x27, Z14, 222161, HSSE, N 720373.08010	41,68
Ф4371	ZPS Side and face milling cutter Ø80x12x27, Z14, 222161, HSSE, N 720373.08012	46,18
Ф4372	ZPS Side and face milling cutter Ø80x8x27, Z14, 222161, HSSE, N 720373.08008	36,75
Ф4373	DIN 222165	
Ф4374	Номер по каталогу производителя: 7303	
Ф4375	ZPS Side and face milling cutter Ø100x10x22, Z24, 222165, HSSE, H 730373.10010	64,27
Ф4376	ZPS Side and face milling cutter Ø100x14x22, Z24, 222165, HSSE, H 730373.10014	71,76
Ф4377	ZPS Side and face milling cutter Ø100x16x22, Z24, 222165, HSSE, H 730373.10016	86,42
Ф4378	ZPS Side and face milling cutter Ø100x8x22, Z24, 222165, HSSE, H 730373.10008	61,90
Ф4379	ZPS Side and face milling cutter Ø125x12x27, Z26, 222165, HSSE, H 730373.12512	85,99
Ф4380	ZPS Side and face milling cutter Ø125x16x32, Z26, 222165, HSSE, H 730373.12516	95,16
Ф4381	ZPS Side and face milling cutter Ø125x18x32, Z26, 222165, HSSE, H 730373.12518	99,22
Ф4382	ZPS Side and face milling cutter Ø125x20x27, Z26, 222165, HSSE, H 730373.12520	105,64
Ф4383	ZPS Side and face milling cutter Ø125x8x32, Z28, 222165, HSSE, H 730373.12508	78,56
Ф4384	ZPS Side and face milling cutter Ø160x18x32, Z28, 222165, HSSE, H 730373.16018	133,35
Ф4385	ZPS Side and face milling cutter Ø160x22x40, Z28, 222165, HSSE, H 730373.16022	170,79
Ф4386	ZPS Side and face milling cutter Ø50x4x16, Z18, 222165, HSSE, H 730373.05004	32,26
Ф4387	ZPS Side and face milling cutter Ø50x5x16, Z18, 222165, HSSE, H 730373.05005	33,51

Ф4388	ZPS Side and face milling cutter Ø50x6x16, Z18, 222165, HSSE, H 730373.05006	34,82
Ф4389	ZPS Side and face milling cutter Ø63x10x22, Z20, 222165, HSSE, H 730373.06310	44,12
Ф4390	ZPS Side and face milling cutter Ø63x12x22, Z16, 222165, HSSE, H 730373.06312	47,30
Ф4391	ZPS Side and face milling cutter Ø63x4x22, Z20, 222165, HSSE, H 730373.06304	33,01
Ф4392	ZPS Side and face milling cutter Ø63x5x22, Z20, 222165, HSSE, H 730373.06305	34,32
Ф4393	ZPS Side and face milling cutter Ø63x6x22, Z20, 222165, HSSE, H 730373.06306	36,32
Ф4394	ZPS Side and face milling cutter Ø63x8x22, Z20, 222165, HSSE, H 730373.06308	40,37
Ф4395	ZPS Side and face milling cutter Ø80x10x22, Z22, 222165, HSSE, H 730373.08010	51,11
Ф4396	ZPS Side and face milling cutter Ø80x12x22, Z22, 222165, HSSE, H 730373.08012	56,16
Ф4397	ZPS Side and face milling cutter Ø80x6x22, Z22, 222165, HSSE, H 730373.08006	41,43
Ф4398	ZPS Side and face milling cutter Ø80x8x22, Z22, 222165, HSSE, H 730373.08008	46,18
Ф4399	DIN 885	
Ф4400	Номер по каталогу производителя: 7202	
Ф4401	ZPS Side and face milling cutter Ø100x10x32, Z14, HSSCo5, N 720275.10010	115,56
Ф4402	ZPS Side and face milling cutter Ø100x12x32, Z14, HSSCo5, N 720275.10012	124,61
Ф4403	ZPS Side and face milling cutter Ø100x14x32, Z14, HSSCo5, N 720275.10014	138,96
Ф4404	ZPS Side and face milling cutter Ø100x16x32, Z14, HSSCo5, N 720275.10016	146,52
Ф4405	ZPS Side and face milling cutter Ø100x18x32, Z14, HSSCo5, N 720275.10018	172,29
Ф4406	ZPS Side and face milling cutter Ø100x20x32, Z14, HSSCo5, N 720275.10020	170,41
Ф4407	ZPS Side and face milling cutter Ø100x25x32, Z14, HSSCo5, N 720275.10025	220,33
Ф4408	ZPS Side and face milling cutter Ø100x3x32, Z14, HSSCo5, N 720275.10003	94,47
Ф4409	ZPS Side and face milling cutter Ø100x4x32, Z14, HSSCo5, N 720275.10004	89,98
Ф4410	ZPS Side and face milling cutter Ø100x5x32, Z14, HSSCo5, N 720275.10005	91,23
Ф4411	ZPS Side and face milling cutter Ø100x6x32, Z14, HSSCo5, N 720275.10006	99,65
Ф4412	ZPS Side and face milling cutter Ø100x8x32, Z14, HSSCo5, N 720275.10008	109,26
Ф4413	ZPS Side and face milling cutter Ø125x10x32, Z16, HSSCo5, N 720275.12510	153,32
Ф4414	ZPS Side and face milling cutter Ø125x12x32, Z16, HSSCo5, N 720275.12512	166,36
Ф4415	ZPS Side and face milling cutter Ø125x14x32, Z16, HSSCo5, N 720275.12514	187,51
Ф4416	ZPS Side and face milling cutter Ø125x16x32, Z16, HSSCo5, N 720275.12516	197,81
Ф4417	ZPS Side and face milling cutter Ø125x18x32, Z16, HSSCo5, N 720275.12518	214,47
Ф4418	ZPS Side and face milling cutter Ø125x20x32, Z16, HSSCo5, N 720275.12520	228,51
Ф4419	ZPS Side and face milling cutter Ø125x22x32, Z16, HSSCo5, N 720275.12522	242,24
Ф4420	ZPS Side and face milling cutter Ø125x25x32, Z16, HSSCo5, N 720275.12525	276,06
Ф4421	ZPS Side and face milling cutter Ø125x28x32, Z16, HSSCo5, N 720275.12528	292,59
Ф4422	ZPS Side and face milling cutter Ø125x4x32, Z16, HSSCo5, N 720275.12504	110,95
Ф4423	ZPS Side and face milling cutter Ø125x5x32, Z16, HSSCo5, N 720275.12505	114,75
Ф4424	ZPS Side and face milling cutter Ø125x6x32, Z16, HSSCo5, N 720275.12506	122,24
Ф4425	ZPS Side and face milling cutter Ø125x8x32, Z16, HSSCo5, N 720275.12508	135,84
Ф4426	ZPS Side and face milling cutter Ø160x10x40, Z18, HSSCo5, N 720275.16010	226,14
Ф4427	ZPS Side and face milling cutter Ø160x12x40, Z18, HSSCo5, N 720275.16012	240,05
Ф4428	ZPS Side and face milling cutter Ø160x14x40, Z18, HSSCo5, N 720275.16014	266,57
Ф4429	ZPS Side and face milling cutter Ø160x16x40, Z18, HSSCo5, N 720275.16016	286,79
Ф4430	ZPS Side and face milling cutter Ø160x18x40, Z18, HSSCo5, N 720275.16018	320,55
Ф4431	ZPS Side and face milling cutter Ø160x20x40, Z18, HSSCo5, N 720275.16020	323,67
Ф4432	ZPS Side and face milling cutter Ø160x25x40, Z18, HSSCo5, N 720275.16025	397,05
Ф4433	ZPS Side and face milling cutter Ø160x32x40, Z18, HSSCo5, N 720275.16032	503,57
Ф4434	ZPS Side and face milling cutter Ø160x6x40, Z18, HSSCo5, N 720275.16006	177,47
Ф4435	ZPS Side and face milling cutter Ø160x8x40, Z18, HSSCo5, N 720275.16008	201,18
Ф4436	ZPS Side and face milling cutter Ø200x10x40, Z24, HSSCo5, N 720275.20010	330,03
Ф4437	ZPS Side and face milling cutter Ø200x12x40, Z24, HSSCo5, N 720275.20012	363,73
Ф4438	ZPS Side and face milling cutter Ø200x14x40, Z24, HSSCo5, N 720275.20014	412,21
Ф4439	ZPS Side and face milling cutter Ø200x16x40, Z24, HSSCo5, N 720275.20016	418,58
Ф4440	ZPS Side and face milling cutter Ø200x18x40, Z24, HSSCo5, N 720275.20018	454,02

Ф4441	ZPS Side and face milling cutter Ø200x20x40, Z24, HSSCo5, N 720275.20020	467,44
Ф4442	ZPS Side and face milling cutter Ø200x25x40, Z24, HSSCo5, N 720275.20025	552,93
Ф4443	ZPS Side and face milling cutter Ø200x32x40, Z24, HSSCo5, N 720275.20032	723,84
Ф4444	ZPS Side and face milling cutter Ø200x8x40, Z24, HSSCo5, N 720275.20008	308,32
Ф4445	ZPS Side and face milling cutter Ø50x10x16, Z12, HSSCo5, N 720275.05010	62,90
Ф4446	ZPS Side and face milling cutter Ø50x3x16, Z12, HSSCo5, N 720275.05003	50,92
Ф4447	ZPS Side and face milling cutter Ø50x4x16, Z12, HSSCo5, N 720275.05004	50,92
Ф4448	ZPS Side and face milling cutter Ø50x5x16, Z12, HSSCo5, N 720275.05005	51,67
Ф4449	ZPS Side and face milling cutter Ø50x6x16, Z12, HSSCo5, N 720275.05006	52,54
Ф4450	ZPS Side and face milling cutter Ø50x8x16, Z12, HSSCo5, N 720275.05008	58,47
Ф4451	ZPS Side and face milling cutter Ø63x10x22, Z12, HSSCo5, N 720275.06310	71,95
Ф4452	ZPS Side and face milling cutter Ø63x12x22, Z12, HSSCo5, N 720275.06312	81,00
Ф4453	ZPS Side and face milling cutter Ø63x14x22, Z12, HSSCo5, N 720275.06314	91,79
Ф4454	ZPS Side and face milling cutter Ø63x16x22, Z12, HSSCo5, N 720275.06316	96,72
Ф4455	ZPS Side and face milling cutter Ø63x18x22, Z12, HSSCo5, N 720275.06318	101,59
Ф4456	ZPS Side and face milling cutter Ø63x3x22, Z12, HSSCo5, N 720275.06303	62,52
Ф4457	ZPS Side and face milling cutter Ø63x4x16, Z12, HSSCo5, N 720275.06304	55,29
Ф4458	ZPS Side and face milling cutter Ø63x5x22, Z12, HSSCo5, N 720275.06305	58,91
Ф4459	ZPS Side and face milling cutter Ø63x6x22, Z12, HSSCo5, N 720275.06306	61,21
Ф4460	ZPS Side and face milling cutter Ø63x8x22, Z12, HSSCo5, N 720275.06308	63,96
Ф4461	ZPS Side and face milling cutter Ø80x10x27, Z14, HSSCo5, N 720275.08010	82,99
Ф4462	ZPS Side and face milling cutter Ø80x12x27, Z14, HSSCo5, N 720275.08012	93,48
Ф4463	ZPS Side and face milling cutter Ø80x14x27, Z14, HSSCo5, N 720275.08014	107,08
Ф4464	ZPS Side and face milling cutter Ø80x16x27, Z14, HSSCo5, N 720275.08016	116,00
Ф4465	ZPS Side and face milling cutter Ø80x18x27, Z14, HSSCo5, N 720275.08018	134,91
Ф4466	ZPS Side and face milling cutter Ø80x20x27, Z14, HSSCo5, N 720275.08020	144,33
Ф4467	ZPS Side and face milling cutter Ø80x3x27, Z14, HSSCo5, N 720275.08003	75,57
Ф4468	ZPS Side and face milling cutter Ø80x4x27, Z14, HSSCo5, N 720275.08004	72,01
Ф4469	ZPS Side and face milling cutter Ø80x5x27, Z14, HSSCo5, N 720275.08005	74,63
Ф4470	ZPS Side and face milling cutter Ø80x6x27, Z14, HSSCo5, N 720275.08006	76,44
Ф4471	ZPS Side and face milling cutter Ø80x8x27, Z14, HSSCo5, N 720275.08008	81,00
Ф4472	Номер по каталогу производителя: 7302	
Ф4473	ZPS Side and face milling cutter Ø100x10x32, Z20, HSSCo5, H 730275.10010	136,22
Ф4474	ZPS Side and face milling cutter Ø100x10x32, Z20, HSSCo8, H 730278.10010	143,02
Ф4475	ZPS Side and face milling cutter Ø100x12x32, Z20, HSSCo5, H 730275.10012	146,89
Ф4476	ZPS Side and face milling cutter Ø100x12x32, Z20, HSSCo8, H 730278.10012	154,25
Ф4477	ZPS Side and face milling cutter Ø100x14x32, Z20, HSSCo5, H 730275.10014	163,86
Ф4478	ZPS Side and face milling cutter Ø100x14x32, Z20, HSSCo8, H 730278.10014	171,97
Ф4479	ZPS Side and face milling cutter Ø100x16x32, Z20, HSSCo5, H 730275.10016	172,79
Ф4480	ZPS Side and face milling cutter Ø100x16x32, Z20, HSSCo8, H 730278.10016	181,40
Ф4481	ZPS Side and face milling cutter Ø100x18x32, Z20, HSSCo5, H 730275.10018	203,05
Ф4482	ZPS Side and face milling cutter Ø100x18x32, Z20, HSSCo8, H 730278.10018	213,22
Ф4483	ZPS Side and face milling cutter Ø100x20x32, Z20, HSSCo5, H 730275.10020	204,36
Ф4484	ZPS Side and face milling cutter Ø100x20x32, Z20, HSSCo8, H 730278.10020	214,59
Ф4485	ZPS Side and face milling cutter Ø100x22x32, Z18, HSSCo8, H 730278.10022	228,57
Ф4486	ZPS Side and face milling cutter Ø100x25x32, Z18, HSSCo8, H 730278.10025	265,64
Ф4487	ZPS Side and face milling cutter Ø100x25x32, Z20, HSSCo5, H 730275.10025	252,97
Ф4488	ZPS Side and face milling cutter Ø100x4x32, Z20, HSSCo5, H 730275.10004	91,29
Ф4489	ZPS Side and face milling cutter Ø100x4x32, Z20, HSSCo8, H 730278.10004	122,24
Ф4490	ZPS Side and face milling cutter Ø100x5x32, Z20, HSSCo5, H 730275.10005	95,53
Ф4491	ZPS Side and face milling cutter Ø100x5x32, Z20, HSSCo8, H 730278.10005	127,92
Ф4492	ZPS Side and face milling cutter Ø100x6x32, Z20, HSSCo5, H 730275.10006	105,77
Ф4493	ZPS Side and face milling cutter Ø100x6x32, Z20, HSSCo8, H 730278.10006	133,29

Φ4494	ZPS Side and face milling cutter Ø100x8x32, Z20, HSSCo5, H 730275.10008	117,50
Φ4495	ZPS Side and face milling cutter Ø100x8x32, Z20, HSSCo8, H 730278.10008	132,41
Φ4496	ZPS Side and face milling cutter Ø125x10x32, Z22, HSSCo5, H 730275.12510	162,99
Φ4497	ZPS Side and face milling cutter Ø125x10x32, Z22, HSSCo8, H 730278.12510	189,76
Φ4498	ZPS Side and face milling cutter Ø125x12x32, Z22, HSSCo5, H 730275.12512	194,38
Φ4499	ZPS Side and face milling cutter Ø125x12x32, Z22, HSSCo8, H 730278.12512	204,17
Φ4500	ZPS Side and face milling cutter Ø125x14x32, Z22, HSSCo5, H 730275.12514	219,09
Φ4501	ZPS Side and face milling cutter Ø125x14x32, Z22, HSSCo8, H 730278.12514	230,07
Φ4502	ZPS Side and face milling cutter Ø125x16x32, Z22, HSSCo5, H 730275.12516	227,07
Φ4503	ZPS Side and face milling cutter Ø125x16x32, Z22, HSSCo8, H 730278.12516	238,49
Φ4504	ZPS Side and face milling cutter Ø125x18x32, Z22, HSSCo5, H 730275.12518	261,58
Φ4505	ZPS Side and face milling cutter Ø125x18x32, Z22, HSSCo8, H 730278.12518	274,68
Φ4506	ZPS Side and face milling cutter Ø125x20x32, Z22, HSSCo5, H 730275.12520	267,07
Φ4507	ZPS Side and face milling cutter Ø125x20x32, Z22, HSSCo8, H 730278.12520	280,36
Φ4508	ZPS Side and face milling cutter Ø125x22x32, Z20, HSSCo8, H 730278.12522	294,59
Φ4509	ZPS Side and face milling cutter Ø125x25x32, Z20, HSSCo8, H 730278.12525	335,71
Φ4510	ZPS Side and face milling cutter Ø125x25x32, Z22, HSSCo5, H 730275.12525	319,68
Φ4511	ZPS Side and face milling cutter Ø125x28x32, Z22, HSSCo5, H 730275.12528	343,76
Φ4512	ZPS Side and face milling cutter Ø125x5x32, Z22, HSSCo8, H 730278.12505	152,57
Φ4513	ZPS Side and face milling cutter Ø125x5x32, Z24, HSSCo5, H 730275.12505	114,00
Φ4514	ZPS Side and face milling cutter Ø125x6x32, Z22, HSSCo8, H 730278.12506	163,18
Φ4515	ZPS Side and face milling cutter Ø125x6x32, Z24, HSSCo5, H 730275.12506	124,92
Φ4516	ZPS Side and face milling cutter Ø125x8x32, Z22, HSSCo8, H 730278.12508	176,97
Φ4517	ZPS Side and face milling cutter Ø125x8x32, Z24, HSSCo5, H 730275.12508	141,34
Φ4518	ZPS Side and face milling cutter Ø160x10x40, Z24, HSSCo8, H 730278.16010	282,24
Φ4519	ZPS Side and face milling cutter Ø160x10x40, Z26, HSSCo5, H 730275.16010	231,94
Φ4520	ZPS Side and face milling cutter Ø160x12x40, Z24, HSSCo8, H 730278.16012	307,32
Φ4521	ZPS Side and face milling cutter Ø160x12x40, Z26, HSSCo5, H 730275.16012	252,47
Φ4522	ZPS Side and face milling cutter Ø160x14x40, Z24, HSSCo8, H 730278.16014	329,91
Φ4523	ZPS Side and face milling cutter Ø160x14x40, Z26, HSSCo5, H 730275.16014	314,18
Φ4524	ZPS Side and face milling cutter Ø160x16x40, Z24, HSSCo8, H 730278.16016	354,99
Φ4525	ZPS Side and face milling cutter Ø160x16x40, Z26, HSSCo5, H 730275.16016	338,08
Φ4526	ZPS Side and face milling cutter Ø160x18x40, Z24, HSSCo8, H 730278.16018	389,88
Φ4527	ZPS Side and face milling cutter Ø160x18x40, Z26, HSSCo5, H 730275.16018	378,64
Φ4528	ZPS Side and face milling cutter Ø160x20x40, Z24, HSSCo8, H 730278.16020	390,19
Φ4529	ZPS Side and face milling cutter Ø160x20x40, Z26, HSSCo5, H 730275.16020	419,33
Φ4530	ZPS Side and face milling cutter Ø160x22x40, Z22, HSSCo8, H 730278.16022	451,46
Φ4531	ZPS Side and face milling cutter Ø160x25x40, Z22, HSSCo8, H 730278.16025	487,16
Φ4532	ZPS Side and face milling cutter Ø160x25x40, Z26, HSSCo5, H 730275.16025	463,88
Φ4533	ZPS Side and face milling cutter Ø160x32x40, Z26, HSSCo5, H 730275.16032	583,25
Φ4534	ZPS Side and face milling cutter Ø160x6x40, Z24, HSSCo8, H 730278.16006	234,44
Φ4535	ZPS Side and face milling cutter Ø160x6x40, Z26, HSSCo5, H 730275.16006	186,08
Φ4536	ZPS Side and face milling cutter Ø160x8x40, Z24, HSSCo8, H 730278.16008	258,34
Φ4537	ZPS Side and face milling cutter Ø160x8x40, Z26, HSSCo5, H 730275.16008	212,28
Φ4538	ZPS Side and face milling cutter Ø200x10x40, Z30, HSSCo8, H 730278.20010	393,12
Φ4539	ZPS Side and face milling cutter Ø200x10x40, Z32, HSSCo5, H 730275.20010	355,68
Φ4540	ZPS Side and face milling cutter Ø200x12x40, Z30, HSSCo8, H 730278.20012	443,48
Φ4541	ZPS Side and face milling cutter Ø200x12x40, Z32, HSSCo5, H 730275.20012	401,23
Φ4542	ZPS Side and face milling cutter Ø200x14x40, Z30, HSSCo8, H 730278.20014	501,38
Φ4543	ZPS Side and face milling cutter Ø200x14x40, Z32, HSSCo5, H 730275.20014	453,59
Φ4544	ZPS Side and face milling cutter Ø200x16x40, Z30, HSSCo8, H 730278.20016	513,55
Φ4545	ZPS Side and face milling cutter Ø200x16x40, Z32, HSSCo5, H 730275.20016	464,63
Φ4546	ZPS Side and face milling cutter Ø200x18x40, Z30, HSSCo8, H 730278.20018	561,91

Φ4547	ZPS Side and face milling cutter Ø200x18x40, Z32, HSSCo5, H 730275.20018	508,31
Φ4548	ZPS Side and face milling cutter Ø200x20x40, Z30, HSSCo8, H 730278.20020	573,58
Φ4549	ZPS Side and face milling cutter Ø200x20x40, Z38, HSSCo5, H 730275.20020	518,92
Φ4550	ZPS Side and face milling cutter Ø200x22x40, Z28, HSSCo8, H 730278.20022	624,75
Φ4551	ZPS Side and face milling cutter Ø200x25x40, Z28, HSSCo8, H 730278.20025	696,20
Φ4552	ZPS Side and face milling cutter Ø200x25x40, Z38, HSSCo5, H 730275.20025	629,87
Φ4553	ZPS Side and face milling cutter Ø200x32x40, Z38, HSSCo5, H 730275.20032	796,54
Φ4554	ZPS Side and face milling cutter Ø200x8x40, Z30, HSSCo8, H 730278.20008	364,10
Φ4555	ZPS Side and face milling cutter Ø200x8x40, Z32, HSSCo5, H 730275.20008	329,41
Φ4556	ZPS Side and face milling cutter Ø250x10x40, Z38, HSS, H 730270.25010	505,50
Φ4557	ZPS Side and face milling cutter Ø250x12x40, Z38, HSS, H 730270.25012	553,49
Φ4558	ZPS Side and face milling cutter Ø250x8x40, Z38, HSS, H 730270.25008	477,86
Φ4559	ZPS Side and face milling cutter Ø50x10x16, Z14, HSSCo8, H 730278.05010	77,81
Φ4560	ZPS Side and face milling cutter Ø50x10x16, Z16, HSSCo5, H 730275.05010	72,63
Φ4561	ZPS Side and face milling cutter Ø50x4x16, Z14, HSSCo8, H 730278.05004	62,46
Φ4562	ZPS Side and face milling cutter Ø50x4x16, Z16, HSSCo5, H 730275.05004	58,28
Φ4563	ZPS Side and face milling cutter Ø50x5x16, Z14, HSSCo8, H 730278.05005	62,84
Φ4564	ZPS Side and face milling cutter Ø50x5x16, Z16, HSSCo5, H 730275.05005	58,72
Φ4565	ZPS Side and face milling cutter Ø50x6x16, Z14, HSSCo8, H 730278.05006	66,21
Φ4566	ZPS Side and face milling cutter Ø50x6x16, Z16, HSSCo5, H 730275.05006	61,78
Φ4567	ZPS Side and face milling cutter Ø50x8x16, Z14, HSSCo8, H 730278.05008	71,07
Φ4568	ZPS Side and face milling cutter Ø50x8x16, Z16, HSSCo5, H 730275.05008	66,33
Φ4569	ZPS Side and face milling cutter Ø63x10x22, Z16, HSSCo8, H 730278.06310	88,30
Φ4570	ZPS Side and face milling cutter Ø63x10x22, Z18, HSSCo5, H 730275.06310	84,12
Φ4571	ZPS Side and face milling cutter Ø63x12x22, Z16, HSSCo8, H 730278.06312	100,28
Φ4572	ZPS Side and face milling cutter Ø63x12x22, Z18, HSSCo5, H 730275.06312	95,47
Φ4573	ZPS Side and face milling cutter Ø63x14x22, Z16, HSSCo8, H 730278.06314	112,57
Φ4574	ZPS Side and face milling cutter Ø63x14x22, Z18, HSSCo5, H 730275.06314	107,20
Φ4575	ZPS Side and face milling cutter Ø63x16x22, Z16, HSSCo8, H 730278.06316	119,75
Φ4576	ZPS Side and face milling cutter Ø63x16x22, Z18, HSSCo5, H 730275.06316	114,07
Φ4577	ZPS Side and face milling cutter Ø63x4x16, Z18, HSSCo5, H 730275.06304	65,15
Φ4578	ZPS Side and face milling cutter Ø63x4x22, Z16, HSSCo8, H 730278.06304	68,39
Φ4579	ZPS Side and face milling cutter Ø63x5x22, Z16, HSSCo8, H 730278.06305	73,51
Φ4580	ZPS Side and face milling cutter Ø63x5x22, Z18, HSSCo5, H 730275.06305	67,14
Φ4581	ZPS Side and face milling cutter Ø63x6x22, Z16, HSSCo8, H 730278.06306	70,51
Φ4582	ZPS Side and face milling cutter Ø63x6x22, Z18, HSSCo5, H 730275.06306	70,01
Φ4583	ZPS Side and face milling cutter Ø63x8x22, Z16, HSSCo8, H 730278.06308	79,06
Φ4584	ZPS Side and face milling cutter Ø63x8x22, Z18, HSSCo5, H 730275.06308	75,38
Φ4585	ZPS Side and face milling cutter Ø80x10x27, Z18, HSSCo5, H 730275.08010	97,03
Φ4586	ZPS Side and face milling cutter Ø80x10x27, Z18, HSSCo8, H 730278.08010	101,84
Φ4587	ZPS Side and face milling cutter Ø80x12x27, Z18, HSSCo5, H 730275.08012	109,20
Φ4588	ZPS Side and face milling cutter Ø80x12x27, Z18, HSSCo8, H 730278.08012	114,75
Φ4589	ZPS Side and face milling cutter Ø80x14x27, Z18, HSSCo5, H 730275.08014	126,24
Φ4590	ZPS Side and face milling cutter Ø80x14x27, Z18, HSSCo8, H 730278.08014	132,54
Φ4591	ZPS Side and face milling cutter Ø80x16x27, Z18, HSSCo5, H 730275.08016	136,72
Φ4592	ZPS Side and face milling cutter Ø80x16x27, Z18, HSSCo8, H 730278.08016	143,64
Φ4593	ZPS Side and face milling cutter Ø80x18x27, Z16, HSSCo8, H 730278.08018	165,55
Φ4594	ZPS Side and face milling cutter Ø80x18x27, Z18, HSSCo5, H 730275.08018	157,62
Φ4595	ZPS Side and face milling cutter Ø80x20x27, Z16, HSSCo8, H 730278.08020	165,61
Φ4596	ZPS Side and face milling cutter Ø80x20x27, Z18, HSSCo5, H 730275.08020	157,81
Φ4597	ZPS Side and face milling cutter Ø80x4x27, Z18, HSSCo8, H 730278.08004	89,17
Φ4598	ZPS Side and face milling cutter Ø80x4x27, Z20, HSSCo5, H 730275.08004	81,06
Φ4599	ZPS Side and face milling cutter Ø80x5x27, Z18, HSSCo8, H 730278.08005	92,41

Φ4600	ZPS Side and face milling cutter Ø80x5x27, Z20, HSSCo5, H 730275.08005	84,49
Φ4601	ZPS Side and face milling cutter Ø80x6x27, Z18, HSSCo8, H 730278.08006	95,47
Φ4602	ZPS Side and face milling cutter Ø80x6x27, Z20, HSSCo5, H 730275.08006	89,11
Φ4603	ZPS Side and face milling cutter Ø80x8x27, Z18, HSSCo8, H 730278.08008	99,34
Φ4604	ZPS Side and face milling cutter Ø80x8x27, Z20, HSSCo5, H 730275.08008	94,60
Φ4605	Номер по каталогу производителя: 7392	
Φ4606	ZPS Side and face milling cutter Ø100x10x32, Z24, HSSCo5, H 739275.10010	141,77
Φ4607	ZPS Side and face milling cutter Ø100x12x32, Z24, HSSCo5, H 739275.10012	157,00
Φ4608	ZPS Side and face milling cutter Ø100x14x32, Z24, HSSCo5, H 739275.10014	181,71
Φ4609	ZPS Side and face milling cutter Ø100x16x32, Z24, HSSCo5, H 739275.10016	193,25
Φ4610	ZPS Side and face milling cutter Ø100x18x32, Z24, HSSCo5, H 739275.10018	223,08
Φ4611	ZPS Side and face milling cutter Ø100x20x32, Z24, HSSCo5, H 739275.10020	234,87
Φ4612	ZPS Side and face milling cutter Ø100x22x32, Z24, HSSCo5, H 739275.10022	241,36
Φ4613	ZPS Side and face milling cutter Ø100x25x32, Z24, HSSCo5, H 739275.10025	251,66
Φ4614	ZPS Side and face milling cutter Ø100x6x32, Z24, HSSCo5, H 739275.10006	116,94
Φ4615	ZPS Side and face milling cutter Ø100x8x32, Z24, HSSCo5, H 739275.10008	128,42
Φ4616	ZPS Side and face milling cutter Ø125x10x32, Z24, HSSCo5, H 739275.12510	188,76
Φ4617	ZPS Side and face milling cutter Ø125x12x32, Z24, HSSCo5, H 739275.12512	198,24
Φ4618	ZPS Side and face milling cutter Ø125x14x32, Z24, HSSCo5, H 739275.12514	230,69
Φ4619	ZPS Side and face milling cutter Ø125x16x32, Z24, HSSCo5, H 739275.12516	248,16
Φ4620	ZPS Side and face milling cutter Ø125x18x32, Z24, HSSCo5, H 739275.12518	266,95
Φ4621	ZPS Side and face milling cutter Ø125x20x32, Z24, HSSCo5, H 739275.12520	270,75
Φ4622	ZPS Side and face milling cutter Ø125x25x32, Z24, HSSCo5, H 739275.12525	323,48
Φ4623	ZPS Side and face milling cutter Ø125x6x32, Z24, HSSCo5, H 739275.12506	167,11
Φ4624	ZPS Side and face milling cutter Ø125x8x32, Z24, HSSCo5, H 739275.12508	183,02
Φ4625	ZPS Side and face milling cutter Ø160x10x40, Z24, HSSCo5, H 739275.16010	279,80
Φ4626	ZPS Side and face milling cutter Ø160x12x40, Z24, HSSCo5, H 739275.16012	312,87
Φ4627	ZPS Side and face milling cutter Ø160x14x40, Z24, HSSCo5, H 739275.16014	348,63
Φ4628	ZPS Side and face milling cutter Ø160x16x40, Z24, HSSCo5, H 739275.16016	378,08
Φ4629	ZPS Side and face milling cutter Ø160x18x40, Z24, HSSCo5, H 739275.16018	407,78
Φ4630	ZPS Side and face milling cutter Ø160x20x40, Z24, HSSCo5, H 739275.16020	427,00
Φ4631	ZPS Side and face milling cutter Ø200x10x40, Z32, HSSCo5, H 739275.20010	389,56
Φ4632	ZPS Side and face milling cutter Ø200x12x40, Z32, HSSCo5, H 739275.20012	451,53
Φ4633	ZPS Side and face milling cutter Ø200x14x40, Z32, HSSCo5, H 739275.20014	529,78
Φ4634	ZPS Side and face milling cutter Ø200x16x40, Z32, HSSCo5, H 739275.20016	547,00
Φ4635	ZPS Side and face milling cutter Ø200x18x40, Z32, HSSCo5, H 739275.20018	587,87
Φ4636	ZPS Side and face milling cutter Ø200x20x40, Z32, HSSCo5, H 739275.20020	659,13
Φ4637	ZPS Side and face milling cutter Ø50x10x16, Z16, HSSCo5, H 739275.05010	83,87
Φ4638	ZPS Side and face milling cutter Ø50x4x16, Z16, HSSCo5, H 739275.05004	64,65
Φ4639	ZPS Side and face milling cutter Ø50x5x16, Z16, HSSCo5, H 739275.05005	65,46
Φ4640	ZPS Side and face milling cutter Ø50x6x16, Z16, HSSCo5, H 739275.05006	66,52
Φ4641	ZPS Side and face milling cutter Ø50x8x16, Z16, HSSCo5, H 739275.05008	78,19
Φ4642	ZPS Side and face milling cutter Ø63x10x22, Z18, HSSCo5, H 739275.06310	85,86
Φ4643	ZPS Side and face milling cutter Ø63x12x22, Z18, HSSCo5, H 739275.06312	99,78
Φ4644	ZPS Side and face milling cutter Ø63x14x22, Z18, HSSCo5, H 739275.06314	119,50
Φ4645	ZPS Side and face milling cutter Ø63x16x22, Z18, HSSCo5, H 739275.06316	124,61
Φ4646	ZPS Side and face milling cutter Ø63x18x22, Z18, HSSCo5, H 739275.06318	135,53
Φ4647	ZPS Side and face milling cutter Ø63x4x22, Z18, HSSCo5, H 739275.06304	85,18
Φ4648	ZPS Side and face milling cutter Ø63x5x22, Z18, HSSCo5, H 739275.06305	80,43
Φ4649	ZPS Side and face milling cutter Ø63x6x22, Z18, HSSCo5, H 739275.06306	79,56
Φ4650	ZPS Side and face milling cutter Ø63x8x22, Z18, HSSCo5, H 739275.06308	81,37
Φ4651	ZPS Side and face milling cutter Ø80x10x27, Z20, HSSCo5, H 739275.08010	110,01
Φ4652	ZPS Side and face milling cutter Ø80x12x27, Z20, HSSCo5, H 739275.08012	120,74

Ф4653	ZPS Side and face milling cutter Ø80x14x27, Z20, HSSCo5, H 739275.08014	116,94
Ф4654	ZPS Side and face milling cutter Ø80x16x27, Z20, HSSCo5, H 739275.08016	149,95
Ф4655	ZPS Side and face milling cutter Ø80x18x27, Z20, HSSCo5, H 739275.08018	161,37
Ф4656	ZPS Side and face milling cutter Ø80x20x27, Z20, HSSCo5, H 739275.08020	163,36
Ф4657	ZPS Side and face milling cutter Ø80x4x27, Z20, HSSCo5, H 739275.08004	101,65
Ф4658	ZPS Side and face milling cutter Ø80x5x27, Z20, HSSCo5, H 739275.08005	95,97
Ф4659	ZPS Side and face milling cutter Ø80x6x27, Z20, HSSCo5, H 739275.08006	97,91
Ф4660	ZPS Side and face milling cutter Ø80x8x27, Z20, HSSCo5, H 739275.08008	100,40
Ф4661	Фрезы дисковые трехсторонние узкие	
Ф4662	DIN 1834	
Ф4663	Номер по каталогу производителя: 7262	
Ф4664	ZPS Narrow side and face milling cutter Ø100x1,6x32, Z24, DIN HSSCo5, N 726275.100016	91,92
Ф4665	ZPS Narrow side and face milling cutter Ø100x2,5x32, Z24, DIN HSSCo5, N 726275.100025	82,80
Ф4666	ZPS Narrow side and face milling cutter Ø100x2x32, Z24, DIN HSSCo5, N 726275.100020	85,36
Ф4667	ZPS Narrow side and face milling cutter Ø100x3x32, Z24, DIN HSSCo5, N 726275.100030	84,30
Ф4668	ZPS Narrow side and face milling cutter Ø100x4x32, Z24, DIN HSSCo5, N 726275.100040	92,48
Ф4669	ZPS Narrow side and face milling cutter Ø100x5x32, Z24, DIN HSSCo5, N 726275.100050	98,03
Ф4670	ZPS Narrow side and face milling cutter Ø100x6x32, Z24, DIN HSSCo5, N 726275.100060	108,14
Ф4671	ZPS Narrow side and face milling cutter Ø100x8x32, Z24, DIN HSSCo5, N 726275.100080	120,68
Ф4672	ZPS Narrow side and face milling cutter Ø125x1,6x32, Z26, DIN HSSCo5, N 726275.125016	116,25
Ф4673	ZPS Narrow side and face milling cutter Ø125x10x32, Z26, DIN HSSCo5, N 726275.125100	169,79
Ф4674	ZPS Narrow side and face milling cutter Ø125x2x32, Z26, DIN HSSCo5, N 726275.125020	111,76
Ф4675	ZPS Narrow side and face milling cutter Ø125x2x32, Z26, DIN HSSCo5, N 726275.125025	109,08
Ф4676	ZPS Narrow side and face milling cutter Ø125x3x32, Z26, DIN HSSCo5, N 726275.125030	106,39
Ф4677	ZPS Narrow side and face milling cutter Ø125x4x32, Z26, DIN HSSCo5, N 726275.125040	114,00
Ф4678	ZPS Narrow side and face milling cutter Ø125x5x32, Z26, DIN HSSCo5, N 726275.125050	122,05
Ф4679	ZPS Narrow side and face milling cutter Ø125x6x32, Z26, DIN HSSCo5, N 726275.125060	131,16
Ф4680	ZPS Narrow side and face milling cutter Ø125x8x32, Z26, DIN HSSCo5, N 726275.125080	148,45
Ф4681	ZPS Narrow side and face milling cutter Ø160x10x40, Z30, DIN HSSCo5, N 726275.160100	247,35
Ф4682	ZPS Narrow side and face milling cutter Ø160x12x40, Z30, DIN HSSCo5, N 726275.160120	261,14
Ф4683	ZPS Narrow side and face milling cutter Ø160x2,5x40, Z30, DIN HSSCo5, N 726275.160025	165,11
Ф4684	ZPS Narrow side and face milling cutter Ø160x2x40, Z30, DIN HSSCo5, N 726275.160020	180,02
Ф4685	ZPS Narrow side and face milling cutter Ø160x3x40, Z30, DIN HSSCo5, N 726275.160030	165,11
Ф4686	ZPS Narrow side and face milling cutter Ø160x4x40, Z30, DIN HSSCo5, N 726275.160040	169,35
Ф4687	ZPS Narrow side and face milling cutter Ø160x5x40, Z30, DIN HSSCo5, N 726275.160050	179,34
Ф4688	ZPS Narrow side and face milling cutter Ø160x6x40, Z30, DIN HSSCo5, N 726275.160060	198,12
Ф4689	ZPS Narrow side and face milling cutter Ø160x8x40, Z30, DIN HSSCo5, N 726275.160080	226,20
Ф4690	ZPS Narrow side and face milling cutter Ø63x1,6x22, Z16, DIN HSSCo5, N 726275.063016	68,39
Ф4691	ZPS Narrow side and face milling cutter Ø63x2,5x22, Z16, DIN HSSCo5, N 726275.063025	58,91
Ф4692	ZPS Narrow side and face milling cutter Ø63x2x22, Z16, DIN HSSCo5, N 726275.063020	57,72
Ф4693	ZPS Narrow side and face milling cutter Ø63x3x22, Z16, DIN HSSCo5, N 726275.063030	60,53
Ф4694	ZPS Narrow side and face milling cutter Ø63x4x22, Z16, DIN HSSCo5, N 726275.063040	66,08
Ф4695	ZPS Narrow side and face milling cutter Ø63x5x22, Z16, DIN HSSCo5, N 726275.063050	68,14
Ф4696	ZPS Narrow side and face milling cutter Ø63x6x22, Z16, DIN HSSCo5, N 726275.063060	71,01
Ф4697	ZPS Narrow side and face milling cutter Ø80x1,6x27, Z20, DIN HSSCo5, N 726275.080016	73,20
Ф4698	ZPS Narrow side and face milling cutter Ø80x2,5x27, Z20, DIN HSSCo5, N 726275.080025	68,83
Ф4699	ZPS Narrow side and face milling cutter Ø80x2x27, Z20, DIN HSSCo5, N 726275.080020	67,70
Ф4700	ZPS Narrow side and face milling cutter Ø80x3x27, Z20, DIN HSSCo5, N 726275.080030	70,70
Ф4701	ZPS Narrow side and face milling cutter Ø80x4x27, Z20, DIN HSSCo5, N 726275.080040	78,81
Ф4702	ZPS Narrow side and face milling cutter Ø80x5x27, Z20, DIN HSSCo5, N 726275.080050	84,74
Ф4703	ZPS Narrow side and face milling cutter Ø80x6x27, Z20, DIN HSSCo5, N 726275.080060	89,48
Ф4704	Номер по каталогу производителя: 7362	
Ф4705	ZPS Narrow side and face milling cutter Ø100x1,6x32, Z36, HSSCo5 736275.100016	96,35

Φ4706	ZPS Narrow side and face milling cutter	Ø100x2,5x32, Z36, HSSCo5	736275.100025	88,55
Φ4707	ZPS Narrow side and face milling cutter	Ø100x2x32, Z36, HSSCo5	736275.100020	94,97
Φ4708	ZPS Narrow side and face milling cutter	Ø100x3,5x32, Z36, HSSCo5	736275.100035	91,23
Φ4709	ZPS Narrow side and face milling cutter	Ø100x3x32, Z36, HSSCo5	736275.100030	88,80
Φ4710	ZPS Narrow side and face milling cutter	Ø100x40x32, Z36, HSSCo5	736275.100040	95,78
Φ4711	ZPS Narrow side and face milling cutter	Ø100x50x32, Z36, HSSCo5	736275.100050	101,46
Φ4712	ZPS Narrow side and face milling cutter	Ø100x60x32, Z36, HSSCo5	736275.100060	114,00
Φ4713	ZPS Narrow side and face milling cutter	Ø100x80x32, Z28, HSSCo5	736275.100080	126,05
Φ4714	ZPS Narrow side and face milling cutter	Ø125x1,6x32, Z40, HSSCo5	736275.125016	129,17
Φ4715	ZPS Narrow side and face milling cutter	Ø125x10x32, Z32, HSSCo5	736275.125100	178,96
Φ4716	ZPS Narrow side and face milling cutter	Ø125x2,5x32, Z40, HSSCo5	736275.125025	115,50
Φ4717	ZPS Narrow side and face milling cutter	Ø125x2x32, Z40, HSSCo5	736275.125020	121,87
Φ4718	ZPS Narrow side and face milling cutter	Ø125x3,5x32, Z40, HSSCo5	736275.125035	119,56
Φ4719	ZPS Narrow side and face milling cutter	Ø125x3x32, Z40, HSSCo5	736275.125030	118,31
Φ4720	ZPS Narrow side and face milling cutter	Ø125x4x32, Z40, HSSCo5	736275.125040	120,12
Φ4721	ZPS Narrow side and face milling cutter	Ø125x5x32, Z40, HSSCo5	736275.125050	128,61
Φ4722	ZPS Narrow side and face milling cutter	Ø125x6x32, Z40, HSSCo5	736275.125060	138,15
Φ4723	ZPS Narrow side and face milling cutter	Ø125x8x32, Z40, HSSCo5	736275.125080	156,44
Φ4724	ZPS Narrow side and face milling cutter	Ø160x10x40, Z36, HSSCo5	736275.160100	257,90
Φ4725	ZPS Narrow side and face milling cutter	Ø160x12x40, Z36, HSSCo5	736275.160120	272,31
Φ4726	ZPS Narrow side and face milling cutter	Ø160x2,5x40, Z44, HSSCo5	736275.160025	185,33
Φ4727	ZPS Narrow side and face milling cutter	Ø160x2x40, Z44, HSSCo5	736275.160020	192,44
Φ4728	ZPS Narrow side and face milling cutter	Ø160x3,5x40, Z48, HSSCo5	736275.160035	180,90
Φ4729	ZPS Narrow side and face milling cutter	Ø160x3x40, Z44, HSSCo5	736275.160030	179,90
Φ4730	ZPS Narrow side and face milling cutter	Ø160x4x40, Z44, HSSCo5	736275.160040	178,40
Φ4731	ZPS Narrow side and face milling cutter	Ø160x5x40, Z44, HSSCo5	736275.160050	188,88
Φ4732	ZPS Narrow side and face milling cutter	Ø160x6x40, Z44, HSSCo5	736275.160060	206,61
Φ4733	ZPS Narrow side and face milling cutter	Ø160x8x40, Z36, HSSCo5	736275.160080	235,87
Φ4734	ZPS Narrow side and face milling cutter	Ø200x10x40, Z40, HSSCo5	736275.200100	407,41
Φ4735	ZPS Narrow side and face milling cutter	Ø200x12x40, Z40, HSSCo5	736275.200120	444,97
Φ4736	ZPS Narrow side and face milling cutter	Ø200x2,5x40, Z52, HSSCo5	736275.200025	347,44
Φ4737	ZPS Narrow side and face milling cutter	Ø200x2x40, Z52, HSSCo5	736275.200020	353,56
Φ4738	ZPS Narrow side and face milling cutter	Ø200x3x40, Z52, HSSCo5	736275.200030	354,68
Φ4739	ZPS Narrow side and face milling cutter	Ø200x4x40, Z52, HSSCo5	736275.200040	340,95
Φ4740	ZPS Narrow side and face milling cutter	Ø200x5x40, Z52, HSSCo5	736275.200050	345,20
Φ4741	ZPS Narrow side and face milling cutter	Ø200x6x40, Z52, HSSCo5	736275.200060	353,25
Φ4742	ZPS Narrow side and face milling cutter	Ø200x8x40, Z40, HSSCo5	736275.200080	402,11
Φ4743	ZPS Narrow side and face milling cutter	Ø50x1,6x16, Z24, HSSCo5	736275.050016	66,64
Φ4744	ZPS Narrow side and face milling cutter	Ø50x2,5x16, Z24, HSSCo5	736275.050025	65,89
Φ4745	ZPS Narrow side and face milling cutter	Ø50x2x16, Z24, HSSCo5	736275.050020	64,77
Φ4746	ZPS Narrow side and face milling cutter	Ø50x3,5x16, Z24, HSSCo5	736275.050035	68,27
Φ4747	ZPS Narrow side and face milling cutter	Ø50x3x16, Z24, HSSCo5	736275.050030	66,02
Φ4748	ZPS Narrow side and face milling cutter	Ø50x4x16, Z24, HSSCo5	736275.050040	71,01
Φ4749	ZPS Narrow side and face milling cutter	Ø50x5x16, Z22, HSSCo5	736275.050050	74,32
Φ4750	ZPS Narrow side and face milling cutter	Ø63x1,6x22, Z28, HSSCo5	736275.063016	73,13
Φ4751	ZPS Narrow side and face milling cutter	Ø63x2,5x22, Z28, HSSCo5	736275.063025	62,96
Φ4752	ZPS Narrow side and face milling cutter	Ø63x2x22, Z28, HSSCo5	736275.063020	61,65
Φ4753	ZPS Narrow side and face milling cutter	Ø63x3,5x22, Z28, HSSCo5	736275.063035	67,70
Φ4754	ZPS Narrow side and face milling cutter	Ø63x3x22, Z28, HSSCo5	736275.063030	64,71
Φ4755	ZPS Narrow side and face milling cutter	Ø63x4x22, Z28, HSSCo5	736275.063040	69,58
Φ4756	ZPS Narrow side and face milling cutter	Ø63x5x22, Z28, HSSCo5	736275.063050	73,32
Φ4757	ZPS Narrow side and face milling cutter	Ø63x6x22, Z28, HSSCo5	736275.063060	80,50
Φ4758	ZPS Narrow side and face milling cutter	Ø80x1,6x27, Z32, HSSCo5	736275.080016	80,56

Ф4759	ZPS Narrow side and face milling cutter Ø80x2,5x27, Z32, HSSCo5 736275.080025	75,75
Ф4760	ZPS Narrow side and face milling cutter Ø80x2x27, Z32, HSSCo5 736275.080020	74,51
Ф4761	ZPS Narrow side and face milling cutter Ø80x3,5x27, Z32, HSSCo5 736275.080035	79,00
Ф4762	ZPS Narrow side and face milling cutter Ø80x3x27, Z32, HSSCo5 736275.080030	76,75
Ф4763	ZPS Narrow side and face milling cutter Ø80x4x27, Z32, HSSCo5 736275.080040	82,24
Ф4764	ZPS Narrow side and face milling cutter Ø80x5x27, Z32, HSSCo5 736275.080050	89,42
Ф4765	ZPS Narrow side and face milling cutter Ø80x6x27, Z32, HSSCo5 736275.080060	94,91
Ф4766	Номер по каталогу производителя: 7372	
Ф4767	ZPS Narrow side and face milling cutter Ø100x1,6x32, Z40, HSSCo5 737275.100016	105,46
Ф4768	ZPS Narrow side and face milling cutter Ø100x2,5x32, Z40, HSSCo5 737275.100025	106,33
Ф4769	ZPS Narrow side and face milling cutter Ø100x2x32, Z40, HSSCo5 737275.100020	103,52
Ф4770	ZPS Narrow side and face milling cutter Ø100x3x32, Z40, HSSCo5 737275.100030	105,21
Ф4771	ZPS Narrow side and face milling cutter Ø100x4x32, Z40, HSSCo5 737275.100040	109,70
Ф4772	ZPS Narrow side and face milling cutter Ø100x5x32, Z40, HSSCo5 737275.100050	116,31
Ф4773	ZPS Narrow side and face milling cutter Ø125x1,6x32, Z44, HSSCo5 737275.125016	135,84
Ф4774	ZPS Narrow side and face milling cutter Ø125x2,5x32, Z44, HSSCo5 737275.125025	133,41
Ф4775	ZPS Narrow side and face milling cutter Ø125x2x32, Z44, HSSCo5 737275.125020	126,55
Ф4776	ZPS Narrow side and face milling cutter Ø125x3x32, Z44, HSSCo5 737275.125030	132,85
Ф4777	ZPS Narrow side and face milling cutter Ø125x4x32, Z44, HSSCo5 737275.125040	137,59
Ф4778	ZPS Narrow side and face milling cutter Ø125x5x32, Z44, HSSCo5 737275.125050	147,26
Ф4779	ZPS Narrow side and face milling cutter Ø125x6x32, Z44, HSSCo5 737275.125060	158,25
Ф4780	ZPS Narrow side and face milling cutter Ø160x2,5x40, Z52, HSSCo5 737275.160025	201,93
Ф4781	ZPS Narrow side and face milling cutter Ø160x2x32, Z52, HSSCo5 737275.160020	203,92
Ф4782	ZPS Narrow side and face milling cutter Ø160x3x40, Z52, HSSCo5 737275.160030	200,05
Ф4783	ZPS Narrow side and face milling cutter Ø160x4x40, Z52, HSSCo5 737275.160040	204,36
Ф4784	ZPS Narrow side and face milling cutter Ø160x5x40, Z52, HSSCo5 737275.160050	216,40
Ф4785	ZPS Narrow side and face milling cutter Ø160x6x40, Z52, HSSCo5 737275.160060	232,32
Ф4786	ZPS Narrow side and face milling cutter Ø160x8x40, Z40, HSSCo5 737275.160080	265,14
Ф4787	ZPS Narrow side and face milling cutter Ø63x1,6x22, Z32, HSSCo5 737275.063016	82,93
Ф4788	ZPS Narrow side and face milling cutter Ø63x2,5x22, Z32, HSSCo5 737275.063025	73,51
Ф4789	ZPS Narrow side and face milling cutter Ø63x2x22, Z32, HSSCo5 737275.063020	72,01
Ф4790	ZPS Narrow side and face milling cutter Ø63x3x22, Z32, HSSCo5 737275.063030	73,07
Ф4791	ZPS Narrow side and face milling cutter Ø63x4x22, Z32, HSSCo5 737275.063040	79,68
Ф4792	ZPS Narrow side and face milling cutter Ø63x5x22, Z32, HSSCo5 737275.063050	83,99
Ф4793	ZPS Narrow side and face milling cutter Ø80x1,6x27, Z36, HSSCo5 737275.080016	91,17
Ф4794	ZPS Narrow side and face milling cutter Ø80x2,5x27, Z36, HSSCo5 737275.080025	89,98
Ф4795	ZPS Narrow side and face milling cutter Ø80x2x27, Z36, HSSCo5 737275.080020	84,55
Ф4796	ZPS Narrow side and face milling cutter Ø80x3x27, Z36, HSSCo5 737275.080030	85,36
Ф4797	ZPS Narrow side and face milling cutter Ø80x4x27, Z36, HSSCo5 737275.080040	91,48
Ф4798	Фрезы насадные торцевые	
Ф4799	Фрезы торцевые цилиндрические	
Ф4800	DIN 1880	
Ф4801	Номер по каталогу производителя: 6102	
Ф4802	ZPS Shell end mill, Ø100x50x32, Z7, HSSCo5, W 610275V.100	372,28
Ф4803	ZPS Shell end mill, Ø40x32x16, Z4, HSSCo5, W 610275V.040	81,74
Ф4804	ZPS Shell end mill, Ø50x36x22, Z4, HSSCo5, W 610275V.050	108,08
Ф4805	ZPS Shell end mill, Ø63x40x27, Z5, HSSCo5, W 610275V.063	146,08
Ф4806	ZPS Shell end mill, Ø80x45x27, Z6, HSSCo5, W 610275V.080	249,16
Ф4807	Номер по каталогу производителя: 6202	
Ф4808	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo5, N 620275.100	288,54
Ф4809	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo5, TiAlN, N 620275.100 TiAlN	351,94
Ф4810	ZPS Shell end mill, Ø100x50x32, Z12, HSSCo8, N 620278V.100	340,45
Ф4811	ZPS Shell end mill, Ø125x56x40, Z14, HSSCo5, N 620275.125	379,27

Ф4812	ZPS Shell end mill, Ø125x56x40, Z14, HSSCo5, TiALN, N 620275.125 TiAIN	474,61
Ф4813	ZPS Shell end mill, Ø125x56x40, Z14, HSSCo8, N 620278V.125	487,84
Ф4814	ZPS Shell end mill, Ø160x63x50, Z16, HSSCo8, N 620278V.160	757,60
Ф4815	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo5, N 620275.040	71,70
Ф4816	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo5, TiALN, N 620275.040 TiAIN	96,84
Ф4817	ZPS Shell end mill, Ø40x32x16, Z8, HSSCo8, N 620278V.040	81,68
Ф4818	ZPS Shell end mill, Ø50x36x22, Z8, HSSCo5, N 620275.050	91,23
Ф4819	ZPS Shell end mill, Ø50x36x22, Z8, HSSCo5, TiALN, N 620275.050 TiAIN	119,75
Ф4820	ZPS Shell end mill, Ø50x36x22, Z8, HSSCo8, N 620278V.050	110,45
Ф4821	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo5, N 620275.063	123,93
Ф4822	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo5, TiALN, N 620275.063 TiAIN	159,43
Ф4823	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo8, N 620278V.063	150,38
Ф4824	ZPS Shell end mill, Ø80x45x27, Z10, HSSCo5, N 620275.080	181,83
Ф4825	ZPS Shell end mill, Ø80x45x27, Z10, HSSCo5, TiALN, N 620275.080 TiAIN	226,64
Ф4826	ZPS Shell end mill, Ø80x45x27, Z10, HSSCo8, N 620278V.080	224,76
Ф4827	Номер по каталогу производителя: 6242	
Ф4828	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo5, NR 624275.100	367,04
Ф4829	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo5, TiALN, NR 624275.100 TiAIN	433,80
Ф4830	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo8, NR 624278V.100	403,04
Ф4831	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo8, NR-F 624278PV.100	403,04
Ф4832	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo8, TiALN, NR 624278V.100 TiAIN	443,35
Ф4833	ZPS Shell end mill, Ø100x50x32, Z10, HSSCo8, TiALN, NR-F 624278PV.100 TiAIN	443,35
Ф4834	ZPS Shell end mill, Ø125x56x40, Z12, HSSCo8, NR 624278V.125	577,64
Ф4835	ZPS Shell end mill, Ø125x56x40, Z12, HSSCo8, NR-F 624278PV.125	577,64
Ф4836	ZPS Shell end mill, Ø125x56x40, Z12, HSSCo8, TiALN, NR 624278V.125 TiAIN	626,68
Ф4837	ZPS Shell end mill, Ø125x56x40, Z12, HSSCo8, TiALN, NR-F 624278PV.125 TiAIN	626,68
Ф4838	ZPS Shell end mill, Ø160x63x50, Z14, HSSCo8, NR 624278V.160	897,56
Ф4839	ZPS Shell end mill, Ø160x63x50, Z14, HSSCo8, NR-F 624278PV.160	897,56
Ф4840	ZPS Shell end mill, Ø160x63x50, Z14, HSSCo8, TiALN, NR 624278V.160 TiAIN	958,15
Ф4841	ZPS Shell end mill, Ø160x63x50, Z14, HSSCo8, TiALN, NR-F 624278PV.160 TiAIN	958,15
Ф4842	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo5, NR 624275.040	107,95
Ф4843	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo5, TiALN, NR 624275.040 TiAIN	134,04
Ф4844	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo8, NR 624278V.040	113,13
Ф4845	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo8, NR-F 624278PV.040	112,63
Ф4846	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo8, TiALN, NR 624278V.040 TiAIN	122,93
Ф4847	ZPS Shell end mill, Ø40x32x16, Z6, HSSCo8, TiALN, NR-F 624278PV.040 TiAIN	127,42
Ф4848	ZPS Shell end mill, Ø50x36x22, Z6, HSSCo5, NR 624275.050	134,10
Ф4849	ZPS Shell end mill, Ø50x36x22, Z6, HSSCo5, TiALN, NR 624275.050 TiAIN	163,80
Ф4850	ZPS Shell end mill, Ø50x36x22, Z6, HSSCo8, NR 624278V.050	137,22
Ф4851	ZPS Shell end mill, Ø50x36x22, Z6, HSSCo8, NR-F 624278PV.050	139,90
Ф4852	ZPS Shell end mill, Ø50x36x22, Z6, HSSCo8, TiALN, NR 624278V.050 TiAIN	153,69
Ф4853	ZPS Shell end mill, Ø50x36x22, Z6, HSSCo8, TiALN, NR-F 624278PV.050 TiAIN	156,37
Ф4854	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo5, NR 624275.063	170,10
Ф4855	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo5, TiALN, NR 624275.063 TiAIN	207,29
Ф4856	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo8, NR 624278V.063	185,76
Ф4857	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo8, NR-F 624278PV.063	185,76
Ф4858	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo8, TiALN, NR 624278V.063 TiAIN	209,23
Ф4859	ZPS Shell end mill, Ø63x40x27, Z8, HSSCo8, TiALN, NR-F 624278PV.063 TiAIN	209,23
Ф4860	ZPS Shell end mill, Ø80x45x27, Z8, HSSCo5, NR 624275.080	236,50
Ф4861	ZPS Shell end mill, Ø80x45x27, Z8, HSSCo5, TiALN, NR 624275.080 TiAIN	283,48
Ф4862	ZPS Shell end mill, Ø80x45x27, Z8, HSSCo8, NR 624278V.080	270,88
Ф4863	ZPS Shell end mill, Ø80x45x27, Z8, HSSCo8, NR-F 624278PV.080	270,88
Ф4864	ZPS Shell end mill, Ø80x45x27, Z8, HSSCo8, TiALN, NR 624278V.080 TiAIN	299,64

Ф4865	ZPS Shell end mill, Ø80x45x27, Z8, HSSCo8, TiAlN, NR-F 624278PV.080 TiAlN	299,64
Ф4866	Номер по каталогу производителя: 6282	
Ф4867	ZPS Shell end mill, Ø100x50x32, Z12, HSSCo5, TiAlN, HR 628275.100 TiAlN	450,03
Ф4868	ZPS Shell end mill, Ø100x50x32, Z12, HSSCo5,, HR 628275.100	383,57
Ф4869	ZPS Shell end mill, Ø40x32x16, Z8, HSSCo5, TiAlN, HR 628275.040 TiAlN	136,59
Ф4870	ZPS Shell end mill, Ø40x32x16, Z8, HSSCo5,, HR 628275.040	110,64
Ф4871	ZPS Shell end mill, Ø50x36x22, Z8, HSSCo5, TiAlN, HR 628275.050 TiAlN	167,04
Ф4872	ZPS Shell end mill, Ø50x36x22, Z8, HSSCo5,, HR 628275.050	138,09
Ф4873	ZPS Shell end mill, Ø63x40x27, Z10, HSSCo5, TiAlN, HR 628275.063 TiAlN	214,72
Ф4874	ZPS Shell end mill, Ø63x40x27, Z10, HSSCo5,, HR 628275.063	177,72
Ф4875	ZPS Shell end mill, Ø80x45x27, Z10, HSSCo5, TiAlN, HR 628275.080 TiAlN	293,84
Ф4876	ZPS Shell end mill, Ø80x45x27, Z10, HSSCo5,, HR 628275.080	247,17
Ф4877	Номер по каталогу производителя: 6302	
Ф4878	ZPS Shell end mill, Ø100x50x32, Z16, HSSCo5, H 630275V.100	361,30
Ф4879	ZPS Shell end mill, Ø125x56x40, Z18, HSSCo5, H 630275V.125	517,61
Ф4880	ZPS Shell end mill, Ø40x32x16, Z10, HSSCo5, H 630275V.040	81,74
Ф4881	ZPS Shell end mill, Ø50x36x22, Z12, HSSCo5, H 630275V.050	90,54
Ф4882	ZPS Shell end mill, Ø63x40x27, Z12, HSSCo5, H 630275V.063	146,08
Ф4883	ZPS Shell end mill, Ø80x45x27, Z14, HSSCo5, H 630275V.080	238,43
Ф4884	DIN 222050	
Ф4885	Номер по каталогу производителя: 6109	
Ф4886	ZPS Shell end mill, Ø100x50x32, Z8, 222050, HSSE, W 610973.100	157,68
Ф4887	ZPS Shell end mill, Ø125x56x40, Z8, 222050, HSSE, W 610973.125	233,75
Ф4888	ZPS Shell end mill, Ø160x63x50, Z10, 222050, HSSE, W 610973.160	364,04
Ф4889	ZPS Shell end mill, Ø40x32x16, Z4, 222050, HSSE, W 610973.040	59,09
Ф4890	ZPS Shell end mill, Ø50x36x22, Z6, 222050, HSSE, W 610973.050	68,08
Ф4891	ZPS Shell end mill, Ø63x40x27, Z6, 222050, HSSE, W 610973.063	85,86
Ф4892	ZPS Shell end mill, Ø80x45x27, Z6, 222050, HSSE, W 610973.080	106,89
Ф4893	DIN 222052	
Ф4894	Номер по каталогу производителя: 6209	
Ф4895	ZPS Shell end mill, Ø100x50x32, Z10, 222052, HSSE, N 620973.100	161,24
Ф4896	ZPS Shell end mill, Ø125x56x40, Z12, 222052, HSSE, N 620973.125	244,23
Ф4897	ZPS Shell end mill, Ø160x63x50, Z14, 222052, HSSE, N 620973.160	379,70
Ф4898	ZPS Shell end mill, Ø40x32x16, Z6, 222052, HSSE, N 620973.040	62,40
Ф4899	ZPS Shell end mill, Ø50x36x22, Z8, 222052, HSSE, N 620973.050	71,32
Ф4900	ZPS Shell end mill, Ø63x40x27, Z8, 222052, HSSE, N 620973.063	89,11
Ф4901	ZPS Shell end mill, Ø80x45x27, Z10, 222052, HSSE, N 620973.080	112,51
Ф4902	DIN 222054	
Ф4903	Номер по каталогу производителя: 6309	
Ф4904	ZPS Shell end mill, Ø100x50x32, Z16, 222054, HSSE, H 630973.100	153,69
Ф4905	ZPS Shell end mill, Ø125x56x40, Z18, 222054, HSSE, H 630973.125	225,45
Ф4906	ZPS Shell end mill, Ø160x63x50, Z20, 222054, HSSE, H 630973.160	351,25
Ф4907	ZPS Shell end mill, Ø40x32x16, Z8, 222054, HSSE, H 630973.040	59,72
Ф4908	ZPS Shell end mill, Ø50x36x22, Z10, 222054, HSSE, H 630973.050	67,77
Ф4909	ZPS Shell end mill, Ø63x40x27, Z12, 222054, HSSE, H 630973.063	86,99
Ф4910	ZPS Shell end mill, Ø80x45x27, Z14, 222054, HSSE, H 630973.080	107,39
Ф4911	DIN 841	
Ф4912	Номер по каталогу производителя: 6802	
Ф4913	ZPS Shell end mill, Ø110x35x32, Z12, HSSCo5, N 680275V.110035	316,74
Ф4914	ZPS Shell end mill, Ø30x30x13, Z6, HSSCo5, N 680275V.030030	64,27
Ф4915	ZPS Shell end mill, Ø35x35x16, Z6, HSSCo5, N 680275V.035035	76,07
Ф4916	ZPS Shell end mill, Ø40x20x16, Z8, HSSCo5, N 680275V.040020	67,14
Ф4917	ZPS Shell end mill, Ø40x40x16, Z8, HSSCo5, N 680275V.040040	91,04

Ф4918	ZPS Shell end mill, Ø50x25x22, Z8, HSSCo5, N 680275V.050025	88,05
Ф4919	ZPS Shell end mill, Ø50x50x22, Z8, HSSCo5, N 680275V.050050	133,22
Ф4920	ZPS Shell end mill, Ø60x30x27, Z8, HSSCo5, N 680275V.060030	118,56
Ф4921	ZPS Shell end mill, Ø60x60x27, Z8, HSSCo5, N 680275V.060060	188,32
Ф4922	ZPS Shell end mill, Ø75x35x27, Z10, HSSCo5, N 680275V.075035	170,98
Ф4923	ZPS Shell end mill, Ø75x75x27, Z10, HSSCo5, N 680275V.075075	302,33
Ф4924	ZPS Shell end mill, Ø80x35x27, Z10, HSSCo5, N 680275V.080035	228,45
Ф4925	Номер по каталогу производителя: 6842	
Ф4926	ZPS Shell end mill, Ø40x40x16, Z6, HSSCo5, NR 684275V.040040	125,42
Ф4927	ZPS Shell end mill, Ø40x40x16, Z6, HSSCo5, NR-F 684275PV.040040	125,92
Ф4928	ZPS Shell end mill, Ø50x50x22, Z6, HSSCo5, NR 684275V.050050	176,53
Ф4929	ZPS Shell end mill, Ø50x50x22, Z6, HSSCo5, NR-F 684275PV.050050	173,41
Ф4930	ZPS Shell end mill, Ø60x30x27, Z8, HSSCo5, NR 684275V.060030	192,88
Ф4931	ZPS Shell end mill, Ø60x60x27, Z8, HSSCo5, NR 684275V.060060	235,56
Ф4932	ZPS Shell end mill, Ø60x60x27, Z8, HSSCo5, NR-F 684275PV.060060	235,37
Ф4933	ZPS Shell end mill, Ø75x35x27, Z8, HSSCo5, NR 684275V.075035	260,71
Ф4934	ZPS Shell end mill, Ø75x35x27, Z8, HSSCo5, NR-F 684275PV.075035	260,71
Ф4935	ZPS Shell end mill, Ø75x75x27, Z8, HSSCo5, NR 684275V.075075	361,30
Ф4936	ZPS Shell end mill, Ø75x75x27, Z8, HSSCo5, NR-F 684275PV.075075	360,92
Ф4937	Номер по каталогу производителя: 6902	
Ф4938	ZPS Shell end mill, Ø30x30x13, Z8, HSSCo5, H 690275V.030030	66,33
Ф4939	ZPS Shell end mill, Ø35x35x16, Z10, HSSCo5, H 690275V.035035	78,31
Ф4940	ZPS Shell end mill, Ø40x40x16, Z10, HSSCo5, H 690275V.040040	95,53
Ф4941	ZPS Shell end mill, Ø50x50x22, Z12, HSSCo5, H 690275V.050050	139,78
Ф4942	ZPS Shell end mill, Ø60x60x27, Z12, HSSCo5, H 690275V.060060	197,62
Ф4943	ZPS Shell end mill, Ø75x75x27, Z14, HSSCo5, H 690275V.075075	315,74
Ф4944	DIN 884	
Ф4945	Номер по каталогу производителя: 6200	
Ф4946	ZPS Shell end mill, Ø100x70x40, Z10, HSSCo5, N 620075.100	270,75
Ф4947	ZPS Shell end mill, Ø50x40x22, Z8, HSSCo5, N 620075.050	146,33
Ф4948	ZPS Shell end mill, Ø50x63x22, Z8, HSSCo5, N 620075.050063	144,33
Ф4949	ZPS Shell end mill, Ø50x80x22, Z8, HSSCo5, N 620075.050080	152,26
Ф4950	ZPS Shell end mill, Ø63x50x27, Z8, HSSCo5, N 620075.063	148,95
Ф4951	ZPS Shell end mill, Ø63x70x27, Z8, HSSCo5, N 620075.063070	164,99
Ф4952	ZPS Shell end mill, Ø80x100x32, Z8, HSSCo5, N 620075.080100	261,46
Ф4953	ZPS Shell end mill, Ø80x63x32, Z8, HSSCo5, N 620075.080	188,64
Ф4954	Фрезы шпоночные	
Ф4955	Фрезы концевые шпоночные	
Ф4956	DIN 327	
Ф4957	Номер по каталогу производителя: 2204	
Ф4958	ZPS Slot drill, Ø1,5x3x47, Z2, HSSCo8, N 220408.015	8,99
Ф4959	ZPS Slot drill, Ø1,5x3x47, Z2, HSSCo8, N 220418.015	9,05
Ф4960	ZPS Slot drill, Ø1,5x3x47, Z2, HSSCo8, TiALN, N 220408.015 TiALN	9,92
Ф4961	ZPS Slot drill, Ø1,5x3x47, Z2, HSSCo8, TiALN, N 220418.015 TiALN	9,92
Ф4962	ZPS Slot drill, Ø10,5x13x70, Z2, HSSCo8, N 220408.105	12,23
Ф4963	ZPS Slot drill, Ø10,5x13x70, Z2, HSSCo8, N 220418.105	12,67
Ф4964	ZPS Slot drill, Ø10,5x13x70, Z2, HSSCo8, TiALN, N 220408.105 TiALN	18,28
Ф4965	ZPS Slot drill, Ø10,5x13x70, Z2, HSSCo8, TiALN, N 220418.105 TiALN	18,84
Ф4966	ZPS Slot drill, Ø10x13x63, Z2, HSSCo8, N 220408.100	10,23
Ф4967	ZPS Slot drill, Ø10x13x63, Z2, HSSCo8, N 220418.100	10,30
Ф4968	ZPS Slot drill, Ø10x13x63, Z2, HSSCo8, TiALN, N 220408.100 TiALN	15,91
Ф4969	ZPS Slot drill, Ø10x13x63, Z2, HSSCo8, TiALN, N 220418.100 TiALN	16,04
Ф4970	ZPS Slot drill, Ø10x13x63, Z2, HSSE-PM, AlTiN, N 220417.100 AlTiN	19,53

Φ4971	ZPS Slot drill, Ø11,5x13x70, Z2, HSSCo8, N 220408.115	14,04
Φ4972	ZPS Slot drill, Ø11,5x13x70, Z2, HSSCo8, N 220418.115	14,85
Φ4973	ZPS Slot drill, Ø11,5x13x70, Z2, HSSCo8, TiALN, N 220408.115 TiALN	20,65
Φ4974	ZPS Slot drill, Ø11,5x13x70, Z2, HSSCo8, TiALN, N 220418.115 TiALN	21,72
Φ4975	ZPS Slot drill, Ø11,7x13x70, Z2, HSSCo8, N 220418.117	14,85
Φ4976	ZPS Slot drill, Ø11,7x13x70, Z2, HSSCo8, TiALN, N 220418.117 TiALN	21,84
Φ4977	ZPS Slot drill, Ø11x13x70, Z2, HSSCo8, N 220408.110	11,79
Φ4978	ZPS Slot drill, Ø11x13x70, Z2, HSSCo8, N 220418.110	11,86
Φ4979	ZPS Slot drill, Ø11x13x70, Z2, HSSCo8, TiALN, N 220408.110 TiALN	18,16
Φ4980	ZPS Slot drill, Ø11x13x70, Z2, HSSCo8, TiALN, N 220418.110 TiALN	18,22
Φ4981	ZPS Slot drill, Ø12,5x16x73, Z2, HSSCo8, N 220418.125	17,35
Φ4982	ZPS Slot drill, Ø12,5x16x73, Z2, HSSCo8, TiALN, N 220418.125 TiALN	25,40
Φ4983	ZPS Slot drill, Ø12x16x73, Z2, HSSCo8, N 220408.120	11,79
Φ4984	ZPS Slot drill, Ø12x16x73, Z2, HSSCo8, N 220418.120	11,86
Φ4985	ZPS Slot drill, Ø12x16x73, Z2, HSSCo8, TiALN, N 220408.120 TiALN	18,72
Φ4986	ZPS Slot drill, Ø12x16x73, Z2, HSSCo8, TiALN, N 220418.120 TiALN	18,78
Φ4987	ZPS Slot drill, Ø12x16x73, Z2, HSSE-PM, AlTiN, N 220417.120 AlTiN	23,52
Φ4988	ZPS Slot drill, Ø13,5x16x73, Z2, HSSCo8, N 220418.135	14,73
Φ4989	ZPS Slot drill, Ø13,5x16x73, Z2, HSSCo8, TiALN, N 220418.135 TiALN	22,59
Φ4990	ZPS Slot drill, Ø13x16x73, Z2, HSSCo8, N 220408.130	14,66
Φ4991	ZPS Slot drill, Ø13x16x73, Z2, HSSCo8, N 220418.130	14,73
Φ4992	ZPS Slot drill, Ø13x16x73, Z2, HSSCo8, TiALN, N 220408.130 TiALN	22,15
Φ4993	ZPS Slot drill, Ø13x16x73, Z2, HSSCo8, TiALN, N 220418.130 TiALN	22,21
Φ4994	ZPS Slot drill, Ø14x16x73, Z2, HSSCo8, N 220408.140	14,66
Φ4995	ZPS Slot drill, Ø14x16x73, Z2, HSSCo8, N 220418.140	14,73
Φ4996	ZPS Slot drill, Ø14x16x73, Z2, HSSCo8, TiALN, N 220408.140 TiALN	22,71
Φ4997	ZPS Slot drill, Ø14x16x73, Z2, HSSCo8, TiALN, N 220418.140 TiALN	22,78
Φ4998	ZPS Slot drill, Ø14x16x73, Z2, HSSE-PM, AlTiN, N 220417.140 AlTiN	31,95
Φ4999	ZPS Slot drill, Ø15x16x73, Z2, HSSCo8, N 220408.150	16,97
Φ5000	ZPS Slot drill, Ø15x16x73, Z2, HSSCo8, N 220418.150	17,10
Φ5001	ZPS Slot drill, Ø15x16x73, Z2, HSSCo8, TiALN, N 220408.150 TiALN	25,65
Φ5002	ZPS Slot drill, Ø15x16x73, Z2, HSSCo8, TiALN, N 220418.150 TiALN	25,71
Φ5003	ZPS Slot drill, Ø16x19x79, Z2, HSSCo8, N 220408.160	16,97
Φ5004	ZPS Slot drill, Ø16x19x79, Z2, HSSCo8, N 220418.160	17,10
Φ5005	ZPS Slot drill, Ø16x19x79, Z2, HSSCo8, TiALN, N 220408.160 TiALN	26,21
Φ5006	ZPS Slot drill, Ø16x19x79, Z2, HSSCo8, TiALN, N 220418.160 TiALN	26,27
Φ5007	ZPS Slot drill, Ø16x19x79, Z2, HSSE-PM, AlTiN, N 220417.160 AlTiN	36,88
Φ5008	ZPS Slot drill, Ø17x19x79, Z2, HSSCo8, N 220408.170	21,03
Φ5009	ZPS Slot drill, Ø17x19x79, Z2, HSSCo8, N 220418.170	21,09
Φ5010	ZPS Slot drill, Ø17x19x79, Z2, HSSCo8, TiALN, N 220408.170 TiALN	30,83
Φ5011	ZPS Slot drill, Ø17x19x79, Z2, HSSCo8, TiALN, N 220418.170 TiALN	30,89
Φ5012	ZPS Slot drill, Ø18x19x79, Z2, HSSCo8, N 220408.180	21,03
Φ5013	ZPS Slot drill, Ø18x19x79, Z2, HSSCo8, N 220418.180	21,09
Φ5014	ZPS Slot drill, Ø18x19x79, Z2, HSSCo8, TiALN, N 220408.180 TiALN	31,32
Φ5015	ZPS Slot drill, Ø18x19x79, Z2, HSSCo8, TiALN, N 220418.180 TiALN	31,45
Φ5016	ZPS Slot drill, Ø18x19x79, Z2, HSSE-PM, AlTiN, N 220417.180 AlTiN	44,18
Φ5017	ZPS Slot drill, Ø19x19x79, Z2, HSSCo8, N 220408.190	24,09
Φ5018	ZPS Slot drill, Ø19x19x79, Z2, HSSCo8, N 220418.190	26,27
Φ5019	ZPS Slot drill, Ø19x19x79, Z2, HSSCo8, TiALN, N 220408.190 TiALN	35,07
Φ5020	ZPS Slot drill, Ø19x19x79, Z2, HSSCo8, TiALN, N 220418.190 TiALN	37,13
Φ5021	ZPS Slot drill, Ø1x2,5x47, Z2, HSSCo8, N 220408.010	8,99
Φ5022	ZPS Slot drill, Ø1x2,5x47, Z2, HSSCo8, N 220418.010	9,05
Φ5023	ZPS Slot drill, Ø1x2,5x47, Z2, HSSCo8, TiALN, N 220408.010 TiALN	9,86

Φ5024	ZPS Slot drill, Ø1x2,5x47, Z2, HSSCo8, TiALN, N 220418.010 TiAlN	9,61
Φ5025	ZPS Slot drill, Ø2, 8x5x49, Z2, HSSCo8, N 220408.028	8,05
Φ5026	ZPS Slot drill, Ø2, 8x5x49, Z2, HSSCo8, TiALN, N 220408.028 TiAlN	9,73
Φ5027	ZPS Slot drill, Ø2,5x5x49, Z2, HSSCo8, N 220408.025	7,11
Φ5028	ZPS Slot drill, Ø2,5x5x49, Z2, HSSCo8, N 220418.025	7,24
Φ5029	ZPS Slot drill, Ø2,5x5x49, Z2, HSSCo8, TiALN, N 220408.025 TiAlN	8,61
Φ5030	ZPS Slot drill, Ø2,5x5x49, Z2, HSSCo8, TiALN, N 220418.025 TiAlN	8,61
Φ5031	ZPS Slot drill, Ø2,8x5x49, Z2, HSSCo8, N 220418.028	8,05
Φ5032	ZPS Slot drill, Ø2,8x5x49, Z2, HSSCo8, TiALN, N 220418.028 TiAlN	8,42
Φ5033	ZPS Slot drill, Ø20x22x88, Z2, HSSCo8, N 220408.200	26,21
Φ5034	ZPS Slot drill, Ø20x22x88, Z2, HSSCo8, N 220418.200	26,33
Φ5035	ZPS Slot drill, Ø20x22x88, Z2, HSSCo8, TiALN, N 220408.200 TiAlN	37,69
Φ5036	ZPS Slot drill, Ø20x22x88, Z2, HSSCo8, TiALN, N 220418.200 TiAlN	37,81
Φ5037	ZPS Slot drill, Ø20x22x88, Z2, HSSE-PM, AlTiN, N 220417.200 AlTiN	53,23
Φ5038	ZPS Slot drill, Ø21x22x88, Z2, HSSCo8, N 220408.210	36,94
Φ5039	ZPS Slot drill, Ø21x22x88, Z2, HSSCo8, N 220418.210	36,19
Φ5040	ZPS Slot drill, Ø21x22x88, Z2, HSSCo8, TiALN, N 220408.210 TiAlN	50,29
Φ5041	ZPS Slot drill, Ø21x22x88, Z2, HSSCo8, TiALN, N 220418.210 TiAlN	50,92
Φ5042	ZPS Slot drill, Ø22x22x88, Z2, HSSCo8, N 220408.220	32,95
Φ5043	ZPS Slot drill, Ø22x22x88, Z2, HSSCo8, N 220418.220	33,07
Φ5044	ZPS Slot drill, Ø22x22x88, Z2, HSSCo8, TiALN, N 220408.220 TiAlN	45,61
Φ5045	ZPS Slot drill, Ø22x22x88, Z2, HSSCo8, TiALN, N 220418.220 TiAlN	45,74
Φ5046	ZPS Slot drill, Ø22x22x88, Z2, HSSE-PM, AlTiN, N 220417.220 AlTiN	65,96
Φ5047	ZPS Slot drill, Ø24x26x102, Z2, HSSCo8, N 220418.240	38,75
Φ5048	ZPS Slot drill, Ø24x26x102, Z2, HSSCo8, TiALN, N 220418.240 TiAlN	52,54
Φ5049	ZPS Slot drill, Ø25x26x102, Z2, HSSCo8, N 220408.250	40,37
Φ5050	ZPS Slot drill, Ø25x26x102, Z2, HSSCo8, N 220418.250	39,62
Φ5051	ZPS Slot drill, Ø25x26x102, Z2, HSSCo8, TiALN, N 220408.250 TiAlN	55,10
Φ5052	ZPS Slot drill, Ø25x26x102, Z2, HSSCo8, TiALN, N 220418.250 TiAlN	53,98
Φ5053	ZPS Slot drill, Ø25x26x102, Z2, HSSE-PM, AlTiN, N 220417.250 AlTiN	72,38
Φ5054	ZPS Slot drill, Ø25x26x96, Z2, HSSCo8, N 220408.25020	39,44
Φ5055	ZPS Slot drill, Ø25x26x96, Z2, HSSCo8, N 220418.25020	39,62
Φ5056	ZPS Slot drill, Ø25x26x96, Z2, HSSCo8, TiALN, N 220408.25020 TiAlN	53,79
Φ5057	ZPS Slot drill, Ø25x26x96, Z2, HSSCo8, TiALN, N 220418.25020 TiAlN	53,98
Φ5058	ZPS Slot drill, Ø26x26x102, Z2, HSSCo8, N 220418.260	43,12
Φ5059	ZPS Slot drill, Ø26x26x102, Z2, HSSCo8, TiALN, N 220418.260 TiAlN	57,97
Φ5060	ZPS Slot drill, Ø28x26x102, Z2, HSSCo8, N 220408.280	48,24
Φ5061	ZPS Slot drill, Ø28x26x102, Z2, HSSCo8, N 220418.280	48,67
Φ5062	ZPS Slot drill, Ø28x26x102, Z2, HSSCo8, TiALN, N 220408.280 TiAlN	64,27
Φ5063	ZPS Slot drill, Ø28x26x102, Z2, HSSCo8, TiALN, N 220418.280 TiAlN	64,71
Φ5064	ZPS Slot drill, Ø28x26x102, Z2, HSSE-PM, AlTiN, N 220417.280 AlTiN	87,61
Φ5065	ZPS Slot drill, Ø28x26x96, Z2, HSSCo8, N 220408.28020	48,42
Φ5066	ZPS Slot drill, Ø28x26x96, Z2, HSSCo8, N 220418.28020	48,67
Φ5067	ZPS Slot drill, Ø28x26x96, Z2, HSSCo8, TiALN, N 220408.28020 TiAlN	64,52
Φ5068	ZPS Slot drill, Ø28x26x96, Z2, HSSCo8, TiALN, N 220418.28020 TiAlN	64,71
Φ5069	ZPS Slot drill, Ø2x4x48, Z2, HSSCo8, N 220408.020	6,80
Φ5070	ZPS Slot drill, Ø2x4x48, Z2, HSSCo8, N 220418.020	6,80
Φ5071	ZPS Slot drill, Ø2x4x48, Z2, HSSCo8, TiALN, N 220408.020 TiAlN	7,92
Φ5072	ZPS Slot drill, Ø2x4x48, Z2, HSSCo8, TiALN, N 220418.020 TiAlN	7,92
Φ5073	ZPS Slot drill, Ø2x4x48, Z2, HSSE-PM, AlTiN, N 220417.020 AlTiN	11,23
Φ5074	ZPS Slot drill, Ø3, 8x7x51, Z2, HSSCo8, N 220408.038	8,05
Φ5075	ZPS Slot drill, Ø3, 8x7x51, Z2, HSSCo8, N 220418.038	8,05
Φ5076	ZPS Slot drill, Ø3, 8x7x51, Z2, HSSCo8, TiALN, N 220408.038 TiAlN	10,42

Φ5077	ZPS Slot drill, Ø3,5x6x50, Z2, HSSCo8, N 220408.035	7,11
Φ5078	ZPS Slot drill, Ø3,5x6x50, Z2, HSSCo8, N 220418.035	7,24
Φ5079	ZPS Slot drill, Ø3,5x6x50, Z2, HSSCo8, TiALN, N 220408.035 TiALN	9,11
Φ5080	ZPS Slot drill, Ø3,5x6x50, Z2, HSSCo8, TiALN, N 220418.035 TiALN	9,17
Φ5081	ZPS Slot drill, Ø3,8x7x51, Z2, HSSCo8, TiALN, N 220418.038 TiALN	8,42
Φ5082	ZPS Slot drill, Ø30x26x102, Z2, HSSCo8, N 220408.300	53,73
Φ5083	ZPS Slot drill, Ø30x26x102, Z2, HSSCo8, N 220418.300	54,29
Φ5084	ZPS Slot drill, Ø30x26x102, Z2, HSSCo8, TiALN, N 220408.300 TiALN	70,95
Φ5085	ZPS Slot drill, Ø30x26x102, Z2, HSSCo8, TiALN, N 220418.300 TiALN	71,51
Φ5086	ZPS Slot drill, Ø32x32x112, Z2, HSSCo8, N 220418.320	62,34
Φ5087	ZPS Slot drill, Ø32x32x112, Z2, HSSCo8, TiALN, N 220418.320 TiALN	80,68
Φ5088	ZPS Slot drill, Ø36x32x112, Z2, HSSCo8, N 220418.360	80,75
Φ5089	ZPS Slot drill, Ø36x32x112, Z2, HSSCo8, TiALN, N 220418.360 TiALN	101,34
Φ5090	ZPS Slot drill, Ø3x5x49, Z2, HSSE-PM, AlTiN, N 220417.030 AlTiN	11,23
Φ5091	ZPS Slot drill, Ø3x5x50, Z2, HSSCo8, N 220408.030	6,80
Φ5092	ZPS Slot drill, Ø3x5x50, Z2, HSSCo8, N 220418.030	6,80
Φ5093	ZPS Slot drill, Ø3x5x50, Z2, HSSCo8, TiALN, N 220408.030 TiALN	8,42
Φ5094	ZPS Slot drill, Ø3x5x50, Z2, HSSCo8, TiALN, N 220418.030 TiALN	8,55
Φ5095	ZPS Slot drill, Ø4,5x7x51, Z2, HSSCo8, N 220408.045	7,11
Φ5096	ZPS Slot drill, Ø4,5x7x51, Z2, HSSCo8, N 220418.045	7,36
Φ5097	ZPS Slot drill, Ø4,5x7x51, Z2, HSSCo8, TiALN, N 220408.045 TiALN	9,67
Φ5098	ZPS Slot drill, Ø4,5x7x51, Z2, HSSCo8, TiALN, N 220418.045 TiALN	10,05
Φ5099	ZPS Slot drill, Ø4,8x8x52, Z2, HSSCo8, N 220418.048	7,11
Φ5100	ZPS Slot drill, Ø4,8x8x52, Z2, HSSCo8, TiALN, N 220418.048 TiALN	9,92
Φ5101	ZPS Slot drill, Ø40x38x118, Z2, HSSCo8, N 220418.40032	101,77
Φ5102	ZPS Slot drill, Ø40x38x118, Z2, HSSCo8, TiALN, N 220418.40032 TiALN	124,74
Φ5103	ZPS Slot drill, Ø4x7x51, Z2, HSSCo8, N 220408.040	6,80
Φ5104	ZPS Slot drill, Ø4x7x51, Z2, HSSCo8, N 220418.040	6,80
Φ5105	ZPS Slot drill, Ø4x7x51, Z2, HSSCo8, TiALN, N 220408.040 TiALN	9,05
Φ5106	ZPS Slot drill, Ø4x7x51, Z2, HSSCo8, TiALN, N 220418.040 TiALN	9,05
Φ5107	ZPS Slot drill, Ø4x7x51, Z2, HSSE-PM, AlTiN, N 220417.040 AlTiN	11,92
Φ5108	ZPS Slot drill, Ø5,5x8x52, Z2, HSSCo8, N 220408.055	7,11
Φ5109	ZPS Slot drill, Ø5,5x8x52, Z2, HSSCo8, N 220418.055	7,24
Φ5110	ZPS Slot drill, Ø5,5x8x52, Z2, HSSCo8, TiALN, N 220408.055 TiALN	10,30
Φ5111	ZPS Slot drill, Ø5,5x8x52, Z2, HSSCo8, TiALN, N 220418.055 TiALN	10,30
Φ5112	ZPS Slot drill, Ø5,75x8x52, Z2, HSSCo8, N 220418.0575	7,24
Φ5113	ZPS Slot drill, Ø5,75x8x52, Z2, HSSCo8, TiALN, N 220418.0575 TiALN	10,42
Φ5114	ZPS Slot drill, Ø5x8x52, Z2, HSSCo8, N 220408.050	6,80
Φ5115	ZPS Slot drill, Ø5x8x52, Z2, HSSCo8, N 220418.050	6,80
Φ5116	ZPS Slot drill, Ø5x8x52, Z2, HSSCo8, TiALN, N 220408.050 TiALN	9,61
Φ5117	ZPS Slot drill, Ø5x8x52, Z2, HSSCo8, TiALN, N 220418.050 TiALN	9,61
Φ5118	ZPS Slot drill, Ø5x8x52, Z2, HSSE-PM, AlTiN, N 220417.050 AlTiN	12,11
Φ5119	ZPS Slot drill, Ø6,5x10x60, Z2, HSSCo8, N 220408.065	8,36
Φ5120	ZPS Slot drill, Ø6,5x10x60, Z2, HSSCo8, N 220418.065	8,86
Φ5121	ZPS Slot drill, Ø6,5x10x60, Z2, HSSCo8, TiALN, N 220408.065 TiALN	12,04
Φ5122	ZPS Slot drill, Ø6,5x10x60, Z2, HSSCo8, TiALN, N 220418.065 TiALN	12,11
Φ5123	ZPS Slot drill, Ø6x8x52, Z2, HSSCo8, N 220408.060	6,80
Φ5124	ZPS Slot drill, Ø6x8x52, Z2, HSSCo8, N 220418.060	6,80
Φ5125	ZPS Slot drill, Ø6x8x52, Z2, HSSCo8, TiALN, N 220408.060 TiALN	10,17
Φ5126	ZPS Slot drill, Ø6x8x52, Z2, HSSCo8, TiALN, N 220418.060 TiALN	10,23
Φ5127	ZPS Slot drill, Ø6x8x52, Z2, HSSE-PM, AlTiN, N 220417.060 AlTiN	12,98
Φ5128	ZPS Slot drill, Ø7, 75x11x61, Z2, HSSCo8, N 220408.0775	10,98
Φ5129	ZPS Slot drill, Ø7, 75x11x61, Z2, HSSCo8, TiALN, N 220408.0775 TiALN	15,79

Φ5130	ZPS Slot drill, Ø7,5x10x61, Z2, HSSCo8, N 220408.075	9,86
Φ5131	ZPS Slot drill, Ø7,5x10x61, Z2, HSSCo8, N 220418.075	9,86
Φ5132	ZPS Slot drill, Ø7,5x10x61, Z2, HSSCo8, TiALN, N 220408.075 TiAlN	14,16
Φ5133	ZPS Slot drill, Ø7,5x10x61, Z2, HSSCo8, TiALN, N 220418.075 TiAlN	14,16
Φ5134	ZPS Slot drill, Ø7,75x11x61, Z2, HSSCo8, N 220418.0775	9,86
Φ5135	ZPS Slot drill, Ø7,75x11x61, Z2, HSSCo8, TiALN, N 220418.0775 TiAlN	14,29
Φ5136	ZPS Slot drill, Ø7x10x60, Z2, HSSE-PM, AlTiN, N 220417.070 AlTiN	17,60
Φ5137	ZPS Slot drill, Ø7x10x61, Z2, HSSCo8, N 220408.070	8,86
Φ5138	ZPS Slot drill, Ø7x10x61, Z2, HSSCo8, N 220418.070	8,86
Φ5139	ZPS Slot drill, Ø7x10x61, Z2, HSSCo8, TiALN, N 220408.070 TiAlN	12,98
Φ5140	ZPS Slot drill, Ø7x10x61, Z2, HSSCo8, TiALN, N 220418.070 TiAlN	12,98
Φ5141	ZPS Slot drill, Ø8,5x11x61, Z2, HSSCo8, N 220408.085	10,42
Φ5142	ZPS Slot drill, Ø8,5x11x61, Z2, HSSCo8, N 220418.085	10,48
Φ5143	ZPS Slot drill, Ø8,5x11x61, Z2, HSSCo8, TiALN, N 220408.085 TiAlN	15,41
Φ5144	ZPS Slot drill, Ø8,5x11x61, Z2, HSSCo8, TiALN, N 220418.085 TiAlN	15,35
Φ5145	ZPS Slot drill, Ø8x11x61, Z2, HSSCo8, N 220408.080	8,74
Φ5146	ZPS Slot drill, Ø8x11x61, Z2, HSSCo8, N 220418.080	8,74
Φ5147	ZPS Slot drill, Ø8x11x61, Z2, HSSCo8, TiALN, N 220408.080 TiAlN	13,29
Φ5148	ZPS Slot drill, Ø8x11x61, Z2, HSSCo8, TiALN, N 220418.080 TiAlN	13,29
Φ5149	ZPS Slot drill, Ø8x11x61, Z2, HSSE-PM, AlTiN, N 220417.080 AlTiN	16,85
Φ5150	ZPS Slot drill, Ø9, 7x13x63, Z2, HSSCo8, N 220408.097	12,23
Φ5151	ZPS Slot drill, Ø9, 7x13x63, Z2, HSSCo8, TiALN, N 220408.097 TiAlN	18,35
Φ5152	ZPS Slot drill, Ø9,5x11x63, Z2, HSSCo8, N 220408.095	11,98
Φ5153	ZPS Slot drill, Ø9,5x11x63, Z2, HSSCo8, N 220418.095	12,04
Φ5154	ZPS Slot drill, Ø9,5x11x63, Z2, HSSCo8, TiALN, N 220408.095 TiAlN	17,41
Φ5155	ZPS Slot drill, Ø9,5x11x63, Z2, HSSCo8, TiALN, N 220418.095 TiAlN	17,53
Φ5156	ZPS Slot drill, Ø9,7x13x63, Z2, HSSCo8, N 220418.097	11,98
Φ5157	ZPS Slot drill, Ø9,7x13x63, Z2, HSSCo8, TiALN, N 220418.097 TiAlN	17,53
Φ5158	ZPS Slot drill, Ø9x11x61, Z2, HSSE-PM, AlTiN, N 220417.090 AlTiN	19,53
Φ5159	ZPS Slot drill, Ø9x11x63, Z2, HSSCo8, N 220408.090	10,23
Φ5160	ZPS Slot drill, Ø9x11x63, Z2, HSSCo8, N 220418.090	10,30
Φ5161	ZPS Slot drill, Ø9x11x63, Z2, HSSCo8, TiALN, N 220408.090 TiAlN	15,41
Φ5162	ZPS Slot drill, Ø9x11x63, Z2, HSSCo8, TiALN, N 220418.090 TiAlN	15,41
Φ5163	Номер по каталогу производителя: 2214	
Φ5164	ZPS Slot drill, Ø10x22x95, Z2, HSSCo8, N 221408.100	12,98
Φ5165	ZPS Slot drill, Ø10x22x95, Z2, HSSCo8, N 221418.100	13,04
Φ5166	ZPS Slot drill, Ø10x22x95, Z2, HSSCo8, TiALN, N 221408.100 TiAlN	18,66
Φ5167	ZPS Slot drill, Ø10x22x95, Z2, HSSCo8, TiALN, N 221418.100 TiAlN	18,72
Φ5168	ZPS Slot drill, Ø11x22x102, Z2, HSSCo8, N 221408.110	14,98
Φ5169	ZPS Slot drill, Ø11x22x102, Z2, HSSCo8, N 221418.110	15,04
Φ5170	ZPS Slot drill, Ø11x22x102, Z2, HSSCo8, TiALN, N 221408.110 TiAlN	21,28
Φ5171	ZPS Slot drill, Ø11x22x102, Z2, HSSCo8, TiALN, N 221418.110 TiAlN	21,40
Φ5172	ZPS Slot drill, Ø12x26x110, Z2, HSSCo8, N 221408.120	14,98
Φ5173	ZPS Slot drill, Ø12x26x110, Z2, HSSCo8, N 221418.120	15,41
Φ5174	ZPS Slot drill, Ø12x26x110, Z2, HSSCo8, TiALN, N 221408.120 TiAlN	21,84
Φ5175	ZPS Slot drill, Ø12x26x110, Z2, HSSCo8, TiALN, N 221418.120 TiAlN	22,34
Φ5176	ZPS Slot drill, Ø13x26x110, Z2, HSSCo8, N 221408.130	18,66
Φ5177	ZPS Slot drill, Ø13x26x110, Z2, HSSCo8, N 221418.130	19,09
Φ5178	ZPS Slot drill, Ø13x26x110, Z2, HSSCo8, TiALN, N 221408.130 TiAlN	26,08
Φ5179	ZPS Slot drill, Ø13x26x110, Z2, HSSCo8, TiALN, N 221418.130 TiAlN	26,64
Φ5180	ZPS Slot drill, Ø14x26x110, Z2, HSSCo8, N 221408.140	18,66
Φ5181	ZPS Slot drill, Ø14x26x110, Z2, HSSCo8, N 221418.140	19,09
Φ5182	ZPS Slot drill, Ø14x26x110, Z2, HSSCo8, TiALN, N 221408.140 TiAlN	26,64

Φ5183	ZPS Slot drill, Ø14x26x110, Z2, HSSCo8, TiALN, N 221418.140 TiAIN	27,27
Φ5184	ZPS Slot drill, Ø15x26x110, Z2, HSSCo8, N 221408.150	21,65
Φ5185	ZPS Slot drill, Ø15x26x110, Z2, HSSCo8, N 221418.150	22,15
Φ5186	ZPS Slot drill, Ø15x26x110, Z2, HSSCo8, TiALN, N 221408.150 TiAIN	30,20
Φ5187	ZPS Slot drill, Ø15x26x110, Z2, HSSCo8, TiALN, N 221418.150 TiAIN	30,89
Φ5188	ZPS Slot drill, Ø16x32x123, Z2, HSSCo8, N 221408.160	21,65
Φ5189	ZPS Slot drill, Ø16x32x123, Z2, HSSCo8, N 221418.160	22,15
Φ5190	ZPS Slot drill, Ø16x32x123, Z2, HSSCo8, TiALN, N 221408.160 TiAIN	30,76
Φ5191	ZPS Slot drill, Ø16x32x123, Z2, HSSCo8, TiALN, N 221418.160 TiAIN	31,51
Φ5192	ZPS Slot drill, Ø18x32x123, Z2, HSSCo8, N 221408.180	26,58
Φ5193	ZPS Slot drill, Ø18x32x123, Z2, HSSCo8, N 221418.180	27,33
Φ5194	ZPS Slot drill, Ø18x32x123, Z2, HSSCo8, TiALN, N 221408.180 TiAIN	36,88
Φ5195	ZPS Slot drill, Ø18x32x123, Z2, HSSCo8, TiALN, N 221418.180 TiAIN	37,75
Φ5196	ZPS Slot drill, Ø20x38x141, Z2, HSSCo8, N 221408.200	33,20
Φ5197	ZPS Slot drill, Ø20x38x141, Z2, HSSCo8, N 221418.200	34,01
Φ5198	ZPS Slot drill, Ø20x38x141, Z2, HSSCo8, TiALN, N 221408.200 TiAIN	44,68
Φ5199	ZPS Slot drill, Ø20x38x141, Z2, HSSCo8, TiALN, N 221418.200 TiAIN	45,74
Φ5200	ZPS Slot drill, Ø22x38x141, Z2, HSSCo8, N 221408.220	43,56
Φ5201	ZPS Slot drill, Ø22x38x141, Z2, HSSCo8, N 221418.220	46,86
Φ5202	ZPS Slot drill, Ø22x38x141, Z2, HSSCo8, TiALN, N 221408.220 TiAIN	56,16
Φ5203	ZPS Slot drill, Ø22x38x141, Z2, HSSCo8, TiALN, N 221418.220 TiAIN	60,34
Φ5204	ZPS Slot drill, Ø24x45x166, Z2, HSSCo8, N 221408.240	55,54
Φ5205	ZPS Slot drill, Ø24x45x166, Z2, HSSCo8, N 221418.240	59,78
Φ5206	ZPS Slot drill, Ø24x45x166, Z2, HSSCo8, TiALN, N 221408.240 TiAIN	69,26
Φ5207	ZPS Slot drill, Ø24x45x166, Z2, HSSCo8, TiALN, N 221418.240 TiAIN	74,44
Φ5208	ZPS Slot drill, Ø25x45x166, Z2, HSSCo8, N 221408.250	60,96
Φ5209	ZPS Slot drill, Ø25x45x166, Z2, HSSCo8, N 221418.250	65,58
Φ5210	ZPS Slot drill, Ø25x45x166, Z2, HSSCo8, TiALN, N 221408.250 TiAIN	75,19
Φ5211	ZPS Slot drill, Ø25x45x166, Z2, HSSCo8, TiALN, N 221418.250 TiAIN	80,87
Φ5212	ZPS Slot drill, Ø26x45x166, Z2, HSSCo8, N 221408.260	66,39
Φ5213	ZPS Slot drill, Ø26x45x166, Z2, HSSCo8, N 221418.260	71,45
Φ5214	ZPS Slot drill, Ø26x45x166, Z2, HSSCo8, TiALN, N 221408.260 TiAIN	81,24
Φ5215	ZPS Slot drill, Ø26x45x166, Z2, HSSCo8, TiALN, N 221418.260 TiAIN	87,36
Φ5216	ZPS Slot drill, Ø28x45x166, Z2, HSSCo8, N 221408.280	77,56
Φ5217	ZPS Slot drill, Ø28x45x166, Z2, HSSCo8, N 221418.280	83,43
Φ5218	ZPS Slot drill, Ø28x45x166, Z2, HSSCo8, TiALN, N 221408.280 TiAIN	93,54
Φ5219	ZPS Slot drill, Ø28x45x166, Z2, HSSCo8, TiALN, N 221418.280 TiAIN	100,53
Φ5220	ZPS Slot drill, Ø2x7x54, Z2, HSSCo8, N 221408.020	8,80
Φ5221	ZPS Slot drill, Ø2x7x54, Z2, HSSCo8, N 221418.020	9,73
Φ5222	ZPS Slot drill, Ø2x7x54, Z2, HSSCo8, TiALN, N 221408.020 TiAIN	10,80
Φ5223	ZPS Slot drill, Ø2x7x54, Z2, HSSCo8, TiALN, N 221418.020 TiAIN	12,17
Φ5224	ZPS Slot drill, Ø3,5x10x59, Z2, HSSCo8, N 221418.035	9,73
Φ5225	ZPS Slot drill, Ø3,5x10x59, Z2, HSSCo8, TiALN, N 221418.035 TiAIN	12,17
Φ5226	ZPS Slot drill, Ø30x45x166, Z2, HSSCo8, N 221408.300	87,80
Φ5227	ZPS Slot drill, Ø30x45x166, Z2, HSSCo8, N 221418.300	94,47
Φ5228	ZPS Slot drill, Ø30x45x166, Z2, HSSCo8, TiALN, N 221408.300 TiAIN	104,89
Φ5229	ZPS Slot drill, Ø30x45x166, Z2, HSSCo8, TiALN, N 221418.300 TiAIN	112,82
Φ5230	ZPS Slot drill, Ø32x53x186, Z2, HSSCo8, N 221418.320	110,26
Φ5231	ZPS Slot drill, Ø32x53x186, Z2, HSSCo8, TiALN, N 221418.320 TiAIN	129,85
Φ5232	ZPS Slot drill, Ø36x53x186, Z2, HSSCo8, N 221418.360	174,35
Φ5233	ZPS Slot drill, Ø36x53x186, Z2, HSSCo8, TiALN, N 221418.360 TiAIN	205,73
Φ5234	ZPS Slot drill, Ø3x8x56, Z2, HSSCo8, N 221408.030	8,80
Φ5235	ZPS Slot drill, Ø3x8x56, Z2, HSSCo8, N 221418.030	9,73

Φ5236	ZPS Slot drill, Ø3x8x56, Z2, HSSCo8, TiALN, N 221408.030 TiAlN	10,98
Φ5237	ZPS Slot drill, Ø3x8x56, Z2, HSSCo8, TiALN, N 221418.030 TiAlN	12,17
Φ5238	ZPS Slot drill, Ø4,5x11x63, Z2, HSSCo8, N 221418.045	9,73
Φ5239	ZPS Slot drill, Ø4,5x11x63, Z2, HSSCo8, TiALN, N 221418.045 TiAlN	12,17
Φ5240	ZPS Slot drill, Ø40x63x196, Z2, HSSCo8, N 221418.40032	203,24
Φ5241	ZPS Slot drill, Ø40x63x196, Z2, HSSCo8, TiALN, N 221418.40032 TiAlN	239,87
Φ5242	ZPS Slot drill, Ø4x11x63, Z2, HSSCo8, N 221408.040	8,80
Φ5243	ZPS Slot drill, Ø4x11x63, Z2, HSSCo8, N 221418.040	8,80
Φ5244	ZPS Slot drill, Ø4x11x63, Z2, HSSCo8, TiALN, N 221408.040 TiAlN	11,11
Φ5245	ZPS Slot drill, Ø4x11x63, Z2, HSSCo8, TiALN, N 221418.040 TiAlN	11,11
Φ5246	ZPS Slot drill, Ø5,5x13x68, Z2, HSSCo8, N 221418.055	9,73
Φ5247	ZPS Slot drill, Ø5,5x13x68, Z2, HSSCo8, TiALN, N 221418.055 TiAlN	12,17
Φ5248	ZPS Slot drill, Ø5x13x68, Z2, HSSCo8, N 221408.050	8,80
Φ5249	ZPS Slot drill, Ø5x13x68, Z2, HSSCo8, N 221418.050	8,80
Φ5250	ZPS Slot drill, Ø5x13x68, Z2, HSSCo8, TiALN, N 221408.050 TiAlN	11,67
Φ5251	ZPS Slot drill, Ø5x13x68, Z2, HSSCo8, TiALN, N 221418.050 TiAlN	11,67
Φ5252	ZPS Slot drill, Ø6,5x16x80, Z2, HSSCo8, N 221418.065	12,11
Φ5253	ZPS Slot drill, Ø6,5x16x80, Z2, HSSCo8, TiALN, N 221418.065 TiAlN	16,54
Φ5254	ZPS Slot drill, Ø6x13x68, Z2, HSSCo8, N 221408.060	8,80
Φ5255	ZPS Slot drill, Ø6x13x68, Z2, HSSCo8, N 221418.060	8,80
Φ5256	ZPS Slot drill, Ø6x13x68, Z2, HSSCo8, TiALN, N 221408.060 TiAlN	12,17
Φ5257	ZPS Slot drill, Ø6x13x68, Z2, HSSCo8, TiALN, N 221418.060 TiAlN	12,23
Φ5258	ZPS Slot drill, Ø7x16x80, Z2, HSSCo8, N 221408.070	11,04
Φ5259	ZPS Slot drill, Ø7x16x80, Z2, HSSCo8, N 221418.070	11,04
Φ5260	ZPS Slot drill, Ø7x16x80, Z2, HSSCo8, TiALN, N 221408.070 TiAlN	14,98
Φ5261	ZPS Slot drill, Ø7x16x80, Z2, HSSCo8, TiALN, N 221418.070 TiAlN	15,04
Φ5262	ZPS Slot drill, Ø8,5x19x88, Z2, HSSCo8, N 221418.085	14,35
Φ5263	ZPS Slot drill, Ø8,5x19x88, Z2, HSSCo8, TiALN, N 221418.085 TiAlN	19,97
Φ5264	ZPS Slot drill, Ø8x19x88, Z2, HSSCo8, N 221408.080	11,04
Φ5265	ZPS Slot drill, Ø8x19x88, Z2, HSSCo8, N 221418.080	11,04
Φ5266	ZPS Slot drill, Ø8x19x88, Z2, HSSCo8, TiALN, N 221408.080 TiAlN	15,60
Φ5267	ZPS Slot drill, Ø8x19x88, Z2, HSSCo8, TiALN, N 221418.080 TiAlN	15,66
Φ5268	ZPS Slot drill, Ø9x19x88, Z2, HSSCo8, N 221408.090	12,98
Φ5269	ZPS Slot drill, Ø9x19x88, Z2, HSSCo8, N 221418.090	13,04
Φ5270	ZPS Slot drill, Ø9x19x88, Z2, HSSCo8, TiALN, N 221408.090 TiAlN	18,03
Φ5271	ZPS Slot drill, Ø9x19x88, Z2, HSSCo8, TiALN, N 221418.090 TiAlN	18,16
Φ5272	Номер по каталогу производителя: 2304	
Φ5273	ZPS Slot drill, Ø10x13x63, Z3, HSSCo8, N 230418.100	10,73
Φ5274	ZPS Slot drill, Ø10x13x63, Z3, HSSCo8, TiALN, N 230418.100 TiAlN	16,60
Φ5275	ZPS Slot drill, Ø10x13x63, Z3, HSSE-PM, AlTiN, N 230417.100 AlTiN	20,53
Φ5276	ZPS Slot drill, Ø11, 7x13x70, Z3, HSSCo8, N 230418H.117	16,16
Φ5277	ZPS Slot drill, Ø11, 7x13x70, Z3, HSSCo8, TiALN, N 230418H.117 TiAlN	22,71
Φ5278	ZPS Slot drill, Ø11x13x70, Z3, HSSCo8, N 230418.110	12,54
Φ5279	ZPS Slot drill, Ø11x13x70, Z3, HSSCo8, TiALN, N 230418.110 TiAlN	19,53
Φ5280	ZPS Slot drill, Ø12x16x73, Z3, HSSCo8, N 230418.120	12,54
Φ5281	ZPS Slot drill, Ø12x16x73, Z3, HSSCo8, TiALN, N 230418.120 TiAlN	19,53
Φ5282	ZPS Slot drill, Ø12x16x73, Z3, HSSE-PM, AlTiN, N 230417.120 AlTiN	25,58
Φ5283	ZPS Slot drill, Ø13, 7x16x73, Z3, HSSCo8, N 230418H.137	20,97
Φ5284	ZPS Slot drill, Ø13, 7x16x73, Z3, HSSCo8, TiALN, N 230418H.137 TiAlN	28,70
Φ5285	ZPS Slot drill, Ø13x16x73, Z3, HSSCo8, N 230418.130	15,54
Φ5286	ZPS Slot drill, Ø13x16x73, Z3, HSSCo8, TiALN, N 230418.130 TiAlN	23,71
Φ5287	ZPS Slot drill, Ø14x16x73, Z3, HSSCo8, N 230418.140	15,54
Φ5288	ZPS Slot drill, Ø14x16x73, Z3, HSSCo8, TiALN, N 230418.140 TiAlN	23,71

Φ5289	ZPS Slot drill, Ø14x16x73, Z3, HSSE-PM, AlTiN, N 230417.140 AlTiN	30,33
Φ5290	ZPS Slot drill, Ø15, 7x19x79, Z3, HSSCo8, N 230418H.157	22,84
Φ5291	ZPS Slot drill, Ø15, 7x19x79, Z3, HSSCo8, TiALN, N 230418H.157 TiALN	31,57
Φ5292	ZPS Slot drill, Ø15x16x73, Z3, HSSCo8, N 230418.150	17,97
Φ5293	ZPS Slot drill, Ø15x16x73, Z3, HSSCo8, TiALN, N 230418.150 TiALN	27,33
Φ5294	ZPS Slot drill, Ø16x19x79, Z3, HSSCo8, N 230418.160	17,97
Φ5295	ZPS Slot drill, Ø16x19x79, Z3, HSSCo8, TiALN, N 230418.160 TiALN	27,33
Φ5296	ZPS Slot drill, Ø16x19x79, Z3, HSSE-PM, AlTiN, N 230417.160 AlTiN	37,13
Φ5297	ZPS Slot drill, Ø17, 7x19x79, Z3, HSSCo8, N 230418H.177	25,46
Φ5298	ZPS Slot drill, Ø17, 7x19x79, Z3, HSSCo8, TiALN, N 230418H.177 TiALN	35,32
Φ5299	ZPS Slot drill, Ø18x19x79, Z3, HSSCo8, N 230418.180	22,09
Φ5300	ZPS Slot drill, Ø18x19x79, Z3, HSSCo8, TiALN, N 230418.180 TiALN	32,64
Φ5301	ZPS Slot drill, Ø18x19x79, Z3, HSSE-PM, AlTiN, N 230417.180 AlTiN	42,62
Φ5302	ZPS Slot drill, Ø19, 7x19x79, Z3, HSSCo8, N 230418.197	37,07
Φ5303	ZPS Slot drill, Ø19, 7x19x79, Z3, HSSCo8, TiALN, N 230418.197 TiALN	52,04
Φ5304	ZPS Slot drill, Ø19, 7x22x88, Z3, HSSCo8, N 230418H.197	29,58
Φ5305	ZPS Slot drill, Ø19, 7x22x88, Z3, HSSCo8, TiALN, N 230418H.197 TiALN	40,56
Φ5306	ZPS Slot drill, Ø20x22x88, Z3, HSSCo8, N 230418.200	27,64
Φ5307	ZPS Slot drill, Ø20x22x88, Z3, HSSCo8, TiALN, N 230418.200 TiALN	39,31
Φ5308	ZPS Slot drill, Ø20x22x88, Z3, HSSE-PM, AlTiN, N 230417.200 AlTiN	57,66
Φ5309	ZPS Slot drill, Ø21, 7x22x88, Z3, HSSCo8, N 230418H.217	33,13
Φ5310	ZPS Slot drill, Ø21, 7x22x88, Z3, HSSCo8, TiALN, N 230418H.217 TiALN	45,18
Φ5311	ZPS Slot drill, Ø22x22x88, Z3, HSSCo8, N 230418.220	41,12
Φ5312	ZPS Slot drill, Ø22x22x88, Z3, HSSCo8, TiALN, N 230418.220 TiALN	56,28
Φ5313	ZPS Slot drill, Ø24, 7x26x102, Z3, HSSCo8, N 230418H.247	42,43
Φ5314	ZPS Slot drill, Ø24, 7x26x102, Z3, HSSCo8, TiALN, N 230418H.247 TiALN	56,22
Φ5315	ZPS Slot drill, Ø25x26x102, Z3, HSSCo8, N 230418.250	54,41
Φ5316	ZPS Slot drill, Ø25x26x102, Z3, HSSCo8, TiALN, N 230418.250 TiALN	71,70
Φ5317	ZPS Slot drill, Ø28x26x102, Z3, HSSCo8, N 230418.280	61,15
Φ5318	ZPS Slot drill, Ø28x26x102, Z3, HSSCo8, TiALN, N 230418.280 TiALN	79,93
Φ5319	ZPS Slot drill, Ø2x4x48, Z3, HSSCo8, N 230418.020	7,86
Φ5320	ZPS Slot drill, Ø2x4x48, Z3, HSSCo8, TiALN, N 230418.020 TiALN	9,80
Φ5321	ZPS Slot drill, Ø3,5x6x50, Z3, HSSCo8, N 230418.035	7,86
Φ5322	ZPS Slot drill, Ø3,5x6x50, Z3, HSSCo8, TiALN, N 230418.035 TiALN	9,80
Φ5323	ZPS Slot drill, Ø30x26x102, Z3, HSSCo8, N 230418.300	75,94
Φ5324	ZPS Slot drill, Ø30x26x102, Z3, HSSCo8, TiALN, N 230418.300 TiALN	97,41
Φ5325	ZPS Slot drill, Ø32x32x112, Z3, HSSCo8, N 230418.320	100,65
Φ5326	ZPS Slot drill, Ø32x32x112, Z3, HSSCo8, TiALN, N 230418.320 TiALN	128,17
Φ5327	ZPS Slot drill, Ø3x5x50, Z3, HSSCo8, N 230418.030	7,18
Φ5328	ZPS Slot drill, Ø3x5x50, Z3, HSSCo8, TiALN, N 230418.030 TiALN	8,86
Φ5329	ZPS Slot drill, Ø4,5x7x51, Z3, HSSCo8, N 230418.045	7,86
Φ5330	ZPS Slot drill, Ø4,5x7x51, Z3, HSSCo8, TiALN, N 230418.045 TiALN	9,80
Φ5331	ZPS Slot drill, Ø4x7x51, Z3, HSSCo8, N 230418.040	7,18
Φ5332	ZPS Slot drill, Ø4x7x51, Z3, HSSCo8, TiALN, N 230418.040 TiALN	9,48
Φ5333	ZPS Slot drill, Ø5,5x8x52, Z3, HSSCo8, N 230418.055	7,86
Φ5334	ZPS Slot drill, Ø5,5x8x52, Z3, HSSCo8, TiALN, N 230418.055 TiALN	9,80
Φ5335	ZPS Slot drill, Ø5x8x52, Z3, HSSCo8, N 230418.050	7,43
Φ5336	ZPS Slot drill, Ø5x8x52, Z3, HSSCo8, TiALN, N 230418.050 TiALN	10,36
Φ5337	ZPS Slot drill, Ø6,5x10x60, Z3, HSSCo8, N 230418.065	10,05
Φ5338	ZPS Slot drill, Ø6,5x10x60, Z3, HSSCo8, TiALN, N 230418.065 TiALN	14,54
Φ5339	ZPS Slot drill, Ø6x8x52, Z3, HSSCo8, N 230418.060	7,18
Φ5340	ZPS Slot drill, Ø6x8x52, Z3, HSSCo8, TiALN, N 230418.060 TiALN	10,55
Φ5341	ZPS Slot drill, Ø6x8x52, Z3, HSSE-PM, AlTiN, N 230417.060 AlTiN	13,98

Φ5342	ZPS Slot drill, Ø7,5x10x61, Z3, HSSCo8, N 230418.075	10,36
Φ5343	ZPS Slot drill, Ø7,5x10x61, Z3, HSSCo8, TiALN, N 230418.075 TiALN	15,04
Φ5344	ZPS Slot drill, Ø7x10x61, Z3, HSSCo8, N 230418.070	9,80
Φ5345	ZPS Slot drill, Ø7x10x61, Z3, HSSCo8, TiALN, N 230418.070 TiALN	13,23
Φ5346	ZPS Slot drill, Ø8x11x61, Z3, HSSCo8, N 230418.080	9,17
Φ5347	ZPS Slot drill, Ø8x11x61, Z3, HSSCo8, TiALN, N 230418.080 TiALN	13,92
Φ5348	ZPS Slot drill, Ø8x11x61, Z3, HSSE-PM, AlTiN, N 230417.080 AlTiN	18,22
Φ5349	ZPS Slot drill, Ø9,5x11x63, Z3, HSSCo8, N 230418.095	12,42
Φ5350	ZPS Slot drill, Ø9,5x11x63, Z3, HSSCo8, TiALN, N 230418.095 TiALN	19,16
Φ5351	ZPS Slot drill, Ø9x11x63, Z3, HSSCo8, N 230418.090	11,04
Φ5352	ZPS Slot drill, Ø9x11x63, Z3, HSSCo8, TiALN, N 230418.090 TiALN	17,04
Φ5353	Номер по каталогу производителя: 2314	
Φ5354	ZPS Slot drill, Ø10x22x72, Z3, HSSCo8, N 231418.100	13,67
Φ5355	ZPS Slot drill, Ø10x22x72, Z3, HSSCo8, TiALN, N 231418.100 TiALN	21,90
Φ5356	ZPS Slot drill, Ø11x22x79, Z3, HSSCo8, N 231418.110	15,85
Φ5357	ZPS Slot drill, Ø11x22x79, Z3, HSSCo8, TiALN, N 231418.110 TiALN	25,40
Φ5358	ZPS Slot drill, Ø12x26x83, Z3, HSSCo8, N 231418.120	15,85
Φ5359	ZPS Slot drill, Ø12x26x83, Z3, HSSCo8, TiALN, N 231418.120 TiALN	25,90
Φ5360	ZPS Slot drill, Ø13x26x83, Z3, HSSCo8, N 231418.130	19,78
Φ5361	ZPS Slot drill, Ø13x26x83, Z3, HSSCo8, TiALN, N 231418.130 TiALN	31,26
Φ5362	ZPS Slot drill, Ø14x26x83, Z3, HSSCo8, N 231418.140	19,72
Φ5363	ZPS Slot drill, Ø14x26x83, Z3, HSSCo8, TiALN, N 231418.140 TiALN	31,08
Φ5364	ZPS Slot drill, Ø15x26x83, Z3, HSSCo8, N 231418.150	22,90
Φ5365	ZPS Slot drill, Ø15x26x83, Z3, HSSCo8, TiALN, N 231418.150 TiALN	35,82
Φ5366	ZPS Slot drill, Ø16x32x92, Z3, HSSCo8, N 231418.160	23,28
Φ5367	ZPS Slot drill, Ø16x32x92, Z3, HSSCo8, TiALN, N 231418.160 TiALN	36,50
Φ5368	ZPS Slot drill, Ø18x32x92, Z3, HSSCo8, N 231418.180	28,70
Φ5369	ZPS Slot drill, Ø18x32x92, Z3, HSSCo8, TiALN, N 231418.180 TiALN	42,99
Φ5370	ZPS Slot drill, Ø2, 8x8x52, Z3, HSSCo8, N 231418.028	10,48
Φ5371	ZPS Slot drill, Ø2, 8x8x52, Z3, HSSCo8, TiALN, N 231418.028 TiALN	11,86
Φ5372	ZPS Slot drill, Ø20x38x104, Z3, HSSCo8, N 231418.200	35,82
Φ5373	ZPS Slot drill, Ø20x38x104, Z3, HSSCo8, TiALN, N 231418.200 TiALN	50,79
Φ5374	ZPS Slot drill, Ø22x38x104, Z3, HSSCo8, N 231418.220	49,55
Φ5375	ZPS Slot drill, Ø22x38x104, Z3, HSSCo8, TiALN, N 231418.220 TiALN	71,32
Φ5376	ZPS Slot drill, Ø24x45x121, Z3, HSSCo8, N 231418.240	63,84
Φ5377	ZPS Slot drill, Ø24x45x121, Z3, HSSCo8, TiALN, N 231418.240 TiALN	90,73
Φ5378	ZPS Slot drill, Ø25x45x121, Z3, HSSCo8, N 231418.250	65,52
Φ5379	ZPS Slot drill, Ø25x45x121, Z3, HSSCo8, TiALN, N 231418.250 TiALN	91,92
Φ5380	ZPS Slot drill, Ø3x8x52, Z3, HSSCo8, N 231418.030	9,24
Φ5381	ZPS Slot drill, Ø3x8x52, Z3, HSSCo8, TiALN, N 231418.030 TiALN	10,80
Φ5382	ZPS Slot drill, Ø4x11x55, Z3, HSSCo8, N 231418.040	9,24
Φ5383	ZPS Slot drill, Ø4x11x55, Z3, HSSCo8, TiALN, N 231418.040 TiALN	11,73
Φ5384	ZPS Slot drill, Ø5x13x57, Z3, HSSCo8, N 231418.050	9,30
Φ5385	ZPS Slot drill, Ø5x13x57, Z3, HSSCo8, TiALN, N 231418.050 TiALN	12,92
Φ5386	ZPS Slot drill, Ø6x13x57, Z3, HSSCo8, N 231418.060	9,24
Φ5387	ZPS Slot drill, Ø6x13x57, Z3, HSSCo8, TiALN, N 231418.060 TiALN	14,04
Φ5388	ZPS Slot drill, Ø7x16x66, Z3, HSSCo8, N 231418.070	11,61
Φ5389	ZPS Slot drill, Ø7x16x66, Z3, HSSCo8, TiALN, N 231418.070 TiALN	16,97
Φ5390	ZPS Slot drill, Ø8x19x69, Z3, HSSCo8, N 231418.080	11,61
Φ5391	ZPS Slot drill, Ø8x19x69, Z3, HSSCo8, TiALN, N 231418.080 TiALN	18,03
Φ5392	ZPS Slot drill, Ø9x19x69, Z3, HSSCo8, N 231418.090	12,98
Φ5393	ZPS Slot drill, Ø9x19x69, Z3, HSSCo8, TiALN, N 231418.090 TiALN	20,16
Φ5394	DIN 844	

Ф5395	Номер по каталогу производителя: 2334	
Ф5396	ZPS Slot drill, Ø10x45x95, Z3, HSSCo8, N 233418.100	18,16
Ф5397	ZPS Slot drill, Ø10x45x95, Z3, HSSCo8, TiAlN, N 233418.100 TiAlN	26,33
Ф5398	ZPS Slot drill, Ø12x53x110, Z3, HSSCo8, N 233418.120	22,21
Ф5399	ZPS Slot drill, Ø12x53x110, Z3, HSSCo8, TiAlN, N 233418.120 TiAlN	32,14
Ф5400	ZPS Slot drill, Ø14x53x110, Z3, HSSCo8, N 233418.140	24,15
Ф5401	ZPS Slot drill, Ø14x53x110, Z3, HSSCo8, TiAlN, N 233418.140 TiAlN	35,32
Ф5402	ZPS Slot drill, Ø16x63x123, Z3, HSSCo8, N 233418.160	29,14
Ф5403	ZPS Slot drill, Ø16x63x123, Z3, HSSCo8, TiAlN, N 233418.160 TiAlN	42,24
Ф5404	ZPS Slot drill, Ø18x63x123, Z3, HSSCo8, N 233418.180	34,01
Ф5405	ZPS Slot drill, Ø18x63x123, Z3, HSSCo8, TiAlN, N 233418.180 TiAlN	49,05
Ф5406	ZPS Slot drill, Ø20x75x141, Z3, HSSCo8, N 233418.200	43,80
Ф5407	ZPS Slot drill, Ø20x75x141, Z3, HSSCo8, TiAlN, N 233418.200 TiAlN	59,65
Ф5408	ZPS Slot drill, Ø22x38x141, Z3, HSSCo8, N 233418.220	58,09
Ф5409	ZPS Slot drill, Ø22x38x141, Z3, HSSCo8, TiAlN, N 233418.220 TiAlN	82,37
Ф5410	ZPS Slot drill, Ø25x90x166, Z3, HSSCo8, N 233418.250	76,81
Ф5411	ZPS Slot drill, Ø25x90x166, Z3, HSSCo8, TiAlN, N 233418.250 TiAlN	106,14
Ф5412	ZPS Slot drill, Ø2x10x54, Z3, HSSCo8, N 233418.020	11,48
Ф5413	ZPS Slot drill, Ø2x10x54, Z3, HSSCo8, TiAlN, N 233418.020 TiAlN	14,60
Ф5414	ZPS Slot drill, Ø3x12x56, Z3, HSSCo8, N 233418.030	11,48
Ф5415	ZPS Slot drill, Ø3x12x56, Z3, HSSCo8, TiAlN, N 233418.030 TiAlN	15,04
Ф5416	ZPS Slot drill, Ø4x19x63, Z3, HSSCo8, N 233418.040	11,48
Ф5417	ZPS Slot drill, Ø4x19x63, Z3, HSSCo8, TiAlN, N 233418.040 TiAlN	15,54
Ф5418	ZPS Slot drill, Ø5x24x68, Z3, HSSCo8, N 233418.050	11,48
Ф5419	ZPS Slot drill, Ø5x24x68, Z3, HSSCo8, TiAlN, N 233418.050 TiAlN	16,04
Ф5420	ZPS Slot drill, Ø6x24x68, Z3, HSSCo8, N 233418.060	11,48
Ф5421	ZPS Slot drill, Ø6x24x68, Z3, HSSCo8, TiAlN, N 233418.060 TiAlN	16,54
Ф5422	ZPS Slot drill, Ø8x38x88, Z3, HSSCo8, N 233418.080	15,85
Ф5423	ZPS Slot drill, Ø8x38x88, Z3, HSSCo8, TiAlN, N 233418.080 TiAlN	22,71
Ф5424	ZPS Slot drill, Ø9x38x88, Z3, HSSCo8, N 233418.090	17,78
Ф5425	ZPS Slot drill, Ø9x38x88, Z3, HSSCo8, TiAlN, N 233418.090 TiAlN	25,77
Ф5426	Номер по каталогу производителя: 2706	
Ф5427	ZPS End mill, Ø10x22x72, Z2, HSSCo8, TiAlN, W 270618.100 TiAlN	18,16
Ф5428	ZPS End mill, Ø10x22x72, Z2, HSSCo8, W 270618.100	12,60
Ф5429	ZPS End mill, Ø10x22x72, Z2, HSSCo8, ZrN, W 270618.100 ZrN	22,40
Ф5430	ZPS End mill, Ø11x22x79, Z2, HSSCo8, TiAlN, W 270618.110 TiAlN	22,40
Ф5431	ZPS End mill, Ø11x22x79, Z2, HSSCo8, W 270618.110	16,29
Ф5432	ZPS End mill, Ø11x22x79, Z2, HSSCo8, ZrN, W 270618.110 ZrN	27,21
Ф5433	ZPS End mill, Ø12x26x83, Z2, HSSCo8, TiAlN, W 270618.120 TiAlN	22,96
Ф5434	ZPS End mill, Ø12x26x83, Z2, HSSCo8, W 270618.120	16,29
Ф5435	ZPS End mill, Ø12x26x83, Z2, HSSCo8, ZrN, W 270618.120 ZrN	28,14
Ф5436	ZPS End mill, Ø13x26x83, Z2, HSSCo8, TiAlN, W 270618.130 TiAlN	25,21
Ф5437	ZPS End mill, Ø13x26x83, Z2, HSSCo8, W 270618.130	17,97
Ф5438	ZPS End mill, Ø13x26x83, Z2, HSSCo8, ZrN, W 270618.130 ZrN	30,83
Ф5439	ZPS End mill, Ø14x26x83, Z2, HSSCo8, TiAlN, W 270618.140 TiAlN	25,83
Ф5440	ZPS End mill, Ø14x26x83, Z2, HSSCo8, W 270618.140	17,97
Ф5441	ZPS End mill, Ø14x26x83, Z2, HSSCo8, ZrN, W 270618.140 ZrN	31,82
Ф5442	ZPS End mill, Ø15x26x83, Z2, HSSCo8, TiAlN, W 270618.150 TiAlN	30,33
Ф5443	ZPS End mill, Ø15x26x83, Z2, HSSCo8, W 270618.150	21,90
Ф5444	ZPS End mill, Ø15x26x83, Z2, HSSCo8, ZrN, W 270618.150 ZrN	36,75
Ф5445	ZPS End mill, Ø16x32x92, Z2, HSSCo8, TiAlN, W 270618.160 TiAlN	30,83
Ф5446	ZPS End mill, Ø16x32x92, Z2, HSSCo8, W 270618.160	21,90
Ф5447	ZPS End mill, Ø16x32x92, Z2, HSSCo8, ZrN, W 270618.160 ZrN	37,75

Φ5448	ZPS End mill, Ø17x32x92, Z2, HSSCo8, TiAlN , W 270618.170 TiAlN	36,63
Φ5449	ZPS End mill, Ø17x32x92, Z2, HSSCo8, W 270618.170	27,21
Φ5450	ZPS End mill, Ø17x32x92, Z2, HSSCo8, ZrN, W 270618.170 ZrN	43,99
Φ5451	ZPS End mill, Ø18x32x92, Z2, HSSCo8, TiAlN , W 270618.180 TiAlN	37,25
Φ5452	ZPS End mill, Ø18x32x92, Z2, HSSCo8, W 270618.180	27,21
Φ5453	ZPS End mill, Ø18x32x92, Z2, HSSCo8, ZrN, W 270618.180 ZrN	45,05
Φ5454	ZPS End mill, Ø19x32x92, Z2, HSSCo8, TiAlN , W 270618.190 TiAlN	43,68
Φ5455	ZPS End mill, Ø19x32x92, Z2, HSSCo8, W 270618.190	33,13
Φ5456	ZPS End mill, Ø19x32x92, Z2, HSSCo8, ZrN, W 270618.190 ZrN	51,92
Φ5457	ZPS End mill, Ø2,5x8x52, Z2, HSSCo8, TiAlN , W 270618.025 TiAlN	9,98
Φ5458	ZPS End mill, Ø2,5x8x52, Z2, HSSCo8, W 270618.025	8,67
Φ5459	ZPS End mill, Ø2,5x8x52, Z2, HSSCo8, ZrN, W 270618.025 ZrN	11,11
Φ5460	ZPS End mill, Ø20x38x104, Z2, HSSCo8, TiAlN , W 270618.200 TiAlN	44,24
Φ5461	ZPS End mill, Ø20x38x104, Z2, HSSCo8, W 270618.200	33,13
Φ5462	ZPS End mill, Ø20x38x104, Z2, HSSCo8, ZrN, W 270618.200 ZrN	52,85
Φ5463	ZPS End mill, Ø21x38x104, Z2, HSSCo8, TiAlN , W 270618.210 TiAlN	64,58
Φ5464	ZPS End mill, Ø21x38x104, Z2, HSSCo8, W 270618.210	52,85
Φ5465	ZPS End mill, Ø21x38x104, Z2, HSSCo8, ZrN, W 270618.210 ZrN	73,69
Φ5466	ZPS End mill, Ø22x38x104, Z2, HSSCo8, TiAlN , W 270618.220 TiAlN	65,15
Φ5467	ZPS End mill, Ø22x38x104, Z2, HSSCo8, W 270618.220	52,85
Φ5468	ZPS End mill, Ø22x38x104, Z2, HSSCo8, ZrN, W 270618.220 ZrN	74,69
Φ5469	ZPS End mill, Ø23x38x104, Z2, HSSCo8, TiAlN , W 270618.230 TiAlN	65,64
Φ5470	ZPS End mill, Ø23x38x104, Z2, HSSCo8, W 270618.230	52,85
Φ5471	ZPS End mill, Ø23x38x104, Z2, HSSCo8, ZrN, W 270618.230 ZrN	75,63
Φ5472	ZPS End mill, Ø24x45x121, Z2, HSSCo8, TiAlN , W 270618.240 TiAlN	66,27
Φ5473	ZPS End mill, Ø24x45x121, Z2, HSSCo8, W 270618.240	52,85
Φ5474	ZPS End mill, Ø24x45x121, Z2, HSSCo8, ZrN, W 270618.240 ZrN	76,63
Φ5475	ZPS End mill, Ø25x45x121, Z2, HSSCo8, TiAlN , W 270618.250 TiAlN	66,83
Φ5476	ZPS End mill, Ø25x45x121, Z2, HSSCo8, W 270618.250	52,85
Φ5477	ZPS End mill, Ø25x45x121, Z2, HSSCo8, ZrN, W 270618.250 ZrN	77,69
Φ5478	ZPS End mill, Ø26x45x121, Z2, HSSCo8, TiAlN , W 270618.260 TiAlN	84,99
Φ5479	ZPS End mill, Ø26x45x121, Z2, HSSCo8, W 270618.260	70,51
Φ5480	ZPS End mill, Ø26x45x121, Z2, HSSCo8, ZrN, W 270618.260 ZrN	96,22
Φ5481	ZPS End mill, Ø28x45x121, Z2, HSSCo8, TiAlN , W 270618.280 TiAlN	99,22
Φ5482	ZPS End mill, Ø28x45x121, Z2, HSSCo8, W 270618.280	83,68
Φ5483	ZPS End mill, Ø28x45x121, Z2, HSSCo8, ZrN, W 270618.280 ZrN	111,38
Φ5484	ZPS End mill, Ø2x7x51, Z2, HSSCo8, TiAlN , W 270618.020 TiAlN	9,73
Φ5485	ZPS End mill, Ø2x7x51, Z2, HSSCo8, W 270618.020	8,67
Φ5486	ZPS End mill, Ø2x7x51, Z2, HSSCo8, ZrN, W 270618.020 ZrN	10,55
Φ5487	ZPS End mill, Ø3,5x10x54, Z2, HSSCo8, TiAlN , W 270618.035 TiAlN	10,55
Φ5488	ZPS End mill, Ø3,5x10x54, Z2, HSSCo8, W 270618.035	8,67
Φ5489	ZPS End mill, Ø3,5x10x54, Z2, HSSCo8, ZrN, W 270618.035 ZrN	12,04
Φ5490	ZPS End mill, Ø30x45x121, Z2, HSSCo8, TiAlN , W 270618.300 TiAlN	106,20
Φ5491	ZPS End mill, Ø30x45x121, Z2, HSSCo8, W 270618.300	89,54
Φ5492	ZPS End mill, Ø30x45x121, Z2, HSSCo8, ZrN, W 270618.300 ZrN	119,25
Φ5493	ZPS End mill, Ø32x53x133, Z2, HSSCo8, TiAlN , W 270618.320 TiAlN	118,81
Φ5494	ZPS End mill, Ø32x53x133, Z2, HSSCo8, W 270618.320	101,03
Φ5495	ZPS End mill, Ø32x53x133, Z2, HSSCo8, ZrN, W 270618.320 ZrN	132,66
Φ5496	ZPS End mill, Ø3x8x52, Z2, HSSCo8, TiAlN , W 270618.030 TiAlN	10,30
Φ5497	ZPS End mill, Ø3x8x52, Z2, HSSCo8, W 270618.030	8,67
Φ5498	ZPS End mill, Ø3x8x52, Z2, HSSCo8, ZrN, W 270618.030 ZrN	11,54
Φ5499	ZPS End mill, Ø4,5x11x55, Z2, HSSCo8, TiAlN , W 270618.045 TiAlN	11,11
Φ5500	ZPS End mill, Ø4,5x11x55, Z2, HSSCo8, W 270618.045	8,67

Ф5501	ZPS End mill, Ø4,5x11x55, Z2, HSSCo8, ZrN, W 270618.045 ZrN	13,04
Ф5502	ZPS End mill, Ø4x11x55, Z2, HSSCo8, TiAlN , W 270618.040 TiAlN	10,80
Ф5503	ZPS End mill, Ø4x11x55, Z2, HSSCo8, W 270618.040	8,67
Ф5504	ZPS End mill, Ø4x11x55, Z2, HSSCo8, ZrN, W 270618.040 ZrN	12,54
Ф5505	ZPS End mill, Ø5,5x13x57, Z2, HSSCo8, TiAlN , W 270618.055 TiAlN	11,61
Ф5506	ZPS End mill, Ø5,5x13x57, Z2, HSSCo8, W 270618.055	8,67
Ф5507	ZPS End mill, Ø5,5x13x57, Z2, HSSCo8, ZrN, W 270618.055 ZrN	14,04
Ф5508	ZPS End mill, Ø5x13x57, Z2, HSSCo8, TiAlN , W 270618.050 TiAlN	11,36
Ф5509	ZPS End mill, Ø5x13x57, Z2, HSSCo8, W 270618.050	8,67
Ф5510	ZPS End mill, Ø5x13x57, Z2, HSSCo8, ZrN, W 270618.050 ZrN	13,48
Ф5511	ZPS End mill, Ø6,5x16x66, Z2, HSSCo8, TiAlN , W 270618.065 TiAlN	15,60
Ф5512	ZPS End mill, Ø6,5x16x66, Z2, HSSCo8, W 270618.065	11,98
Ф5513	ZPS End mill, Ø6,5x16x66, Z2, HSSCo8, ZrN, W 270618.065 ZrN	18,47
Ф5514	ZPS End mill, Ø6x13x57, Z2, HSSCo8, TiAlN , W 270618.060 TiAlN	11,92
Ф5515	ZPS End mill, Ø6x13x57, Z2, HSSCo8, W 270618.060	8,67
Ф5516	ZPS End mill, Ø6x13x57, Z2, HSSCo8, ZrN, W 270618.060 ZrN	14,48
Ф5517	ZPS End mill, Ø7,5x16x66, Z2, HSSCo8, TiAlN , W 270618.075 TiAlN	16,16
Ф5518	ZPS End mill, Ø7,5x16x66, Z2, HSSCo8, W 270618.075	12,85
Ф5519	ZPS End mill, Ø7,5x16x66, Z2, HSSCo8, ZrN, W 270618.075 ZrN	19,41
Ф5520	ZPS End mill, Ø7x16x66, Z2, HSSCo8, TiAlN , W 270618.070 TiAlN	15,91
Ф5521	ZPS End mill, Ø7x16x66, Z2, HSSCo8, W 270618.070	11,98
Ф5522	ZPS End mill, Ø7x16x66, Z2, HSSCo8, ZrN, W 270618.070 ZrN	18,91
Ф5523	ZPS End mill, Ø8,5x19x69, Z2, HSSCo8, TiAlN , W 270618.085 TiAlN	17,28
Ф5524	ZPS End mill, Ø8,5x19x69, Z2, HSSCo8, W 270618.085	12,60
Ф5525	ZPS End mill, Ø8,5x19x69, Z2, HSSCo8, ZrN, W 270618.085 ZrN	20,97
Ф5526	ZPS End mill, Ø8x19x69, Z2, HSSCo8, TiAlN , W 270618.080 TiAlN	16,47
Ф5527	ZPS End mill, Ø8x19x69, Z2, HSSCo8, W 270618.080	11,98
Ф5528	ZPS End mill, Ø8x19x69, Z2, HSSCo8, ZrN, W 270618.080 ZrN	19,91
Ф5529	ZPS End mill, Ø9,5x19x69, Z2, HSSCo8, TiAlN , W 270618.095 TiAlN	17,85
Ф5530	ZPS End mill, Ø9,5x19x69, Z2, HSSCo8, W 270618.095	12,60
Ф5531	ZPS End mill, Ø9,5x19x69, Z2, HSSCo8, ZrN, W 270618.095 ZrN	21,96
Ф5532	ZPS End mill, Ø9x19x69, Z2, HSSCo8, TiAlN , W 270618.090 TiAlN	17,60
Ф5533	ZPS End mill, Ø9x19x69, Z2, HSSCo8, W 270618.090	12,60
Ф5534	ZPS End mill, Ø9x19x69, Z2, HSSCo8, ZrN, W 270618.090 ZrN	21,47
Ф5535	Номер по каталогу производителя: 2736	
Ф5536	ZPS End mill, Ø10x45x95, Z2, HSSCo8, TiAlN , W 273618.100 TiAlN	23,96
Ф5537	ZPS End mill, Ø10x45x95, Z2, HSSCo8, W 273618.100	18,41
Ф5538	ZPS End mill, Ø10x45x95, Z2, HSSCo8, ZrN, W 273618.100 ZrN	28,20
Ф5539	ZPS End mill, Ø11x45x102, Z2, HSSCo8, TiAlN , W 273618.110 TiAlN	31,32
Ф5540	ZPS End mill, Ø11x45x102, Z2, HSSCo8, W 273618.110	25,15
Ф5541	ZPS End mill, Ø11x45x102, Z2, HSSCo8, ZrN, W 273618.110 ZrN	36,07
Ф5542	ZPS End mill, Ø12x53x110, Z2, HSSCo8, TiAlN , W 273618.120 TiAlN	31,82
Ф5543	ZPS End mill, Ø12x53x110, Z2, HSSCo8, W 273618.120	25,15
Ф5544	ZPS End mill, Ø12x53x110, Z2, HSSCo8, ZrN, W 273618.120 ZrN	37,07
Ф5545	ZPS End mill, Ø13x53x110, Z2, HSSCo8, TiAlN , W 273618.130 TiAlN	37,56
Ф5546	ZPS End mill, Ø13x53x110, Z2, HSSCo8, W 273618.130	30,33
Ф5547	ZPS End mill, Ø13x53x110, Z2, HSSCo8, ZrN, W 273618.130 ZrN	43,24
Ф5548	ZPS End mill, Ø14x53x110, Z2, HSSCo8, TiAlN , W 273618.140 TiAlN	38,13
Ф5549	ZPS End mill, Ø14x53x110, Z2, HSSCo8, W 273618.140	30,33
Ф5550	ZPS End mill, Ø14x53x110, Z2, HSSCo8, ZrN, W 273618.140 ZrN	44,24
Ф5551	ZPS End mill, Ø15x53x110, Z2, HSSCo8, TiAlN , W 273618.150 TiAlN	42,87
Ф5552	ZPS End mill, Ø15x53x110, Z2, HSSCo8, W 273618.150	34,51
Ф5553	ZPS End mill, Ø15x53x110, Z2, HSSCo8, ZrN, W 273618.150 ZrN	49,30

Ф5554	ZPS End mill, Ø16x63x123, Z2, HSSCo8, TiAlN , W 273618.160 TiAlN	43,37
Ф5555	ZPS End mill, Ø16x63x123, Z2, HSSCo8, W 273618.160	34,51
Ф5556	ZPS End mill, Ø16x63x123, Z2, HSSCo8, ZrN, W 273618.160 ZrN	50,36
Ф5557	ZPS End mill, Ø18x63x123, Z2, HSSCo8, TiAlN , W 273618.180 TiAlN	54,29
Ф5558	ZPS End mill, Ø18x63x123, Z2, HSSCo8, W 273618.180	44,30
Ф5559	ZPS End mill, Ø18x63x123, Z2, HSSCo8, ZrN, W 273618.180 ZrN	62,15
Ф5560	ZPS End mill, Ø20x75x141, Z2, HSSCo8, TiAlN , W 273618.200 TiAlN	62,46
Ф5561	ZPS End mill, Ø20x75x141, Z2, HSSCo8, W 273618.200	51,29
Ф5562	ZPS End mill, Ø20x75x141, Z2, HSSCo8, ZrN, W 273618.200 ZrN	71,14
Ф5563	ZPS End mill, Ø22x75x141, Z2, HSSCo8, TiAlN , W 273618.220 TiAlN	84,36
Ф5564	ZPS End mill, Ø22x75x141, Z2, HSSCo8, W 273618.220	72,95
Ф5565	ZPS End mill, Ø22x75x141, Z2, HSSCo8, ZrN, W 273618.220 ZrN	94,60
Ф5566	ZPS End mill, Ø25x90x166, Z2, HSSCo8, TiAlN , W 273618.250 TiAlN	92,54
Ф5567	ZPS End mill, Ø25x90x166, Z2, HSSCo8, W 273618.250	79,50
Ф5568	ZPS End mill, Ø25x90x166, Z2, HSSCo8, ZrN, W 273618.250 ZrN	104,15
Ф5569	ZPS End mill, Ø2x10x54, Z2, HSSCo8, TiAlN , W 273618.020 TiAlN	13,17
Ф5570	ZPS End mill, Ø2x10x54, Z2, HSSCo8, W 273618.020	12,04
Ф5571	ZPS End mill, Ø2x10x54, Z2, HSSCo8, ZrN, W 273618.020 ZrN	14,04
Ф5572	ZPS End mill, Ø3x12x56, Z2, HSSCo8, TiAlN , W 273618.030 TiAlN	13,67
Ф5573	ZPS End mill, Ø3x12x56, Z2, HSSCo8, W 273618.030	12,04
Ф5574	ZPS End mill, Ø3x12x56, Z2, HSSCo8, ZrN, W 273618.030 ZrN	14,98
Ф5575	ZPS End mill, Ø4x19x63, Z2, HSSCo8, TiAlN , W 273618.040 TiAlN	14,29
Ф5576	ZPS End mill, Ø4x19x63, Z2, HSSCo8, W 273618.040	12,04
Ф5577	ZPS End mill, Ø4x19x63, Z2, HSSCo8, ZrN, W 273618.040 ZrN	15,97
Ф5578	ZPS End mill, Ø5x24x68, Z2, HSSCo8, TiAlN , W 273618.050 TiAlN	14,79
Ф5579	ZPS End mill, Ø5x24x68, Z2, HSSCo8, W 273618.050	12,04
Ф5580	ZPS End mill, Ø5x24x68, Z2, HSSCo8, ZrN, W 273618.050 ZrN	16,97
Ф5581	ZPS End mill, Ø6x24x68, Z2, HSSCo8, TiAlN , W 273618.060 TiAlN	15,35
Ф5582	ZPS End mill, Ø6x24x68, Z2, HSSCo8, W 273618.060	12,04
Ф5583	ZPS End mill, Ø6x24x68, Z2, HSSCo8, ZrN, W 273618.060 ZrN	17,91
Ф5584	ZPS End mill, Ø7x30x80, Z2, HSSCo8, TiAlN , W 273618.070 TiAlN	20,03
Ф5585	ZPS End mill, Ø7x30x80, Z2, HSSCo8, W 273618.070	16,16
Ф5586	ZPS End mill, Ø7x30x80, Z2, HSSCo8, ZrN, W 273618.070 ZrN	22,96
Ф5587	ZPS End mill, Ø8x38x88, Z2, HSSCo8, TiAlN , W 273618.080 TiAlN	21,72
Ф5588	ZPS End mill, Ø8x38x88, Z2, HSSCo8, W 273618.080	17,28
Ф5589	ZPS End mill, Ø8x38x88, Z2, HSSCo8, ZrN, W 273618.080 ZrN	25,02
Ф5590	ZPS-FN Norm	
Ф5591	Номер по каталогу производителя: 2403	
Ф5592	ZPS Slot drill, Ø11, 7x16x73, Z2, HSSCo8, N 240308.117	11,86
Ф5593	ZPS Slot drill, Ø11, 7x16x73, Z2, HSSCo8, TiAlN, N 240308.117 TiAlN	18,53
Ф5594	ZPS Slot drill, Ø13, 7x16x73, Z2, HSSCo8, N 240308.137	14,73
Ф5595	ZPS Slot drill, Ø13, 7x16x73, Z2, HSSCo8, TiAlN, N 240308.137 TiAlN	22,53
Ф5596	ZPS Slot drill, Ø15, 7x19x79, Z2, HSSCo8, N 240308.157	17,04
Ф5597	ZPS Slot drill, Ø15, 7x19x79, Z2, HSSCo8, TiAlN, N 240308.157 TiAlN	25,96
Ф5598	ZPS Slot drill, Ø17, 7x19x79, Z2, HSSCo8, N 240308.177	20,90
Ф5599	ZPS Slot drill, Ø17, 7x19x79, Z2, HSSCo8, TiAlN, N 240308.177 TiAlN	31,01
Ф5600	ZPS Slot drill, Ø19, 7x22x88, Z2, HSSCo8, N 240308.197	26,15
Ф5601	ZPS Slot drill, Ø19, 7x22x88, Z2, HSSCo8, TiAlN, N 240308.197 TiAlN	37,44
Ф5602	ZPS Slot drill, Ø2, 8x5x49, Z2, HSSCo8, N 240308.028	6,99
Ф5603	ZPS Slot drill, Ø2, 8x5x49, Z2, HSSCo8, TiAlN, N 240308.028 TiAlN	8,55
Ф5604	ZPS Slot drill, Ø21, 7x22x88, Z2, HSSCo8, N 240308.217	30,70
Ф5605	ZPS Slot drill, Ø21, 7x22x88, Z2, HSSCo8, TiAlN, N 240308.217 TiAlN	43,12
Ф5606	ZPS Slot drill, Ø24, 7x26x96, Z2, HSSCo8, N 240308.247	36,88

Ф5607	ZPS Slot drill, Ø24, 7x26x96, Z2, HSSCo8, TiALN, N 240308.247 TiAlN	50,98
Ф5608	ZPS Slot drill, Ø27, 7x26x96, Z2, HSSCo8, N 240308.277	45,24
Ф5609	ZPS Slot drill, Ø27, 7x26x96, Z2, HSSCo8, TiALN, N 240308.277 TiAlN	61,03
Ф5610	ZPS Slot drill, Ø3, 8x7x51, Z2, HSSCo8, N 240308.038	6,99
Ф5611	ZPS Slot drill, Ø3, 8x7x51, Z2, HSSCo8, TiALN, N 240308.038 TiAlN	9,11
Ф5612	ZPS Slot drill, Ø4, 8x8x52, Z2, HSSCo8, N 240308.048	6,99
Ф5613	ZPS Slot drill, Ø4, 8x8x52, Z2, HSSCo8, TiALN, N 240308.048 TiAlN	9,73
Ф5614	ZPS Slot drill, Ø5, 75x8x52, Z2, HSSCo8, N 240308.0575	7,30
Ф5615	ZPS Slot drill, Ø5, 75x8x52, Z2, HSSCo8, TiALN, N 240308.0575 TiAlN	10,55
Ф5616	ZPS Slot drill, Ø6, 75x10x60, Z2, HSSCo8, N 240308.0675	8,55
Ф5617	ZPS Slot drill, Ø6, 75x10x60, Z2, HSSCo8, TiALN, N 240308.0675 TiAlN	12,42
Ф5618	ZPS Slot drill, Ø7, 75x11x61, Z2, HSSCo8, N 240308.0775	9,86
Ф5619	ZPS Slot drill, Ø7, 75x11x61, Z2, HSSCo8, TiALN, N 240308.0775 TiAlN	14,29
Ф5620	ZPS Slot drill, Ø9, 7x13x63, Z2, HSSCo8, N 240308.097	10,17
Ф5621	ZPS Slot drill, Ø9, 7x13x63, Z2, HSSCo8, TiALN, N 240308.097 TiAlN	15,72
Ф5622	Фрезы концевые шпоночные с коническим хвостовиком	
Ф5623	DIN 326	
Ф5624	Номер по каталогу производителя: 2605	
Ф5625	ZPS Slot drill, Ø10x13x85, Z2, DIN 326, HSSCo5, N 260545.100	25,96
Ф5626	ZPS Slot drill, Ø11x13x85, Z2, DIN 326, HSSCo5, N 260545.110	26,08
Ф5627	ZPS Slot drill, Ø12x14x85, Z2, DIN 326, HSSCo5, N 260545.120	26,08
Ф5628	ZPS Slot drill, Ø12x14x85, Z2, DIN 326, HSSCo5, TiALN, N 260545.120 TiAlN	32,95
Ф5629	ZPS Slot drill, Ø14x16x100, Z2, DIN 326, HSSCo5, N 260545.140	32,57
Ф5630	ZPS Slot drill, Ø14x16x100, Z2, DIN 326, HSSCo5, TiALN, N 260545.140 TiAlN	40,56
Ф5631	ZPS Slot drill, Ø16x18x105, Z2, DIN 326, HSSCo5, N 260545.160	36,13
Ф5632	ZPS Slot drill, Ø16x18x105, Z2, DIN 326, HSSCo5, TiALN, N 260545.160 TiAlN	45,18
Ф5633	ZPS Slot drill, Ø18x20x110, Z2, DIN 326, HSSCo5, N 260545.180	39,62
Ф5634	ZPS Slot drill, Ø18x20x110, Z2, DIN 326, HSSCo5, TiALN, N 260545.180 TiAlN	49,86
Ф5635	ZPS Slot drill, Ø20x20x115, Z2, DIN 326, HSSCo5, N 260545.200	43,24
Ф5636	ZPS Slot drill, Ø20x20x115, Z2, DIN 326, HSSCo5, TiALN, N 260545.200 TiAlN	54,60
Ф5637	ZPS Slot drill, Ø22x22x120, Z2, DIN 326, HSSCo5, N 260545.220	46,74
Ф5638	ZPS Slot drill, Ø22x22x120, Z2, DIN 326, HSSCo5, TiALN, N 260545.220 TiAlN	59,22
Ф5639	ZPS Slot drill, Ø24x25x140, Z2, DIN 326, HSSCo5, N 260545.240	55,85
Ф5640	ZPS Slot drill, Ø24x25x140, Z2, DIN 326, HSSCo5, TiALN, N 260545.240 TiAlN	69,51
Ф5641	ZPS Slot drill, Ø25x25x140, Z2, DIN 326, HSSCo5, N 260545.250	59,47
Ф5642	ZPS Slot drill, Ø25x25x140, Z2, DIN 326, HSSCo5, TiALN, N 260545.250 TiAlN	73,69
Ф5643	ZPS Slot drill, Ø28x28x145, Z2, DIN 326, HSSCo5, N 260545.280	64,40
Ф5644	ZPS Slot drill, Ø28x28x145, Z2, DIN 326, HSSCo5, TiALN, N 260545.280 TiAlN	80,31
Ф5645	ZPS Slot drill, Ø30x30x150, Z2, DIN 326, HSSCo5, N 260545.300	67,20
Ф5646	ZPS Slot drill, Ø30x30x150, Z2, DIN 326, HSSCo5, TiALN, N 260545.300 TiAlN	101,03
Ф5647	ZPS Slot drill, Ø32x32x175, Z2, DIN 326, HSSCo5, N 260545.320	73,20
Ф5648	ZPS Slot drill, Ø32x32x175, Z2, DIN 326, HSSCo5, TiALN, N 260545.320 TiAlN	109,20
Ф5649	ZPS Slot drill, Ø36x34x175, Z2, DIN 326, HSSCo5, N 260545.360	87,24
Ф5650	ZPS Slot drill, Ø36x34x175, Z2, DIN 326, HSSCo5, TiALN, N 260545.360 TiAlN	127,73
Ф5651	ZPS Slot drill, Ø40x38x180, Z2, DIN 326, HSSCo5, N 260545.400	110,76
Ф5652	ZPS Slot drill, Ø40x38x180, Z2, DIN 326, HSSCo5, TiALN, N 260545.400 TiAlN	155,88
Ф5653	ZPS Slot drill, Ø45x42x185, Z2, DIN 326, HSSCo5, N 260545.450	124,74
Ф5654	ZPS Slot drill, Ø45x42x185, Z2, DIN 326, HSSCo5, TiALN, N 260545.450 TiAlN	175,41
Ф5655	ZPS Slot drill, Ø50x45x220, Z2, DIN 326, HSSCo5, N 260545.500	152,32
Ф5656	ZPS Slot drill, Ø50x45x220, Z2, DIN 326, HSSCo5, TiALN, N 260545.500 TiAlN	208,67

***Данное предложение не является публичной офертой**

